

Report of Analysis

Client:	ENTACT		Date Collected:	
Project:	Whittaker Coatings Site – E9125B		Date Received:	
Client Sample ID:	PB170590BL		SDG No.:	Q3618
Lab Sample ID:	PB170590BL		Matrix:	SOIL
Analytical Method:	SW8270ESIM	Level: LOW	% Solid:	100
Sample Wt/Vol:	30.02 g	Final Vol: 1000 uL	Test:	SVOC-SIMGroup1
Prep Method :	sw3541	Prep Date: 11/18/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
123-91-1	1,4-Dioxane	1.60	U	1	1.60	6.60	ug/Kg	12/01/25 10:59	PB170590
SURROGATES									
7297-45-2	2-Methylnaphthalene-d10	0.32			17 - 161	81%	SPK: 0.4		
93951-69-0	Fluoranthene-d10	0.36			23 - 138	91%	SPK: 0.4		
4165-60-0	Nitrobenzene-d5	0.35			33 - 121	88%	SPK: 0.4		
321-60-8	2-Fluorobiphenyl	0.37			32 - 121	92%	SPK: 0.4		
1718-51-0	Terphenyl-d14	0.38			21 - 130	94%	SPK: 0.4		
INTERNAL STANDARDS		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	8150							
1146-65-2	Naphthalene-d8	23000							
15067-26-2	Acenaphthene-d10	11500							
1517-22-2	Phenanthrene-d10	17600							
1719-03-5	Chrysene-d12	10900							
1520-96-3	Perylene-d12	10200							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products