

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111325\
 Data File : VY023774.D
 Acq On : 13 Nov 2025 09:48
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 14 04:20:12 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	0.328	0.286	12.8	97	0.00
3 P	Chloromethane	0.459	0.421	8.3	95	0.00
4 C	Vinyl Chloride	0.598	0.540	9.7#	92	0.00
5 T	Bromomethane	0.503	0.419	16.7	88	0.00
6 T	Chloroethane	0.413	0.364	11.9	88	0.00
7 T	Trichlorofluoromethane	0.842	0.880	-4.5	105	0.00
8 T	Diethyl Ether	0.226	0.227	-0.4	99	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.464	0.474	-2.2	102	0.00
10 T	Methyl Iodide	0.548	0.561	-2.4	91	0.00
11 T	Tert butyl alcohol	0.028	0.030	-7.1	120	-0.01
12 CM	1,1-Dichloroethene	0.447	0.447	0.0	99	0.00
13 T	Acrolein	0.035	0.019	45.7#	61	0.00
14 T	Allyl chloride	0.544	0.584	-7.4	103	0.00
15 T	Acrylonitrile	0.086	0.096	-11.6	109	0.00
16 T	Acetone	0.106	0.112	-5.7	110	0.00
17 T	Carbon Disulfide	1.371	1.363	0.6	98	0.00
18 T	Methyl Acetate	0.234	0.227	3.0	100	0.00
19 T	Methyl tert-butyl Ether	1.036	1.102	-6.4	102	0.00
20 T	Methylene Chloride	0.512	0.506	1.2	102	0.00
21 T	trans-1,2-Dichloroethene	0.504	0.519	-3.0	99	0.00
22 T	Diisopropyl ether	1.212	1.352	-11.6	103	0.00
23 T	Vinyl Acetate	0.647	0.742	-14.7	106	0.00
24 P	1,1-Dichloroethane	0.807	0.849	-5.2	102	0.00
25 T	2-Butanone	0.123	0.130	-5.7	109	0.00
26 T	2,2-Dichloropropane	0.742	0.777	-4.7	102	0.00
27 T	cis-1,2-Dichloroethene	0.575	0.590	-2.6	98	0.00
28 T	Bromochloromethane	0.309	0.332	-7.4	106	0.00
29 T	Tetrahydrofuran	0.065	0.074	-13.8	112	0.00
30 C	Chloroform	0.901	0.934	-3.7#	101	0.00
31 T	Cyclohexane	0.703	0.709	-0.9	100	0.00
32 T	1,1,1-Trichloroethane	0.805	0.835	-3.7	101	0.00
33 S	1,2-Dichloroethane-d4	0.427	0.433	-1.4	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	91	0.00
35 S	Dibromofluoromethane	0.312	0.324	-3.8	95	0.00
36 T	1,1-Dichloropropene	0.418	0.449	-7.4	100	0.00
37 T	Ethyl Acetate	0.162	0.187	-15.4	110	0.00
38 T	Carbon Tetrachloride	0.492	0.525	-6.7	100	0.00
39 T	Methylcyclohexane	0.534	0.574	-7.5	97	0.00
40 TM	Benzene	1.316	1.422	-8.1	101	0.00
41 T	Methacrylonitrile	0.088	0.087	1.1	94	0.00
42 TM	1,2-Dichloroethane	0.333	0.359	-7.8	102	0.00
43 T	Isopropyl Acetate	0.304	0.341	-12.2	105	0.00
44 TM	Trichloroethene	0.378	0.392	-3.7	98	0.00
45 C	1,2-Dichloropropane	0.290	0.319	-10.0#	102	0.00
46 T	Dibromomethane	0.180	0.196	-8.9	104	0.00
47 T	Bromodichloromethane	0.454	0.495	-9.0	102	0.00
48 T	Methyl methacrylate	0.143	0.167	-16.8	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111325\
 Data File : VY023774.D
 Acq On : 13 Nov 2025 09:48
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 14 04:20:12 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 05 04:41:50 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	102	0.00
50 S	Toluene-d8	1.164	1.231	-5.8	94	0.00
51 T	4-Methyl-2-Pentanone	0.162	0.190	-17.3	109	0.00
52 CM	Toluene	0.840	0.923	-9.9#	98	0.00
53 T	t-1,3-Dichloropropene	0.384	0.425	-10.7	100	0.00
54 T	cis-1,3-Dichloropropene	0.460	0.507	-10.2	100	0.00
55 T	1,1,2-Trichloroethane	0.241	0.261	-8.3	102	0.00
56 T	Ethyl methacrylate	0.265	0.316	-19.2	104	0.00
57 T	1,3-Dichloropropane	0.381	0.421	-10.5	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.122	0.147	-20.5	105	0.00
59 T	2-Hexanone	0.118	0.135	-14.4	107	0.00
60 T	Dibromochloromethane	0.330	0.358	-8.5	100	0.00
61 T	1,2-Dibromoethane	0.226	0.244	-8.0	100	0.00
62 S	4-Bromofluorobenzene	0.376	0.495	-31.6#	116	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	105	0.00
64 T	Tetrachloroethene	0.520	0.481	7.5	99	0.00
65 PM	Chlorobenzene	1.088	1.101	-1.2	109	0.00
66 T	1,1,1,2-Tetrachloroethane	0.385	0.420	-9.1	117	0.00
67 C	Ethyl Benzene	1.762	1.980	-12.4#	115	0.00
68 T	m/p-Xylenes	0.704	0.783	-11.2	113	0.00
69 T	o-Xylene	0.651	0.741	-13.8	116	0.00
70 T	Styrene	1.074	1.239	-15.4	116	0.00
71 P	Bromoform	0.225	0.256	-13.8	123	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	104	0.00
73 T	Isopropylbenzene	3.344	3.765	-12.6	113	0.00
74 T	N-amyl acetate	0.566	0.594	-4.9	107	0.00
75 P	1,1,2,2-Tetrachloroethane	0.534	0.588	-10.1	121	0.00
76 T	1,2,3-Trichloropropane	0.405	0.454	-12.1	126	0.00
77 T	Bromobenzene	0.867	0.966	-11.4	116	0.00
78 T	n-propylbenzene	3.933	4.340	-10.3	110	0.00
79 T	2-Chlorotoluene	2.283	2.546	-11.5	114	0.00
80 T	1,3,5-Trimethylbenzene	2.717	3.038	-11.8	111	0.00
81 T	trans-1,4-Dichloro-2-butene	0.179	0.196	-9.5	118	0.00
82 T	4-Chlorotoluene	2.354	2.574	-9.3	112	0.00
83 T	tert-Butylbenzene	2.475	2.558	-3.4	104	0.00
84 T	1,2,4-Trimethylbenzene	2.691	2.926	-8.7	108	0.00
85 T	sec-Butylbenzene	3.569	3.935	-10.3	111	0.00
86 T	p-Isopropyltoluene	3.022	3.322	-9.9	109	0.00
87 T	1,3-Dichlorobenzene	1.707	1.777	-4.1	109	0.00
88 T	1,4-Dichlorobenzene	1.677	1.701	-1.4	107	0.00
89 T	n-Butylbenzene	2.627	2.895	-10.2	109	0.00
90 T	Hexachloroethane	0.649	0.658	-1.4	107	0.00
91 T	1,2-Dichlorobenzene	1.471	1.510	-2.7	108	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.082	0.087	-6.1	118	0.00
93 T	1,2,4-Trichlorobenzene	0.842	0.868	-3.1	106	0.00
94 T	Hexachlorobutadiene	0.551	0.504	8.5	95	0.00
95 T	Naphthalene	1.257	1.237	1.6	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY111325\
Data File : VY023774.D
Acq On : 13 Nov 2025 09:48
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Nov 14 04:20:12 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y110425S.M
Quant Title : SW846 8260
QLast Update : Wed Nov 05 04:41:50 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.703	0.670	4.7	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5