

Client Contact Information				Bottle Order ID : B2510051				Courier :				<u>1</u> of <u>12</u> COCs				
Client ID : RTPE01 Project ID : <u>Air Chadwick</u>				Sampler Name(s) :				Analysis				Matrix				
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 732-968-9600												
				Fax Number :												
				Site Details:												
Analysis Turnaround Time				Standard : <u>10 business days</u> OR				Data Package Type : <u>NJ regulated</u>								
Rush (Specify): <u>Days</u>				EDD Type : <u>Haz/EXCEL w/ conversion</u>												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambinet Air	Soil Gas
9A-56-1	11/11/25	1004	1104	-25	-4	70	70	-30	-8.0	10205	10682	1.4 L 25	VI042492.D VI042225.D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings:																
Sampling site (State):																
Quick Connector required : <u>yes</u>																
Canisters Shipped by: <u>Scuba</u>				Date/Time: <u>11/10/25</u>				Canisters Received by: <u>SW</u>				Date/Time: <u>11/10/25</u>				
Samples Relinquished by: <u>CW</u>				Date/Time: <u>11/12/25 12:53</u>				Received by: <u>[Signature]</u>				Date/Time: <u>16253</u>				
Relinquished by:				Date/Time:				Received by:				Date/Time: <u>11/14/25</u>				

Client Contact Information						Bottle Order ID : B2510051				Courier :				2 of 12 COCs						
Client ID : RTPE01 Project ID : Air						Sampler Name(s) :				Analysis				Matrix						
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified										
						Phone Number : 732-968-9600														
						Fax Number :														
						Site Details:														
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type : Same as page 1										
Rush (Specify): Days						EDD Type :														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
9A5G-2	11/12/25	1022	1122	-30	-9	70	70	-30	-10.4	10512	10413	1.4 L	25	VL042492.D VL042225.D	X					X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings:																				
Sampling site (State):																				
Quick Connector required : Yes																				
Canisters Shipped by: Sam					Date/Time: 11/12/25					Canisters Received by:					Date/Time:					
Samples Relinquished by:					Date/Time:					Received by:					Date/Time: 11/12/25					
Relinquished by:					Date/Time:					Received by:					Date/Time: 11/12/25					
B2510051 - 3																				

Client Contact Information				Bottle Order ID : B2510051				Courier :				3 of 12 COCs					
Client ID : RTPE01 Project ID : Air Chadwick				Sampler Name(s) :				Analysis				Matrix					
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 732-968-9600													
				Fax Number :													
				Site Details:													
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : same as									
Rush (Specify): Days				EDD Type : page 1													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
9B-SG-1	11/11/23	1048	11:48	-30	-5	65	65	-30	-9.6	10694	10450	1.4 L	25	VL042492.D VL042225.D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : Yes																	
Canisters Shipped by: Seim				Date/Time: 11/10/23				Canisters Received by:				Date/Time: 11/12/23				B2510051 - 5	
Samples Relinquished by:				Date/Time:				Received by: yg				Date/Time: 11/12/23					
Relinquished by:				Date/Time:				Received by:				Date/Time: 11/12/23					

Client Contact Information				Bottle Order ID : B2510051				Courier :				4 of 12 COCs																	
Client ID : RTPE01 Project ID : Air Chadwick				Sampler Name(s) :				Analysis				Matrix																	
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 732-968-9600																									
				Fax Number :																									
				Site Details:																									
Analysis Turnaround Time				Data Package Type : same as page 1				EDD Type :																					
Standard : 10 business days OR				Rush (Specify): Days																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambinet Air	Soil Gas												
9B-56-2	11/12/15	834	934	-27	-3	60	60	-30	-9.6	10689	10677	1.4 L	25	VL042492.D VL042225.D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: Sampling site (State):																													
Quick Connector required : yes																													
Canisters Shipped by: Sam				Date/Time: 11/10/15				Canisters Received by: YJ				Date/Time: 11/12/15				B2510051 - 9													
Samples Relinquished by:				Date/Time:				Received by:				Date/Time: 11/12/15																	
Relinquished by:				Date/Time:				Received by:				Date/Time: 11/13																	



Q 3626

Client Contact Information						Bottle Order ID : B2510052				Courier :				<u>5</u> of <u>12</u> COCs							
Client ID : RTPE01 Project ID : <u>Air Chadwick</u>						Sampler Name(s) :				Analysis				Matrix							
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
						Phone Number : 732-968-9600															
						Fax Number :															
						Site Details:															
						Analysis Turnaround Time															
Standard : 10 business days OR						Data Package Type : <u>same as</u>															
Rush (Specify): _____ Days						EDD Type : <u>page 1</u>															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15					Indoor/Ambient Air	Soil Gas
<u>10-SG-1</u>	<u>11/12/15</u>	<u>839</u>	<u>939</u>	<u>-30</u>	<u>-5</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-10.0</u>	<u>10698</u>	<u>10464</u>	<u>1.4 L</u>	<u>25</u>	<u>VL042989.D</u>	X					X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>[Signature]</u>											
		Ambient		Maximum		Minimum															
Start																					
Stop																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient		Maximum		Minimum															
Start																					
Stop																					
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State):																					
Quick Connector required : <u>No</u>																					
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>11/10/15</u>				Canisters Received by:				Date/Time:				B2510052 - 3					
Samples Relinquished by:				Date/Time:				Received by: <u>[Signature]</u>				Date/Time: <u>11/12/15</u>									
Relinquished by:				Date/Time:				Received by:				Date/Time: <u>16:53</u>									

Client Contact Information				Bottle Order ID : B2510052				Courier :				6 of 12 COCs				
Client ID : RTPE01 Project ID : Air				Sampler Name(s) :				Analysis				Matrix				
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 732-968-9600												
				Fax Number :												
				Site Details:												
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : Same as								
Rush (Specify): Days				EDD Type : page 1												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambinet Air	Soil Gas
11-56-1	11/14/25	912	1012	-30	-5	65	65	-30	-8.0	10557	10435	1.4 L	25	VL042989.D	X	X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings:																
Sampling site (State):																
Quick Connector required : Yes																
Canisters Shipped by: Seamus				Date/Time: 11/10/25				Canisters Received by:				Date/Time:				
Samples Relinquished by:				Date/Time:				Received by: gg				Date/Time: 11/14/25				
Relinquished by:				Date/Time:				Received by:				Date/Time: 16:53				
B2510052 - 2																

Client Contact Information				Bottle Order ID : B2510051				Courier :				7 of 12 COCs				
Client ID : RTPE01 Project ID : Al Chadwick				Sampler Name(s) :				Analysis				Matrix				
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 732-968-9600												
				Fax Number :												
				Site Details:												
Analysis Turnaround Time				Data Package Type : Same as page 1												
Standard : 10 business days OR				EDD Type :												
Rush (Specify): Days																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
12-561	11/11/25	12:15	12:15	-28	-4	65	65	-30	-10.8	10569	10471	1.4 L 25	VL042492.D VL042225.D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings:																
Sampling site (State):																
Quick Connector required : yes																
Canisters Shipped by: Seim				Date/Time: 11/10/25				Canisters Received by: ys				Date/Time: 11/12/25				B2510051 - 6
Samples Relinquished by:				Date/Time:				Received by:				Date/Time: 11/12/25				
Relinquished by:				Date/Time:				Received by:				Date/Time: 11/12/25				

Client Contact Information						Bottle Order ID : B2510051				Courier :				8 of 12 COCs				
Client ID : RTPE01 Project ID : Air Chadwick						Sampler Name(s) :				Analysis				Matrix				
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
						Phone Number : 732-968-9600												
						Fax Number :												
						Site Details:												
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type : Same as								
Rush (Specify): Days						EDD Type : page 1												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
12-56-2	11/12/25	1213	1313	-3.0	-8	65	65	-30	-10.8	10165	10046	1.4 L	25	VL042492.D VL042225.D	X		X	X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium Low PID Readings:																		
Sampling site (State):																		
Quick Connector required : Yes																		
Canisters Shipped by: Sam					Date/Time: 11/10/25					Canisters Received by:					Date/Time:			
Samples Relinquished by:					Date/Time:					Received by: YJ					Date/Time: 11/12/25			
Relinquished by:					Date/Time:					Received by:					Date/Time: 16:53			
B2510051 - 1																		

Client Contact Information				Bottle Order ID : B2510051				Courier :				9 of 12 COCs										
Client ID : RTPE01 Project ID : Air Chadwick				Sampler Name(s) :				Analysis				Matrix										
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified														
				Phone Number : 732-968-9600																		
				Fax Number :																		
				Site Details:																		
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : Page 1														
Rush (Specify): Days				EDD Type :																		
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas		
13-SG-1	11/12/15	1241	1341	-30	-9	70	70	-30	-10.8	10623	10673	1.4 L	25	VL042492.D	X					X		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]												
		Ambient	Maximum	Minimum																		
Start																						
Stop																						
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.												
		Ambient	Maximum	Minimum																		
Start																						
Stop																						
Special Instructions/QC Requirements & Comments :																						
Suspected Contamination: High Medium Low PID Readings:																						
Sampling site (State):																						
Quick Connector required : Yes																						
Canisters Shipped by: Sam				Date/Time: 11/10/15				Canisters Received by:				Date/Time:				B2510051 - 8						
Samples Relinquished by:				Date/Time:				Received by: yg				Date/Time: 11/12/15										
Relinquished by:				Date/Time:				Received by:				Date/Time: 11/12/15										

Client Contact Information				Bottle Order ID : B2510051				Courier :				10 of 13 COCs																
Client ID : RTPE01 Project ID : <u>Air Chadwick</u>				Sampler Name(s) :				Analysis				Matrix																
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 732-968-9600																								
				Fax Number :																								
				Site Details:																								
Analysis Turnaround Time				Data Package Type : <u>Same as page 1</u>																								
Standard : 10 business days OR				EDD Type :																								
Rush (Specify): <u>Days</u>																												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
14-56-1	11/12/25	924	1024	-27	-5	65	65	-30	-7.5	10475	10418 10418-7	1.4 L 25	VL042492.D VL042225.D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC Indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: Sampling site (State):																												
Quick Connector required : <u>yes</u>																												
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>11/10/18</u>				Canisters Received by:				Date/Time: <u>11/12/25</u>				B2510051 - 12												
Samples Relinquished by:				Date/Time:				Received by: <u>gg</u>				Date/Time: <u>11/12/25</u>																
Relinquished by:				Date/Time:				Received by:				Date/Time: <u>16:53</u>																

Client Contact Information						Bottle Order ID : B2510051				Courier :				11 of 12 COCs					
Client ID : RTPE01 Project ID : Air Chadwick						Sampler Name(s) :				Analysis				Matrix					
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
						Phone Number : 732-968-9600													
						Fax Number :													
						Site Details:													
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type : Same as									
Rush (Specify): Days						EDD Type : page 1.													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
15-36-1	11/12/25	1006	1106	-30	-6	65	65	-30	-10.4	10242	10123		1.4 L 25	VL042989.D	X				X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : Yes																			
Canisters Shipped by: Sam					Date/Time: 11/10/25					Canisters Received by:					Date/Time:				
Samples Relinquished by:					Date/Time:					Received by:					Date/Time: 11/14/25				
Relinquished by:					Date/Time:					Received by:					Date/Time: 16:53				
B2510051 - 2																			


Client Contact Information				Bottle Order ID : B2510051				Courier :				12 of 12 COCs																
Client ID : RTPE01 Project ID : Air Chadwick				Sampler Name(s) :				Analysis				Matrix																
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 732-968-9600																								
				Fax Number :																								
				Site Details:																								
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : same as fiscal																				
Rush (Specify): Days				EDD Type :																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
16-56-1	11/12/25	903	1003	-30	-4	70	70	-30	-9.2	10518	10794 20416	1.4 L 25	VL042492.D VL042225.D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: Sampling site (State): Quick Connector required : yes																												
Canisters Shipped by: seran				Date/Time: 11/10/25				Canisters Received by:				Date/Time: 11/12/25				B2510051 - 4												
Samples Relinquished by:				Date/Time:				Received by:				Date/Time: 16:53																
Relinquished by:				Date/Time:				Received by: yg				Date/Time:																

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
<u>NABE:</u>		Title: <u>Sample Custodian</u>	
Field Sample Seal No. <u>Q3626</u>		Date Broken <u>11/12/2025</u>	
Case No.: <u>CHADWICK SQUARE</u>		Military Time Seal Broken: <u>16:53:00</u>	
		Analytical Parameter/Fraction <u>TO-15</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3626-01	9A-SG-1	Q3626-11	15-SG-1
Q3626-02	9A-SG-2	Q3626-12	16-SG-1
Q3626-03	9B-SG-1		
Q3626-04	9B-SG-2		
Q3626-05	10-SG-1		
Q3626-06	11-SG-1		
Q3626-07	12-SG-1		
Q3626-08	12-SG-2		
Q3626-09	13-SG-1		
Q3626-10	14-SG-1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
11/13/25	11:06	Signature 	Signature 	
		Printed Name <u>Cassanova</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A2 55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/10/25	Q3594-01	10595 10595	13.6	-2.2				sy
11/11/25	Q3626-01	10682	10.8	-8.0				sy
11/12/25	Q3626-02	10413	9.6	-10.4				
	Q3626-03	10450	10.0	-9.6				
	Q3626-04	10677	10.0	-9.6				
	Q3626-05	10464	9.8	-10.0				
	Q3626-06	10435	10.8	-8.0				
	Q3626-07	10471	9.4	-10.8				
	Q3626-08	10846	9.4	-10.8				
	Q3626-09	10673	9.4	-10.8				
	Q3626-10	10416	11.0	-7.5				
	Q3626-11	10123	9.6	-10.4				
	Q3626-12	10794	10.2	-9.2				
11/12/25	Q3627-01	10608	10.8	-8.0				
	Q3627-02	10321	11.4	-6.7				
	Q3627-03	10590	13.4	-2.7				
	Q3627-04	10650	9.2	-11.2				
	Q3627-05	10793	9.6	-10.4				

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

9B-SG-2

Client Name:

RTP

Project Name:

Church

Date:

11/12/25

Time:

9:34

Analysis:

Comments:

Storage Location: Air Lab

Sample: Q3626-02

Cust #: 9A-SG-2

Disposition:

B25/0051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

9A-SG-1

Client Name:

RTP

Project Name:

Church

Date:

11/11/25

Time:

1:04

Analysis:

10-15

Comments:

Storage Location: Air Lab

Sample: Q3626-01

Cust #: 9A-SG-1

Disposition:

B25/0051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

9B-SG-1

Client Name:

Church

RTP

Project Name:

Date:

11/11/25

Time:

1:48

Analysis:

10-15

Comments:

Storage Location: Air Lab

Sample: Q3626-03

Cust #: 9B-SG-1

CHEMTECH'S SAMPLE

Date Received:

B25/0051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 10-SG-1

Client Name: RTP

Project Name: Chadwick

Date: 11/11/25

Time: 9:39

Analysis: TC-15

Comments:

Storage Location: Air Lab

Sample: Q3626-05

Cust #: 10-SG-1

CHEMTECH'S SAM

Date Received:

B256052

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 9A-SG-2

Client Name: RTP

Project Name: Chadwick

Date: 11/11/25

Time: 11:22

Analysis: TC-15

Comments:

Storage Location: Air Lab

Sample: Q3626-04

Cust #: 9B-SG-2

CHEMTECH'S SAM

Date Received:

B2510051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 11-SG-1

Client Name: RTP

Project Name: Chadwick

Date: 11/11/25

Time: 10:12

Analysis: TC-15

Comments:

Storage Location: Air Lab

Sample: Q3626-06

Cust #: 11-SG-1

CHEMTECH

Date Received:

Date of Disposal:

C5001528

52701

801-100401

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 12-SG-2
Client Name: RTP
Project Name: Chudnick
Date: 11/11/25 Time: 1313
Analysis: _____
Comments: _____
CHEMTECH'S SA _____
Date Received: _____

Storage Location: Air Lab
Sample: Q3626-07
Cust #: 12-SG-1

Disposal: B25/0051

801-10471

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 12-SG-1
Client Name: RTP
Project Name: Chudnick
Date: 11/11/25 Time: 1315
Analysis: _____
Comments: _____
CHEMTECH'S SA _____
Date Received: _____

Storage Location: Air Lab
Sample: Q3626-08
Cust #: 12-SG-2

Disposal: B25/0051

801-10472

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 13-SG-1
Client Name: RTP
Project Name: Chudnick
Date: 11/11/25 Time: 1315
Analysis: _____
Comments: _____
CHEMTECH'S SA _____
Date Received: _____

Storage Location: Air Lab
Sample: Q3626-09
Cust #: 13-SG-1

Disposal: B25/0051

10416
91401
S-1

Client Sample ID #: 14-56-1
Client Name: RTP
Project Name: Chudmoh
Date: 11/2/25 Time: 10:24
Analysis: 10-15
Comments: 10051
CHEMTEC
Date Received: 10051
Disposal: 10051

Storage Location: Air Lab
Sample: Q3626-10
Cust #: 14-SG-1

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

52123
7011

Client Sample ID #: 15-56-1
Client Name: RPT
Project Name: Chudmoh
Date: 11/2/25 Time: 11:06
Analysis: 10-15
Comments: 10051
CHEMTEC
Date Received: 10051
Disposal: 10051

Storage Location: Air Lab
Sample: Q3626-11
Cust #: 15-SG-1

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

2-6-1
416241

Client Sample ID #: 16-56-1
Client Name: RPT
Project Name: Chudmoh
Date: 11/2/25 Time: 10:03
Analysis: 10-15
Comments: 10051
CHEMTECH'S
Date Received: 10051
Disposal: 10051

Storage Location: Air Lab
Sample: Q3626-12
Cust #: 16-SG-1

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH