

Hit Summary Sheet SW-846

SDG No.: Q3626

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	9A-SG-1							
Q3626-01	9A-SG-1	Air	Dichlorodifluoromethane	2.57	J	1.09	4.94	ug/m3
Q3626-01	9A-SG-1	Air	Chloromethane	1.20	J	0.41	2.07	ug/m3
Q3626-01	9A-SG-1	Air	tert-Butyl alcohol	1.06	J	0.97	3.03	ug/m3
Q3626-01	9A-SG-1	Air	Heptane	10.7		1.39	4.10	ug/m3
Q3626-01	9A-SG-1	Air	Acetone	74.1	E	0.86	2.38	ug/m3
Q3626-01	9A-SG-1	Air	Carbon Disulfide	1.46	J	0.50	3.11	ug/m3
Q3626-01	9A-SG-1	Air	2-Butanone	5.90		0.32	2.95	ug/m3
Q3626-01	9A-SG-1	Air	Carbon Tetrachloride	0.44		0.31	0.38	ug/m3
Q3626-01	9A-SG-1	Air	Benzene	1.28	J	0.51	3.19	ug/m3
Q3626-01	9A-SG-1	Air	Trichloroethene	0.59		0.27	0.32	ug/m3
Q3626-01	9A-SG-1	Air	Toluene	1.92	J	1.21	3.77	ug/m3
Q3626-01	9A-SG-1	Air	Tetrachloroethene	156		0.20	0.41	ug/m3
Q3626-01	9A-SG-1	Air	Styrene	5.11		1.36	4.26	ug/m3
Q3626-01	9A-SG-1	Air	Naphthalene	1.10		0.16	1.05	ug/m3
Q3626-01	9A-SG-1	Air	Hexane	15.2		1.13	3.52	ug/m3
Total Voc :					279			
Total Concentration:					279			
Client ID:	9A-SG-1DL							
Q3626-01DL	9A-SG-1DL	Air	Chloromethane	1.55	JD	1.01	5.16	ug/m3
Q3626-01DL	9A-SG-1DL	Air	Heptane	8.61	JD	3.48	10.3	ug/m3
Q3626-01DL	9A-SG-1DL	Air	Acetone	78.9	D	2.14	5.94	ug/m3
Q3626-01DL	9A-SG-1DL	Air	2-Butanone	6.19	JD	0.83	7.37	ug/m3
Q3626-01DL	9A-SG-1DL	Air	Tetrachloroethene	151	D	0.54	1.02	ug/m3
Q3626-01DL	9A-SG-1DL	Air	Styrene	4.09	JD	3.41	10.6	ug/m3
Q3626-01DL	9A-SG-1DL	Air	Hexane	14.8	D	2.82	8.81	ug/m3
Total Voc :					265			
Total Concentration:					265			
Client ID:	9A-SG-2							
Q3626-02	9A-SG-2	Air	Dichlorodifluoromethane	2.57	J	1.09	4.94	ug/m3
Q3626-02	9A-SG-2	Air	Trichlorofluoromethane	3.99	J	1.91	5.62	ug/m3
Q3626-02	9A-SG-2	Air	tert-Butyl alcohol	2.91	J	0.97	3.03	ug/m3
Q3626-02	9A-SG-2	Air	Acetone	38.0		0.86	2.38	ug/m3
Q3626-02	9A-SG-2	Air	Carbon Disulfide	2.37	J	0.50	3.11	ug/m3
Q3626-02	9A-SG-2	Air	Methylene Chloride	9.38		1.60	3.47	ug/m3
Q3626-02	9A-SG-2	Air	2-Butanone	1.62	J	0.32	2.95	ug/m3
Q3626-02	9A-SG-2	Air	Carbon Tetrachloride	0.44		0.31	0.38	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q3626

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3626-02	9A-SG-2	Air	Chloroform	19.5		0.93	4.88	ug/m3
Q3626-02	9A-SG-2	Air	1,1,1-Trichloroethane	0.49		0.16	0.33	ug/m3
Q3626-02	9A-SG-2	Air	Benzene	0.93	J	0.51	3.19	ug/m3
Q3626-02	9A-SG-2	Air	Trichloroethene	1.40		0.27	0.32	ug/m3
Q3626-02	9A-SG-2	Air	Tetrachloroethene	10.2		0.20	0.41	ug/m3
Q3626-02	9A-SG-2	Air	Hexane	5.29		1.13	3.52	ug/m3
Total Voc :				99.1				
Total Concentration:				99.1				
Client ID:	9B-SG-1							
Q3626-03	9B-SG-1	Air	Dichlorodifluoromethane	2.87	J	1.09	4.94	ug/m3
Q3626-03	9B-SG-1	Air	Chloromethane	0.47	J	0.41	2.07	ug/m3
Q3626-03	9B-SG-1	Air	tert-Butyl alcohol	1.12	J	0.97	3.03	ug/m3
Q3626-03	9B-SG-1	Air	Acetone	39.4		0.86	2.38	ug/m3
Q3626-03	9B-SG-1	Air	Methylene Chloride	9.03		1.60	3.47	ug/m3
Q3626-03	9B-SG-1	Air	2-Butanone	5.90		0.32	2.95	ug/m3
Q3626-03	9B-SG-1	Air	Benzene	9.90		0.51	3.19	ug/m3
Q3626-03	9B-SG-1	Air	Trichloroethene	0.86		0.27	0.32	ug/m3
Q3626-03	9B-SG-1	Air	Toluene	1.81	J	1.21	3.77	ug/m3
Q3626-03	9B-SG-1	Air	Tetrachloroethene	130		0.20	0.41	ug/m3
Q3626-03	9B-SG-1	Air	Hexane	5.64		1.13	3.52	ug/m3
Total Voc :				207				
Total Concentration:				207				
Client ID:	9B-SG-2							
Q3626-04	9B-SG-2	Air	Dichlorodifluoromethane	2.62	J	1.09	4.94	ug/m3
Q3626-04	9B-SG-2	Air	Chloromethane	30.6		0.41	2.07	ug/m3
Q3626-04	9B-SG-2	Air	Vinyl Chloride	1.33		0.13	0.15	ug/m3
Q3626-04	9B-SG-2	Air	Chloroethane	5.28		0.79	2.64	ug/m3
Q3626-04	9B-SG-2	Air	tert-Butyl alcohol	1.24	J	0.97	3.03	ug/m3
Q3626-04	9B-SG-2	Air	Heptane	1.76	J	1.39	4.10	ug/m3
Q3626-04	9B-SG-2	Air	Acetone	99.8	E	0.86	2.38	ug/m3
Q3626-04	9B-SG-2	Air	Carbon Disulfide	4.05		0.50	3.11	ug/m3
Q3626-04	9B-SG-2	Air	Methylene Chloride	2.78	J	1.60	3.47	ug/m3
Q3626-04	9B-SG-2	Air	2-Butanone	6.19		0.32	2.95	ug/m3
Q3626-04	9B-SG-2	Air	Carbon Tetrachloride	0.44		0.31	0.38	ug/m3
Q3626-04	9B-SG-2	Air	Benzene	33.5		0.51	3.19	ug/m3
Q3626-04	9B-SG-2	Air	Toluene	4.15		1.21	3.77	ug/m3
Q3626-04	9B-SG-2	Air	Tetrachloroethene	0.81		0.20	0.41	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q3626

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3626-04	9B-SG-2	Air	1,3-Butadiene	12.4		0.22	2.21	ug/m3
Q3626-04	9B-SG-2	Air	Hexane	4.58		1.13	3.52	ug/m3
Total Voc :				211				
Total Concentration:				211				
Client ID:	9B-SG-2DL							
Q3626-04DL	9B-SG-2DL	Air	Chloromethane	29.5	D	1.01	5.16	ug/m3
Q3626-04DL	9B-SG-2DL	Air	Vinyl Chloride	1.61	D	0.33	0.38	ug/m3
Q3626-04DL	9B-SG-2DL	Air	Chloroethane	6.07	JD	1.98	6.60	ug/m3
Q3626-04DL	9B-SG-2DL	Air	Acetone	103	D	2.14	5.94	ug/m3
Q3626-04DL	9B-SG-2DL	Air	Carbon Disulfide	4.67	JD	1.25	7.79	ug/m3
Q3626-04DL	9B-SG-2DL	Air	Methylene Chloride	4.52	JD	4.17	8.69	ug/m3
Q3626-04DL	9B-SG-2DL	Air	2-Butanone	5.90	JD	0.83	7.37	ug/m3
Q3626-04DL	9B-SG-2DL	Air	Benzene	32.3	D	1.28	7.99	ug/m3
Q3626-04DL	9B-SG-2DL	Air	Toluene	3.50	JD	3.01	9.42	ug/m3
Q3626-04DL	9B-SG-2DL	Air	1,3-Butadiene	12.6	D	0.58	5.53	ug/m3
Q3626-04DL	9B-SG-2DL	Air	Hexane	5.99	JD	2.82	8.81	ug/m3
Total Voc :				210				
Total Concentration:				210				
Client ID:	10-SG-1							
Q3626-05	10-SG-1	Air	Dichlorodifluoromethane	2.67	J	1.09	4.94	ug/m3
Q3626-05	10-SG-1	Air	Tetrahydrofuran	0.94	J	0.47	2.95	ug/m3
Q3626-05	10-SG-1	Air	Acetone	428	E	0.86	2.38	ug/m3
Q3626-05	10-SG-1	Air	Carbon Disulfide	2.24	J	0.50	3.11	ug/m3
Q3626-05	10-SG-1	Air	Methylene Chloride	4.86		1.60	3.47	ug/m3
Q3626-05	10-SG-1	Air	2-Butanone	4.42		0.32	2.95	ug/m3
Q3626-05	10-SG-1	Air	Carbon Tetrachloride	0.38		0.31	0.38	ug/m3
Q3626-05	10-SG-1	Air	Chloroform	5.86		0.93	4.88	ug/m3
Q3626-05	10-SG-1	Air	Trichloroethene	9.67		0.27	0.32	ug/m3
Q3626-05	10-SG-1	Air	Tetrachloroethene	882	E	0.20	0.41	ug/m3
Q3626-05	10-SG-1	Air	Hexane	3.07	J	1.13	3.52	ug/m3
Total Voc :				1340				
Total Concentration:				1340				
Client ID:	10-SG-1DL							
Q3626-05DL	10-SG-1DL	Air	Acetone	499	D	8.55	23.8	ug/m3
Q3626-05DL	10-SG-1DL	Air	2-Butanone	6.19	JD	3.24	29.5	ug/m3
Q3626-05DL	10-SG-1DL	Air	Trichloroethene	11.3	D	2.58	3.22	ug/m3
Q3626-05DL	10-SG-1DL	Air	Tetrachloroethene	882	D	2.03	4.07	ug/m3
Total Voc :				1400				

Hit Summary Sheet
SW-846

SDG No.: Q3626

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Concentration:				1400				
Client ID:	11-SG-1							
Q3626-06	11-SG-1	Air	Dichlorodifluoromethane	2.37	J	1.09	4.94	ug/m3
Q3626-06	11-SG-1	Air	Chloromethane	0.52	J	0.41	2.07	ug/m3
Q3626-06	11-SG-1	Air	tert-Butyl alcohol	1.24	J	0.97	3.03	ug/m3
Q3626-06	11-SG-1	Air	Heptane	2.62	J	1.39	4.10	ug/m3
Q3626-06	11-SG-1	Air	Acetone	69.4		0.86	2.38	ug/m3
Q3626-06	11-SG-1	Air	Carbon Disulfide	0.75	J	0.50	3.11	ug/m3
Q3626-06	11-SG-1	Air	2-Butanone	7.96		0.32	2.95	ug/m3
Q3626-06	11-SG-1	Air	Carbon Tetrachloride	0.44		0.31	0.38	ug/m3
Q3626-06	11-SG-1	Air	Benzene	81.8		0.51	3.19	ug/m3
Q3626-06	11-SG-1	Air	Trichloroethene	2.53		0.27	0.32	ug/m3
Q3626-06	11-SG-1	Air	Toluene	2.71	J	1.21	3.77	ug/m3
Q3626-06	11-SG-1	Air	Tetrachloroethene	45.4		0.20	0.41	ug/m3
Q3626-06	11-SG-1	Air	Hexane	6.34		1.13	3.52	ug/m3
Q3626-06	11-SG-1	Air	Methyl Methacrylate	1.88	J	1.15	4.09	ug/m3
Total Voc :				226				
Total Concentration:				226				
Client ID:	12-SG-1							
Q3626-07	12-SG-1	Air	Dichlorodifluoromethane	2.82	J	1.09	4.94	ug/m3
Q3626-07	12-SG-1	Air	Acetone	34.4		0.86	2.38	ug/m3
Q3626-07	12-SG-1	Air	Carbon Disulfide	1.62	J	0.50	3.11	ug/m3
Q3626-07	12-SG-1	Air	Methylene Chloride	14.9		1.60	3.47	ug/m3
Q3626-07	12-SG-1	Air	2-Butanone	2.60	J	0.32	2.95	ug/m3
Q3626-07	12-SG-1	Air	Carbon Tetrachloride	0.50		0.31	0.38	ug/m3
Q3626-07	12-SG-1	Air	Benzene	1.47	J	0.51	3.19	ug/m3
Q3626-07	12-SG-1	Air	Trichloroethene	2.53		0.27	0.32	ug/m3
Q3626-07	12-SG-1	Air	Toluene	1.58	J	1.21	3.77	ug/m3
Q3626-07	12-SG-1	Air	Tetrachloroethene	55.6		0.20	0.41	ug/m3
Q3626-07	12-SG-1	Air	Hexane	8.81		1.13	3.52	ug/m3
Total Voc :				127				
Total Concentration:				127				
Client ID:	12-SG-2							
Q3626-08	12-SG-2	Air	Dichlorodifluoromethane	2.72	J	1.09	4.94	ug/m3
Q3626-08	12-SG-2	Air	Chloromethane	0.78	J	0.41	2.07	ug/m3
Q3626-08	12-SG-2	Air	Acetone	65.8		0.86	2.38	ug/m3
Q3626-08	12-SG-2	Air	Methylene Chloride	121	E	1.60	3.47	ug/m3
Q3626-08	12-SG-2	Air	2-Butanone	1.53	J	0.32	2.95	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q3626

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3626-08	12-SG-2	Air	Carbon Tetrachloride	0.44		0.31	0.38	ug/m3
Q3626-08	12-SG-2	Air	Benzene	0.73	J	0.51	3.19	ug/m3
Q3626-08	12-SG-2	Air	Trichloroethene	0.43		0.27	0.32	ug/m3
Q3626-08	12-SG-2	Air	Toluene	1.24	J	1.21	3.77	ug/m3
Q3626-08	12-SG-2	Air	Tetrachloroethene	125		0.20	0.41	ug/m3
Q3626-08	12-SG-2	Air	Hexane	83.2		1.13	3.52	ug/m3
Total Voc :					403			
Total Concentration:					403			
Client ID:	12-SG-2DL							
Q3626-08DL	12-SG-2DL	Air	Acetone	76.7	D	2.14	5.94	ug/m3
Q3626-08DL	12-SG-2DL	Air	Methylene Chloride	88.2	D	4.17	8.69	ug/m3
Q3626-08DL	12-SG-2DL	Air	2-Butanone	1.74	JD	0.83	7.37	ug/m3
Q3626-08DL	12-SG-2DL	Air	Tetrachloroethene	166	D	0.54	1.02	ug/m3
Q3626-08DL	12-SG-2DL	Air	Hexane	34.5	D	2.82	8.81	ug/m3
Total Voc :					367			
Total Concentration:					367			
Client ID:	13-SG-1							
Q3626-09	13-SG-1	Air	Dichlorodifluoromethane	2.87	J	1.09	4.94	ug/m3
Q3626-09	13-SG-1	Air	Chloromethane	0.72	J	0.41	2.07	ug/m3
Q3626-09	13-SG-1	Air	Tetrahydrofuran	1.83	J	0.47	2.95	ug/m3
Q3626-09	13-SG-1	Air	tert-Butyl alcohol	10.0		0.97	3.03	ug/m3
Q3626-09	13-SG-1	Air	Acetone	196	E	0.86	2.38	ug/m3
Q3626-09	13-SG-1	Air	Carbon Disulfide	1.99	J	0.50	3.11	ug/m3
Q3626-09	13-SG-1	Air	Methylene Chloride	13.2		1.60	3.47	ug/m3
Q3626-09	13-SG-1	Air	2-Butanone	6.78		0.32	2.95	ug/m3
Q3626-09	13-SG-1	Air	Carbon Tetrachloride	0.50		0.31	0.38	ug/m3
Q3626-09	13-SG-1	Air	Benzene	5.43		0.51	3.19	ug/m3
Q3626-09	13-SG-1	Air	Trichloroethene	1.83		0.27	0.32	ug/m3
Q3626-09	13-SG-1	Air	4-Methyl-2-Pentanone	1.31	J	0.78	4.10	ug/m3
Q3626-09	13-SG-1	Air	Toluene	2.56	J	1.21	3.77	ug/m3
Q3626-09	13-SG-1	Air	Tetrachloroethene	66.5		0.20	0.41	ug/m3
Q3626-09	13-SG-1	Air	Hexane	7.75		1.13	3.52	ug/m3
Total Voc :					320			
Total Concentration:					320			
Client ID:	13-SG-1DL							
Q3626-09DL	13-SG-1DL	Air	tert-Butyl alcohol	8.79	JD	4.85	15.2	ug/m3
Q3626-09DL	13-SG-1DL	Air	Acetone	180	D	4.28	11.9	ug/m3
Q3626-09DL	13-SG-1DL	Air	Methylene Chloride	13.6	JD	7.99	17.4	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q3626

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3626-09DL	13-SG-1DL	Air	2-Butanone	7.96	JD	1.65	14.8	ug/m3
Q3626-09DL	13-SG-1DL	Air	Benzene	5.11	JD	2.52	16.0	ug/m3
Q3626-09DL	13-SG-1DL	Air	Tetrachloroethene	57.6	D	1.02	2.03	ug/m3
Q3626-09DL	13-SG-1DL	Air	Hexane	8.81	JD	5.64	17.6	ug/m3
Total Voc :				282				
Total Concentration:				282				
Client ID:	14-SG-1							
Q3626-10	14-SG-1	Air	Dichlorodifluoromethane	2.52	J	1.09	4.94	ug/m3
Q3626-10	14-SG-1	Air	Chloromethane	0.58	J	0.41	2.07	ug/m3
Q3626-10	14-SG-1	Air	Acetone	63.7		0.86	2.38	ug/m3
Q3626-10	14-SG-1	Air	Carbon Disulfide	2.93	J	0.50	3.11	ug/m3
Q3626-10	14-SG-1	Air	Methylene Chloride	1.70	J	1.60	3.47	ug/m3
Q3626-10	14-SG-1	Air	2-Butanone	4.13		0.32	2.95	ug/m3
Q3626-10	14-SG-1	Air	Carbon Tetrachloride	0.44		0.31	0.38	ug/m3
Q3626-10	14-SG-1	Air	Benzene	3.19		0.51	3.19	ug/m3
Q3626-10	14-SG-1	Air	Toluene	1.51	J	1.21	3.77	ug/m3
Q3626-10	14-SG-1	Air	Tetrachloroethene	18.3		0.20	0.41	ug/m3
Q3626-10	14-SG-1	Air	Hexane	3.31	J	1.13	3.52	ug/m3
Total Voc :				102				
Total Concentration:				102				
Client ID:	15-SG-1							
Q3626-11	15-SG-1	Air	Dichlorodifluoromethane	2.47	J	1.09	4.94	ug/m3
Q3626-11	15-SG-1	Air	tert-Butyl alcohol	5.76		0.97	3.03	ug/m3
Q3626-11	15-SG-1	Air	Heptane	5.74		1.39	4.10	ug/m3
Q3626-11	15-SG-1	Air	Acetone	204	E	0.86	2.38	ug/m3
Q3626-11	15-SG-1	Air	Carbon Disulfide	2.15	J	0.50	3.11	ug/m3
Q3626-11	15-SG-1	Air	Methylene Chloride	8.34		1.60	3.47	ug/m3
Q3626-11	15-SG-1	Air	2-Butanone	15.3		0.32	2.95	ug/m3
Q3626-11	15-SG-1	Air	Chloroform	1.61	J	0.93	4.88	ug/m3
Q3626-11	15-SG-1	Air	Benzene	1.25	J	0.51	3.19	ug/m3
Q3626-11	15-SG-1	Air	4-Methyl-2-Pentanone	11.9		0.78	4.10	ug/m3
Q3626-11	15-SG-1	Air	Toluene	1.92	J	1.21	3.77	ug/m3
Q3626-11	15-SG-1	Air	Tetrachloroethene	38.6		0.20	0.41	ug/m3
Q3626-11	15-SG-1	Air	Hexane	13.0		1.13	3.52	ug/m3
Total Voc :				312				
Total Concentration:				312				
Client ID:	15-SG-1DL							
Q3626-11DL	15-SG-1DL	Air	tert-Butyl alcohol	6.06	JD	4.85	15.2	ug/m3



SDG No.: Q3626

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3626-11DL	15-SG-1DL	Air	Acetone	207	D	4.28	11.9	ug/m3
Q3626-11DL	15-SG-1DL	Air	Methylene Chloride	9.03	JD	7.99	17.4	ug/m3
Q3626-11DL	15-SG-1DL	Air	2-Butanone	13.9	JD	1.65	14.8	ug/m3
Q3626-11DL	15-SG-1DL	Air	4-Methyl-2-Pentanone	9.84	JD	3.98	20.5	ug/m3
Q3626-11DL	15-SG-1DL	Air	Tetrachloroethene	34.6	D	1.02	2.03	ug/m3
Q3626-11DL	15-SG-1DL	Air	Hexane	11.3	JD	5.64	17.6	ug/m3
			Total Voc :	292				
			Total Concentration:	292				
Client ID:	16-SG-1							
Q3626-12	16-SG-1	Air	Dichlorodifluoromethane	2.57	J	1.09	4.94	ug/m3
Q3626-12	16-SG-1	Air	Tetrahydrofuran	8.85		0.47	2.95	ug/m3
Q3626-12	16-SG-1	Air	tert-Butyl alcohol	62.1		0.97	3.03	ug/m3
Q3626-12	16-SG-1	Air	Heptane	9.02		1.39	4.10	ug/m3
Q3626-12	16-SG-1	Air	Acetone	1500	E	0.86	2.38	ug/m3
Q3626-12	16-SG-1	Air	Carbon Disulfide	3.43		0.50	3.11	ug/m3
Q3626-12	16-SG-1	Air	Methylene Chloride	5.91		1.60	3.47	ug/m3
Q3626-12	16-SG-1	Air	2-Butanone	55.7		0.32	2.95	ug/m3
Q3626-12	16-SG-1	Air	1,1,1-Trichloroethane	0.98		0.16	0.33	ug/m3
Q3626-12	16-SG-1	Air	Benzene	1.09	J	0.51	3.19	ug/m3
Q3626-12	16-SG-1	Air	4-Methyl-2-Pentanone	29.1		0.78	4.10	ug/m3
Q3626-12	16-SG-1	Air	Toluene	6.41		1.21	3.77	ug/m3
Q3626-12	16-SG-1	Air	Tetrachloroethene	70.5		0.20	0.41	ug/m3
Q3626-12	16-SG-1	Air	m/p-Xylene	3.74	J	3.56	8.69	ug/m3
Q3626-12	16-SG-1	Air	Styrene	1.36	J	1.36	4.26	ug/m3
Q3626-12	16-SG-1	Air	Hexane	12.7		1.13	3.52	ug/m3
Q3626-12	16-SG-1	Air	1,4-Dioxane	41.8		1.59	3.60	ug/m3
			Total Voc :	1810				
			Total Concentration:	1810				
Client ID:	16-SG-1DL							
Q3626-12DL	16-SG-1DL	Air	tert-Butyl alcohol	52.1	JD	19.4	60.6	ug/m3
Q3626-12DL	16-SG-1DL	Air	Acetone	7600	ED	17.1	47.5	ug/m3
Q3626-12DL	16-SG-1DL	Air	2-Butanone	55.1	JD	6.49	59.0	ug/m3
Q3626-12DL	16-SG-1DL	Air	4-Methyl-2-Pentanone	24.6	JD	16.0	82.0	ug/m3
Q3626-12DL	16-SG-1DL	Air	Tetrachloroethene	62.4	D	4.07	8.14	ug/m3
Q3626-12DL	16-SG-1DL	Air	1,4-Dioxane	37.1	JD	31.7	72.1	ug/m3
			Total Voc :	7830				
			Total Concentration:	7830				
Client ID:	16-SG-1DL2							

Hit Summary Sheet
SW-846

SDG No.: Q3626

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3626-12DL2	16-SG-1DL2	Air	Acetone	9500	D	261	713	ug/m3
			Total Voc :	9500				
			Total Concentration:	9500				