

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3626</u>	Analytical Method:	<u>SWTO-15</u>
Client:	<u>RTP Environmental</u>	Datafile :	<u>VL043234.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL1119ABS01	Dichlorodifluoromethane	10	10.9	ppbv	109			40 (70)	160 (130)	
	Chloromethane	10	9.80	ppbv	98			40 (70)	160 (130)	
	Vinyl Chloride	10	9.30	ppbv	93			70 (70)	130 (130)	
	Bromomethane	10	10.6	ppbv	106			40 (70)	160 (130)	
	Chloroethane	10	9.30	ppbv	93			40 (70)	160 (130)	
	Tetrahydrofuran	10	8.30	ppbv	83			70 (70)	130 (130)	
	Trichlorofluoromethane	10	12.1	ppbv	121			40 (70)	160 (130)	
	1,1,2-Trichlorotrifluoroethane	10	11.4	ppbv	114			70 (70)	130 (130)	
	Dichlorotetrafluoroethane	10	10.9	ppbv	109			70 (70)	130 (130)	
	tert-Butyl Alcohol	10	10.2	ppbv	102			70 (70)	130 (130)	
	Heptane	10	8.20	ppbv	82			70 (70)	130 (130)	
	1,1-Dichloroethene	10	10.5	ppbv	105			70 (70)	130 (130)	
	Acetone	10	8.40	ppbv	84			40 (70)	160 (130)	
	Carbon disulfide	10	10.5	ppbv	105			40 (70)	160 (130)	
	Methyl tert-butyl Ether	10	10.4	ppbv	104			70 (70)	130 (130)	
	Methylene Chloride	10	11.6	ppbv	116			70 (70)	130 (130)	
	trans-1,2-Dichloroethene	10	10.3	ppbv	103			70 (70)	130 (130)	
	1,1-Dichloroethane	10	10.3	ppbv	103			70 (70)	130 (130)	
	Cyclohexane	10	9.30	ppbv	93			70 (70)	130 (130)	
	2-Butanone	10	8.80	ppbv	88			40 (70)	160 (130)	
	Carbon Tetrachloride	10	11.1	ppbv	111			70 (70)	130 (130)	
	cis-1,2-Dichloroethene	10	9.80	ppbv	98			70 (70)	130 (130)	
	Chloroform	10	11.1	ppbv	111			70 (70)	130 (130)	
	1,1,1-Trichloroethane	10	10.9	ppbv	109			70 (70)	130 (130)	
	2,2,4-Trimethylpentane	10	8.80	ppbv	88			70 (70)	130 (130)	
	Benzene	10	9.40	ppbv	94			70 (70)	130 (130)	
	1,2-Dichloroethane	10	10.6	ppbv	106			70 (70)	130 (130)	
	Trichloroethene	10	10.0	ppbv	100			70 (70)	130 (130)	
	1,2-Dichloropropane	10	9.20	ppbv	92			70 (70)	130 (130)	
	Bromodichloromethane	10	10.5	ppbv	105			70 (70)	130 (130)	
	4-Methyl-2-Pentanone	10	8.50	ppbv	85			40 (70)	160 (130)	
	Toluene	10	9.30	ppbv	93			70 (70)	130 (130)	
	t-1,3-Dichloropropene	10	9.00	ppbv	90			70 (70)	130 (130)	
	cis-1,3-Dichloropropene	10	9.00	ppbv	90			70 (70)	130 (130)	
	1,1,2-Trichloroethane	10	9.70	ppbv	97			70 (70)	130 (130)	
	Dibromochloromethane	10	10.8	ppbv	108			70 (70)	130 (130)	
	1,2-Dibromoethane	10	10.2	ppbv	102			70 (70)	130 (130)	
	Tetrachloroethene	10	9.90	ppbv	99			70 (70)	130 (130)	
	Chlorobenzene	10	10.0	ppbv	100			70 (70)	130 (130)	
	Ethyl Benzene	10	9.70	ppbv	97			70 (70)	130 (130)	
	m/p-Xylene	20	19.9	ppbv	100			70 (70)	130 (130)	
	o-Xylene	10	10.0	ppbv	100			70 (70)	130 (130)	
	Styrene	10	9.40	ppbv	94			70 (70)	130 (130)	
	Bromoform	10	11.1	ppbv	111			70 (70)	130 (130)	
	1,1,2,2-Tetrachloroethane	10	9.80	ppbv	98			70 (70)	130 (130)	
	2-Chlorotoluene	10	10.0	ppbv	100			70 (70)	130 (130)	
	1,3,5-Trimethylbenzene	10	10.0	ppbv	100			70 (70)	130 (130)	
	1,2,4-Trimethylbenzene	10	10.2	ppbv	102			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3626</u>	Analytical Method:	<u>SWTO-15</u>
Client:	<u>RTP Environmental</u>	Datafile :	<u>VL043234.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL1119ABS01	1,3-Dichlorobenzene	10	10.7	ppbv	107			70 (70)	130 (130)	
	1,4-Dichlorobenzene	10	10.7	ppbv	107			70 (70)	130 (130)	
	1,2-Dichlorobenzene	10	10.5	ppbv	105			70 (70)	130 (130)	
	1,2,4-Trichlorobenzene	10	11.6	ppbv	116			70 (70)	130 (130)	
	Hexachloro-1,3-butadiene	10	10.6	ppbv	106			70 (70)	130 (130)	
	Naphthalene	10	10.7	ppbv	107			40 (70)	160 (130)	
	1,3-Butadiene	10	9.40	ppbv	94			70 (70)	130 (130)	
	4-Ethyltoluene	10	10.2	ppbv	102			70 (70)	130 (130)	
	Hexane	10	9.10	ppbv	91			70 (70)	130 (130)	
	Allyl Chloride	10	9.20	ppbv	92			70 (70)	130 (130)	
	1,4-Dioxane	10	9.40	ppbv	94			40 (70)	160 (130)	
	Methyl methacrylate	10	8.60	ppbv	86			70 (70)	130 (130)	