

Client Contact Information				Bottle Order ID : B2510052				Courier :				1 of 5 COCs								
Client ID : RTPE01 Project ID : Ax Ashley				Sampler Name(s) :				Analysis				Matrix								
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 732-968-9600																
				Fax Number :																
				Site Details:																
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : NJ Regulatory												
Rush (Specify): Days				EDD Type : Haz / Excel w/ air																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
VA-18-1A-1	11/12/25	1417	1417	-30	-10	70	70	-30	-8.0	10249	10608	6 L	4.16	VL043048.D	X				X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings:																				
Sampling site (State):																				
Quick Connector required : No																				
Canisters Shipped by: CV				Date/Time: 11/12/25				Canisters Received by: CV				Date/Time: 11/12/25								
Samples Relinquished by: CV				Date/Time: 11/12/25				Received by: CV				Date/Time: 11/12/25								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information				Bottle Order ID : B2510052				Courier :				2 of 5 COCs									
Client ID : RTPE01 Project ID : Air Ashley				Sampler Name(s) :				Analysis				Matrix									
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified													
				Phone Number : 732-968-9600																	
				Fax Number :																	
				Site Details:																	
Analysis Turnaround Time				Data Package Type : SAME AS																	
Standard : 10 business days OR				EDD Type : PAGE 1																	
Rush (Specify): Days																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas		
UAT FIA	11/12/25	14:20	14:20	-30	-5	65	65	-30	-6.7	10771	10321	6 L	4.16	VL043048.D	X			X			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient	Maximum	Minimum																	
Start																					
Stop																					
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State):																					
Quick Connector required : NO																					
Canisters Shipped by: Sam				Date/Time: 11/10/25				Canisters Received by:				Date/Time:				B2510052 - 1					
Samples Relinquished by:				Date/Time:				Received by:				Date/Time: 11/12/25									
Relinquished by:				Date/Time:				Received by: UJ8				Date/Time: 11/13/25									

Client Contact Information						Bottle Order ID : B2510052				Courier :				3 of 5 COCs					
Client ID : RTPE01						Project ID : Air-Ashlex				Sampler Name(s) :				Analysis		Matrix			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
						Phone Number : 732-968-9600													
						Fax Number :													
						Site Details:													
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type : SAME AS									
Rush (Specify): Days						EDD Type : PAGE 1													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Ambient Interior Temp. (F) (Start)	Ambient Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
AA-East	11/14/25	14:24	14:24	-30	-3	40	47	-30	-2.7	10240	10590	6 L	4.16	VL043048.D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
	Ambient	Maximum	Minimum																
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : NO																			
Canisters Shipped by: Sam					Date/Time: 11/10/25					Canisters Received by:					Date/Time:				
Samples Relinquished by:					Date/Time:					Received by:					Date/Time: 11/14/25				
Relinquished by:					Date/Time:					Received by: JS					Date/Time: 16:53				
B2510052 - 4																			

Client Contact Information				Bottle Order ID : B2510051				Courier :				4 of 5 COCs			
Client ID : RTPE01 Project ID : Air Ashley				Sampler Name(s) :				Analysis				Matrix			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 732-968-9600											
				Fax Number :											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
Unit 8 -SS-1	11/12/25	1434	1534	-30	-8	70	70	-30	-11.2	10712	10650	1.4 L	25	VL042225.D	X					X

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **Yes**

Canisters Shipped by: Sam	Date/Time: 11/10/25	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time: 11/12/25
Relinquished by:	Date/Time:	Received by: YJ	Date/Time: 16153

B2510051 - 7

Client Contact Information				Bottle Order ID : B2510051				Courier :				<u>5</u> of <u>5</u> COCs																			
Client ID : RTPE01 Project ID : <u>Air Ashley</u>				Sampler Name(s) :				Analysis				Matrix																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 732-968-9600																											
				Fax Number :																											
Site Details: <u>Ashley</u>																															
City : Green Brook				Analysis Turnaround Time																											
State : NJ				Standard : 10 business days OR				Data Package Type : <u>Same as page 1</u>																							
Zip Code : 08812				Rush (Specify): <u>Days</u>				EDD Type :																							
Country :																															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
<u>Vial 7-561</u>	<u>11/12/25</u>	<u>1443</u>	<u>1543</u>	<u>-30</u>	<u>-6</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-10.4</u>	<u>10213</u>	<u>10793</u>	<u>1.4 L</u>	<u>25</u>	<u>VL042225.D</u>	<u>X</u>			<u>X</u>													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <u>[Signature]</u>									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : <u>yes</u>																															
Canisters Shipped by: <u>Sum</u>					Date/Time: <u>11/10/25</u>					Canisters Received by:					Date/Time:																
Samples Relinquished by:					Date/Time:					Received by:					Date/Time: <u>11/12/25</u>																
Relinquished by:					Date/Time:					Received by: <u>98</u>					Date/Time: <u>16:53</u>																
															B2510051 - 11																

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: AZ 55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/10/25	Q3594-01	10595	13.6	-2.2				sy
11/11/25	Q3626-01	10682	10.8	-8.0				sy
11/12/25	Q3626-02	10413	9.6	-10.4				
	Q3626-03	10450	10.0	-9.6				
	Q3626-04	10677	10.0	-9.6				
	Q3626-05	10464	9.8	-10.0				
	Q3626-06	10435	10.8	-8.0				
	Q3626-07	10471	9.4	-10.8				
	Q3626-08	10846	9.4	-10.8				
	Q3626-09	10673	9.4	-10.8				
	Q3626-10	10416	11.0	-7.5				
	Q3626-11	10123	9.6	-10.4				
	Q3626-12	10794	10.2	-9.2				
11/12/25	Q3627-01	10602	10.8	-8.0				
	Q3627-02	10321	11.4	-6.7				
	Q3627-03	10590	13.4	-2.7				
	Q3627-04	10650	9.2	-11.2				
	Q3627-05	10793	9.6	-10.4				

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: UAF-7-5A-1
Client Name: RTP
Project Name: Ashley
Date: 11/12/25 Time: 14:20
Analysis: TC-15
Comments: _____
CHEMTECH'S SAMP
Date Received: _____

Storage Location: Air Lab
Sample: Q3627-02
Cust #: UNIT-7-1A-1

2510052

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: UAF-7-5A-1
Client Name: RTP
Project Name: Ashley
Date: 11/12/25 Time: 14:17
Analysis: TC-15
Comments: _____
CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q3627-01
Cust #: UNIT-8-1A-1

2510052

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: AA-EAST
Client Name: RTP
Project Name: Ashley
Date: 11/12/25 Time: 14:24
Analysis: TC-15
Comments: _____
CHEMTECH'S SAMP
Date Received: _____

Storage Location: Air Lab
Sample: Q3627-03
Cust #: AA-East

2510052

CHEMTECH

284 Sheffield Street, Mountinside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: UNIT-7-SS-1

Client Name: RTR Environmental

Project Name: Ashley Time: 15:13

Date: 11/12/25

Analysis: 10-15

Comments:

CHEMTECH'S SA

Date Received:

Storage Location: Air Lab
Sample: Q3627-05
Cust #: UNIT-7-SS-1

al:

CHEMTECH

284 Sheffield Street, Mountinside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: UNIT-8-SS-1

Client Name: RTR

Project Name: Ashley

Date: 11/12/25 Time: 15:13

Analysis: 10-15

Comments:

CHEMTECH'S

Date Received:

Storage Location: Air Lab
Sample: Q3627-04
Cust #: UNIT-8-SS-1

posat: