



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2510052				Courier :				1 of 5 COCs								
Client ID : RTPE01 Project ID : Ax Ashley				Sampler Name(s) :				Analysis				Matrix								
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 732-968-9600																
				Fax Number :																
				Site Details:																
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : NJ Regulatory												
Rush (Specify): Days				EDD Type : H&Z / Excel w/ air																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
VA-18-1A-1	11/12/25	1417	1417	-30	-10	70	70	-30	-8.0	10249	10608	6 L	4.16	VL043048.D	X				X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings:																				
Sampling site (State):																				
Quick Connector required : No																				
Canisters Shipped by: CV				Date/Time: 11/10/25				Canisters Received by: CV				Date/Time: 11/10/25								
Samples Relinquished by: CV				Date/Time: 11/12/25				Received by: CV				Date/Time: 11/12/25								
Relinquished by:				Date/Time:				Received by: CV				Date/Time:								

Client Contact Information				Bottle Order ID : B2510052				Courier :				2 of 5 COCs																			
Client ID : RTPE01 Project ID : Air Ashley				Sampler Name(s) :				Analysis				Matrix																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 732-968-9600																											
				Fax Number :																											
				Site Details:																											
Analysis Turnaround Time				Data Package Type : SAME AS																											
Standard : 10 business days OR				Rush (Specify): Days				EDD Type : PAGE 1																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
UAF7IA	11/11/25	14:20	14:20	-30	-5	65	65	-30	-6.7	10771	10321	6 L	4.16	VL043048.D	X			X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop													
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											Ambient	Maximum	Minimum	Start				Stop													
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : NO																															
Canisters Shipped by: Sam				Date/Time: 11/10/25				Canisters Received by:				Date/Time:				B2510052 - 1															
Samples Relinquished by:				Date/Time:				Received by:				Date/Time: 11/12/25																			
Relinquished by:				Date/Time:				Received by: UJ8				Date/Time: 11/13/25																			

Client Contact Information						Bottle Order ID : B2510052				Courier :				3 of 5 COCs					
Client ID : RTPE01						Project ID : Air-Ashlex				Sampler Name(s) :				Analysis		Matrix			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
						Phone Number : 732-968-9600													
						Fax Number :													
						Site Details:													
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type : SAME AS									
Rush (Specify): Days						EDD Type : PAGE 1													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Ambient Interior Temp. (F) (Start)	Ambient Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
AA-East	11/14/25	14:24	14:24	-30	-3	40	47	-30	-2.7	10240	10590	6 L	4.16	VL043048.D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
	Ambient	Maximum	Minimum																
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : NO																			
Canisters Shipped by: Sam					Date/Time: 11/10/25					Canisters Received by:					Date/Time:				
Samples Relinquished by:					Date/Time:					Received by:					Date/Time: 11/14/25				
Relinquished by:					Date/Time:					Received by: JS					Date/Time: 16:53				
B2510052 - 4																			

Client Contact Information				Bottle Order ID : B2510051				Courier :				4 of 5 COCs			
Client ID : RTPE01 Project ID : Air Ashley				Sampler Name(s) :				Analysis				Matrix			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 732-968-9600											
				Fax Number :											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
Unit 8 -SS-1	11/12/25	14:34	15:34	-30	-8	70	70	-30	-11.2	10712	10650	1.4 L	25	VL042492.D VL042225.D SY	X				X

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **Yes**

Canisters Shipped by: Sam	Date/Time: 11/10/25	Canisters Received by:	Date/Time:
Samples Relinquished by:	Date/Time:	Received by:	Date/Time: 11/12/25
Relinquished by:	Date/Time:	Received by: YJ	Date/Time: 16:53

B2510051 - 7

Client Contact Information				Bottle Order ID : B2510051				Courier :				<u>5</u> of <u>5</u> COCs																			
Client ID : RTPE01 Project ID : <u>Air Ashley</u>				Sampler Name(s) :				Analysis				Matrix																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 732-968-9600																											
				Fax Number :																											
Site Details: <u>Ashley</u>																															
City : Green Brook				Analysis Turnaround Time																											
State : NJ				Standard : 10 business days OR				Data Package Type : <u>Same as page 1</u>																							
Zip Code : 08812				Rush (Specify): <u>Days</u>				EDD Type :																							
Country :																															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
<u>Vial 7-561</u>	<u>11/12/25</u>	<u>1443</u>	<u>1543</u>	<u>-30</u>	<u>-6</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-10.4</u>	<u>10213</u>	<u>10793</u>	<u>1.4 L</u>	<u>25</u>	<u>VL042492.D</u> VL042225.D <u>SY</u>	<u>X</u>				<u>X</u>												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <u>[Signature]</u>									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : <u>yes</u>																															
Canisters Shipped by: <u>Sum</u>					Date/Time: <u>11/20/25</u>					Canisters Received by:					Date/Time:																
Samples Relinquished by:					Date/Time:					Received by:					Date/Time: <u>11/12/25</u>																
Relinquished by:					Date/Time:					Received by: <u>98</u>					Date/Time: <u>16:53</u>																
															B2510051 - 11																

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A2 55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/10/25	Q3594-01	10595 10595	13.6	-2.2				sy
11/11/25	Q3626-01	10682	10.8	-8.0				sy
11/12/25	Q3626-02	10413	9.6	-10.4				
	Q3626-03	10450	10.0	-9.6				
	Q3626-04	10677	10.0	-9.6				
	Q3626-05	10464	9.8	-10.0				
	Q3626-06	10435	10.8	-8.0				
	Q3626-07	10471	9.4	-10.8				
	Q3626-08	10846	9.4	-10.8				
	Q3626-09	10673	9.4	-10.8				
	Q3626-10	10416	11.0	-7.5				
	Q3626-11	10123	9.6	-10.4				
	Q3626-12	10794	10.2	-9.2				
11/12/25	Q3627-01	10608	10.8	-8.0				
	Q3627-02	10321	11.4	-6.7				
	Q3627-03	10590	13.4	-2.7				
	Q3627-04	10650	9.2	-11.2				
	Q3627-05	10793	9.6	-10.4				

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: Q3627-01

Client Name: RTD

Project Name: Ashley

Date: 11/25-11/28/25

Analysis: TC-15

Comments: 14.20

CHEMTECH'S SAMP

Date Received: 14.20

Storage Location: Air Lab
Sample: Q3627-02
Cust #: UNIT-7-1A-1

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: Q3627-01

Client Name: RTD

Project Name: Ashley

Date: 11/25-11/28/25

Analysis: TC-15

Comments: 14.17

CHEMTECH'S SAMP

Date Received: 14.17

Storage Location: Air Lab
Sample: Q3627-01
Cust #: UNIT-8-1A-1

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: AA-EAST

Client Name: RTD

Project Name: Ashley

Date: 11/12/25

Time: 14.24

Analysis: TC-15

Comments: 2.50015028

CHEMTECH'S SAMP

Date Received: 14.24

Storage Location: Air Lab
Sample: Q3627-03
Cust #: AA-East

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: Unit 7-SS-1

Client Name: RTP Environmental

Project Name: Ashley

Date: 11/2/25

Analysis: TO-15

Comments:

CHEMTECH'S SA

Date Received:

Storage Location: Air Lab
Sample: Q3627-05
Cust #: UNIT-7-SS-1

all:

22810051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: Unit 8-SS-1

Client Name: RTP

Project Name: Ashley

Date: 11/2/25

Analysis: TO-15

Comments:

CHEMTECH'S

Date Received:

Storage Location: Air Lab
Sample: Q3627-04
Cust #: UNIT-8-SS-1

posat:

22810051

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

LAB:

Title: Sample Custodian

Field Sample Seal No. Q3627


Date Broken: 11/12/2025

Military Time Seal Broken: 16:53:00

Case No.: Ashley

Analytical Parameter/Fraction: TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3627-01	UNIT-8-IA-1		
Q3627-02	UNIT-7-IA-1		
Q3627-03	AA-East		
Q3627-04	UNIT-8-SS-1		
Q3627-05	UNIT-7-SS-1		

Date	Time	Relinquished By		Received By	Purpose of Change of Custody
11/13/25	11:00	Signature		Signature	
		Printed Name	Cassandra Perez	Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy