

DATA PACKAGE

GENERAL CHEMISTRY
METALS

PROJECT NAME : SEMI ANNUAL 2025

VARTAN MANUFACTURING CORP.

7 West 45 th st.

Suite 703

New York, NY - 10036

Phone No: 212-764-3252

ORDER ID : Q3642

ATTENTION : Herman Demirciyan



Laboratory Certification ID # 20012



| | |
|-----------------------|----|
| 1) Signature Page | 3 |
| 2) Case Narrative | 4 |
| 3) Qualifier Page | 6 |
| 4) QA Checklist | 7 |
| 5) Metals-AES Data | 8 |
| 6) Genchem Data | 12 |
| 7) Shipping Document | 15 |
| 7.1) CHAIN OF CUSTODY | 16 |
| 7.2) Lab Certificate | 18 |

| |
|---|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |
| 7 |

Cover Page

Order ID : Q3642

Project ID : Semi Annual 2025

Client : Vartan Manufacturing Corp.

Lab Sample Number

Q3642-01
Q3642-02

Client Sample Number

EFFLUENT-DAY-1-METALS
EFF-DAY-1-1-4-CN

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:56 am, Dec 03, 2025

Date: 12/3/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Vartan Manufacturing Corp.

Project Name: Semi Annual 2025

Project # N/A

Order ID # Q3642

Test Name: Mercury, Metals ICP-Group1, Cyanide

A. Number of Samples and Date of Receipt:

2 Water samples were received on 11/25/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Mercury, Metals ICP-Group1, Cyanide. This data package contains results for Mercury(245.1), Metals ICP-Group1(200.7), Cyanide(SM4500-CN C,E).

C. Analytical Techniques:

Wetchem : The analysis of Cyanide was based on method SM4500-CN C,E.

Metals: The analysis and digestion of Metals ICP-Group1 was based on 200.7 and The analysis and digestion of Mercury was based on 245.1.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Matrix Spike (EFFLUENT-DAY-1-METALSMS) analysis met criteria for all samples except for Copper, Silver, Zinc due to Chemical Interference during Digestion process.

The Matrix Spike Duplicate (EFFLUENT-DAY-1-METALSMSD) analysis met criteria for all samples except for Copper, Silver, Zinc due to Chemical Interference during Digestion process.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Duplicate analysis met criteria for all samples.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

The temperature of the samples at the time of receipt was 10.2°C.

The Post Digest Spike (EFFLUENT-DAY-1-METALSA) analysis met criteria for all compounds except for Silver, Zinc due to unknown chemical interference of matrix with

the addition of spike amount after digestion and before analysis; matrix has suppression effect during addition of spike.

As per special requirement for this project form-1 are reported in mg/l.
LLCCV & LLICV are not required for 200.7 method.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:56 am, Dec 03, 2025

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

| | |
|-----------|---|
| J | Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL). |
| U | Indicates the analyte was analyzed for, but not detected. |
| ND | Indicates the analyte was analyzed for, but not detected |
| E | Indicates the reported value is estimated because of the presence of interference |
| M | Indicates Duplicate injection precision not met. |
| N | Indicates the spiked sample recovery is not within control limits. |
| S | Indicates the reported value was determined by the Method of Standard Addition (MSA). |
| * | Indicates that the duplicate analysis is not within control limits. |
| + | Indicates the correlation coefficient for the MSA is less than 0.995. |
| D | Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range. |
| M | Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed |
| OR | Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis. |
| Q | Indicates the LCS did not meet the control limits requirements |
| H | Sample Analysis Out Of Hold Time |

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3642

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/03/2025

Hit Summary Sheet
SW-846

| | | | |
|-----------------|----------------------------|--------------------|------------------|
| SDG No.: | Q3642 | Order ID: | Q3642 |
| Client: | Vartan Manufacturing Corp. | Project ID: | Semi Annual 2025 |

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|--|-----------------------|--------|-----------|---------------|---|----------|---------|-------|
| Client ID : EFFLUENT-DAY-1-METALS | | | | | | | | |
| Q3642-01 | EFFLUENT-DAY-1-METALS | Water | Chromium | 0.027 | | 0.00053 | 0.0050 | mg/L |
| Q3642-01 | EFFLUENT-DAY-1-METALS | Water | Copper | 0.56 | | 0.0019 | 0.010 | mg/L |
| Q3642-01 | EFFLUENT-DAY-1-METALS | Water | Lead | 0.0095 | | 0.0012 | 0.0060 | mg/L |
| Q3642-01 | EFFLUENT-DAY-1-METALS | Water | Mercury | 0.00026 | | 0.000027 | 0.00020 | mg/L |
| Q3642-01 | EFFLUENT-DAY-1-METALS | Water | Nickel | 0.053 | | 0.0019 | 0.020 | mg/L |
| Q3642-01 | EFFLUENT-DAY-1-METALS | Water | Silver | 0.051 | | 0.00081 | 0.0050 | mg/L |
| Q3642-01 | EFFLUENT-DAY-1-METALS | Water | Zinc | 0.33 | | 0.0020 | 0.020 | mg/L |



SAMPLE DATA

Report of Analysis

Client: Vartan Manufacturing Corp.
Project: Semi Annual 2025
Client Sample ID: EFFLUENT-DAY-1-METALS
Lab Sample ID: Q3642-01
Level (low/med): low

Date Collected: 11/24/25
Date Received: 11/25/25
SDG No.: Q3642
Matrix: Water
% Solid: 0

| Cas | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. | Prep Met. |
|-----------|------------|---------|------|----|----------|------------|-------|----------------|----------------|-----------|-----------|
| 7440-43-9 | Cadmium | 0.00031 | U | 1 | 0.00031 | 0.0030 | mg/L | 12/01/25 11:10 | 12/01/25 14:55 | EPA 200.7 | M200.7 |
| 7440-47-3 | Chromium | 0.027 | | 1 | 0.00053 | 0.0050 | mg/L | 12/01/25 11:10 | 12/01/25 14:55 | EPA 200.7 | M200.7 |
| 7440-50-8 | Copper | 0.56 | N | 1 | 0.0019 | 0.010 | mg/L | 12/01/25 11:10 | 12/01/25 14:55 | EPA 200.7 | M200.7 |
| 7439-92-1 | Lead | 0.0095 | | 1 | 0.0012 | 0.0060 | mg/L | 12/01/25 11:10 | 12/01/25 14:55 | EPA 200.7 | M200.7 |
| 7439-97-6 | Mercury | 0.00026 | | 1 | 0.000027 | 0.00020 | mg/L | 12/01/25 11:40 | 12/02/25 11:27 | E245.1 | M245.1 |
| 7439-98-7 | Molybdenum | 0.0088 | U | 1 | 0.0088 | 0.10 | mg/L | 12/01/25 11:10 | 12/01/25 14:55 | EPA 200.7 | M200.7 |
| 7440-02-0 | Nickel | 0.053 | | 1 | 0.0019 | 0.020 | mg/L | 12/01/25 11:10 | 12/01/25 14:55 | EPA 200.7 | M200.7 |
| 7440-22-4 | Silver | 0.051 | N | 1 | 0.00081 | 0.0050 | mg/L | 12/01/25 11:10 | 12/01/25 14:55 | EPA 200.7 | M200.7 |
| 7440-66-6 | Zinc | 0.33 | N | 1 | 0.0020 | 0.020 | mg/L | 12/01/25 11:10 | 12/01/25 14:55 | EPA 200.7 | M200.7 |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

| | | | |
|----------|----------------------------|------------|------------------------|
| OrderID: | Q3642 | OrderDate: | 11/14/2025 10:00:00 AM |
| Client: | Vartan Manufacturing Corp. | Project: | Semi Annual 2025 |
| Contact: | Herman Demirciyan | Location: | D51 |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|---------------------------|--------|-------------------|--------|-------------|-----------|-----------|----------|
| Q3642-01 | EFFLUENT-DAY-1-MET ALS | Water | | | 11/24/25 | | | 11/25/25 |
| | | | Mercury | 245.1 | | 12/01/25 | 12/02/25 | |
| | | | Metals ICP-Group1 | 200.7 | | 12/01/25 | 12/01/25 | |



SAMPLE DATA

Report of Analysis

Client: Vartan Manufacturing Corp.
Project: Semi Annual 2025
Client Sample ID: EFF-DAY-1-1-4CN
Lab Sample ID: Q3642-02

Date Collected: 11/25/25 14:00
Date Received: 11/25/25
SDG No.: Q3642
Matrix: WATER
% Solid: 0

| Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|-----------|--------|------|----|--------|------------|-------|----------------|----------------|------------------------------|
| Cyanide | 0.0021 | J | 1 | 0.0012 | 0.0050 | mg/L | 11/26/25 10:15 | 11/26/25 14:04 | SM 4500-CN C-21 plus E-21 |

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

| | | | |
|----------|----------------------------|------------|------------------------|
| OrderID: | Q3642 | OrderDate: | 11/14/2025 10:00:00 AM |
| Client: | Vartan Manufacturing Corp. | Project: | Semi Annual 2025 |
| Contact: | Herman Demirciyan | Location: | D51 |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------------|--------|---------|------------------|-------------------|-----------|-------------------|----------|
| Q3642-02 | EFF-DAY-1-1-4CN | WATER | | | 11/25/25 14:00 | | | 11/25/25 |
| | | | Cyanide | SM4500-CN C,E | | 11/26/25 | 11/26/25 14:04 | |



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q3642

COC Number:

CLIENT INFORMATION

COMPANY: Vartan Manufacturing Corp.

ADDRESS: 7 West 45th Street, Suite 705

CITY: New York STATE: NY ZIP: 10036

ATTENTION: Vartan D

PHONE: FAX:

PROJECT INFORMATION

PROJECT NAME: Semi Annual 2025

PROJECT #: LOCATION:

PROJECT MANAGER:

E-MAIL:

PHONE:

FAX:

BILLING INFORMATION

BILL TO:

PO#

ADDRESS:

CITY:

STATE: ZIP:

ATTENTION:

PHONE:

ANALYSIS

METALS GROUP1

Cyanide

1

2

3

4

5

6

7

8

9

PRESERVATIVES

1

2

3

4

5

6

7

8

9

COMMENTS

← Specify Preservatives
A-HCl B-HNO3
C-H2SO4 D-NaOH
E-ICE F-Other

DATA TURNAROUND INFORMATION

FAX: 10 DAYS*

HARD COPY: 10 DAYS*

EDD DAYS*

* TO BE APPROVED BY ALLIANCE

STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ RESEULTS ONLY☐ RESULTS + QC☐ New Jersey REDUCED☐ New Jersey CLP☐ EDD Format☐ USEPA CLP☐ New York State ASP "B"☐ New York State ASP "A"☐ OtherAlliance
SAMPLE
IDPROJECT
SAMPLE IDENTIFICATIONSAMPLE
MATRIXSAMPLE
TYPE

COMP GRAB

SAMPLE
COLLECTION

DATE TIME

of Bottles

1. Effluent-Day-1-Metals

water

X

11/24

8:00

AM

X

2. Effluent-Day1-CN

water

X

11/24

8:30

AM

X

X

3. Effluent-Day1-1-2-CN

water

X

11/24

9:30

AM

X

X

4. Effluent-Day1-1-3-CN

water

11/24

11:30

AM

X

X

5. Effluent-Day1-1-4-CN

water

X

11/24

2:00

PM

X

X

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER

DATE/TIME

RECEIVED BY

1. 11/24/25

11/24/25

5.

RELINQUISHED BY

DATE/TIME

RECEIVED BY

2. 11/25/25

11/25/25

2.

RELINQUISHED BY

DATE/TIME

RECEIVED FOR LAB BY

3.

3.

Conditions of bottles or coolers at receipt:

☐ Compliant☐ Non Compliant☐ Cooler Temp 10.2

MeOH extraction requires an additional 4oz. Jar for percent solid

☐ Ice in Cooler? :

Comments:

Page 1 of 1

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ OvernightALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete

☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY

Sample Custodian: Chen

[illegible]

Laboratory Certification

| Certified By | License No. |
|-----------------|------------------|
| | |
| Connecticut | PH-0830 |
| | |
| DOD ELAP (ANAB) | L2219 |
| | |
| Maine | 2024021 |
| | |
| Maryland | 296 |
| | |
| New Hampshire | 255425 |
| | |
| New Jersey | 20012 |
| | |
| New York | 11376 |
| | |
| Pennsylvania | 68-00548 |
| | |
| Soil Permit | 525-24-234-08441 |
| | |
| Texas | TX-C25-00189 |
| | |
| Virginia | 460312 |