



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q3643
Client: Chemtech Consulting Group

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:				0				
Total Voc :								
Total Concentration:								

A
B
C
D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SOIL-1
Lab Sample ID: Q3643-01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	11/17/25 12:57	VN111725
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	11/17/25 12:57	VN111725
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	11/17/25 12:57	VN111725
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	11/17/25 12:57	VN111725
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	11/17/25 12:57	VN111725
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	11/17/25 12:57	VN111725
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	11/17/25 12:57	VN111725
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	11/17/25 12:57	VN111725
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	11/17/25 12:57	VN111725
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	11/17/25 12:57	VN111725
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	11/17/25 12:57	VN111725
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	11/17/25 12:57	VN111725
67-64-1	Acetone	1.50	U	1	1.50	5.00	ug/L	11/17/25 12:57	VN111725
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	11/17/25 12:57	VN111725
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	11/17/25 12:57	VN111725
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	11/17/25 12:57	VN111725
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	11/17/25 12:57	VN111725
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	11/17/25 12:57	VN111725
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	11/17/25 12:57	VN111725
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	11/17/25 12:57	VN111725
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	11/17/25 12:57	VN111725
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	11/17/25 12:57	VN111725
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	11/17/25 12:57	VN111725
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	11/17/25 12:57	VN111725
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	11/17/25 12:57	VN111725
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	11/17/25 12:57	VN111725
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	11/17/25 12:57	VN111725
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	11/17/25 12:57	VN111725
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	11/17/25 12:57	VN111725
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	11/17/25 12:57	VN111725
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	11/17/25 12:57	VN111725
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	11/17/25 12:57	VN111725
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	11/17/25 12:57	VN111725
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	11/17/25 12:57	VN111725
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	11/17/25 12:57	VN111725
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	11/17/25 12:57	VN111725
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	11/17/25 12:57	VN111725
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	11/17/25 12:57	VN111725
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	11/17/25 12:57	VN111725
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	11/17/25 12:57	VN111725
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	11/17/25 12:57	VN111725
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	11/17/25 12:57	VN111725
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	11/17/25 12:57	VN111725

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SOIL-1
Lab Sample ID: Q3643-01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	11/17/25 12:57	VN111725
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	11/17/25 12:57	VN111725
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	11/17/25 12:57	VN111725
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	11/17/25 12:57	VN111725
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	11/17/25 12:57	VN111725
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	11/17/25 12:57	VN111725
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	11/17/25 12:57	VN111725
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	11/17/25 12:57	VN111725
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	11/17/25 12:57	VN111725
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	11/17/25 12:57	VN111725
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	11/17/25 12:57	VN111725
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	11/17/25 12:57	VN111725
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	11/17/25 12:57	VN111725
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	11/17/25 12:57	VN111725
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	11/17/25 12:57	VN111725
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	11/17/25 12:57	VN111725
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	11/17/25 12:57	VN111725
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	11/17/25 12:57	VN111725
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	11/17/25 12:57	VN111725
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	11/17/25 12:57	VN111725
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	11/17/25 12:57	VN111725
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	11/17/25 12:57	VN111725
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	11/17/25 12:57	VN111725
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	11/17/25 12:57	VN111725
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	11/17/25 12:57	VN111725
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	11/17/25 12:57	VN111725
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	11/17/25 12:57	VN111725
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	11/17/25 12:57	VN111725
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	11/17/25 12:57	VN111725
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	11/17/25 12:57	VN111725
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	11/17/25 12:57	VN111725
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	11/17/25 12:57	VN111725
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	11/17/25 12:57	VN111725
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	55.2			74 - 125	110%	SPK: 50		
1868-53-7	Dibromofluoromethane	50.1			75 - 124	100%	SPK: 50		
2037-26-5	Toluene-d8	45.5			86 - 113	91%	SPK: 50		
460-00-4	4-Bromofluorobenzene	46.5			77 - 121	93%	SPK: 50		
INTERNAL STANDARDS									
363-72-4	Pentafluorobenzene	180000							
540-36-3	1,4-Difluorobenzene	408000							
3114-55-4	Chlorobenzene-d5	393000							
3855-82-1	1,4-Dichlorobenzene-d4	188000							

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SOIL-]
Lab Sample ID: Q3643-01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3643-02
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	11/14/25 15:00	VX111425
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	11/14/25 15:00	VX111425
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	11/14/25 15:00	VX111425
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	11/14/25 15:00	VX111425
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	11/14/25 15:00	VX111425
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	11/14/25 15:00	VX111425
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	11/14/25 15:00	VX111425
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	11/14/25 15:00	VX111425
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	11/14/25 15:00	VX111425
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	11/14/25 15:00	VX111425
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	11/14/25 15:00	VX111425
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	11/14/25 15:00	VX111425
67-64-1	Acetone	1.50	U	1	1.50	5.00	ug/L	11/14/25 15:00	VX111425
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	11/14/25 15:00	VX111425
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:00	VX111425
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	11/14/25 15:00	VX111425
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	11/14/25 15:00	VX111425
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	11/14/25 15:00	VX111425
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	11/14/25 15:00	VX111425
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	11/14/25 15:00	VX111425
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	11/14/25 15:00	VX111425
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	11/14/25 15:00	VX111425
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	11/14/25 15:00	VX111425
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	11/14/25 15:00	VX111425
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:00	VX111425
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	11/14/25 15:00	VX111425
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	11/14/25 15:00	VX111425
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:00	VX111425
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:00	VX111425
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:00	VX111425
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:00	VX111425
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	11/14/25 15:00	VX111425
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	11/14/25 15:00	VX111425
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:00	VX111425
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	11/14/25 15:00	VX111425
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	11/14/25 15:00	VX111425
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	11/14/25 15:00	VX111425
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	11/14/25 15:00	VX111425
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	11/14/25 15:00	VX111425
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:00	VX111425
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	11/14/25 15:00	VX111425
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:00	VX111425
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	11/14/25 15:00	VX111425

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3643-02
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	11/14/25 15:00	VX111425
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	11/14/25 15:00	VX111425
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:00	VX111425
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	11/14/25 15:00	VX111425
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	11/14/25 15:00	VX111425
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:00	VX111425
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	11/14/25 15:00	VX111425
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:00	VX111425
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	11/14/25 15:00	VX111425
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	11/14/25 15:00	VX111425
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:00	VX111425
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:00	VX111425
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	11/14/25 15:00	VX111425
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	11/14/25 15:00	VX111425
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	11/14/25 15:00	VX111425
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	11/14/25 15:00	VX111425
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:00	VX111425
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	11/14/25 15:00	VX111425
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:00	VX111425
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:00	VX111425
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	11/14/25 15:00	VX111425
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	11/14/25 15:00	VX111425
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:00	VX111425
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:00	VX111425
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:00	VX111425
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:00	VX111425
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:00	VX111425
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:00	VX111425
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	11/14/25 15:00	VX111425
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:00	VX111425
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	11/14/25 15:00	VX111425
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:00	VX111425
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:00	VX111425

SURROGATES

17060-07-0	1,2-Dichloroethane-d4	51.9		74 - 125	104%	SPK: 50
1868-53-7	Dibromofluoromethane	57.4		75 - 124	115%	SPK: 50
2037-26-5	Toluene-d8	49.8		86 - 113	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	57.0		77 - 121	114%	SPK: 50

INTERNAL STANDARDS

363-72-4	Pentafluorobenzene	170000
540-36-3	1,4-Difluorobenzene	263000
3114-55-4	Chlorobenzene-d5	276000
3855-82-1	1,4-Dichlorobenzene-d4	147000

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3643-02
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3643-03
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	11/17/25 13:18	VN111725
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	11/17/25 13:18	VN111725
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	11/17/25 13:18	VN111725
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	11/17/25 13:18	VN111725
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	11/17/25 13:18	VN111725
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	11/17/25 13:18	VN111725
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	11/17/25 13:18	VN111725
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	11/17/25 13:18	VN111725
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	11/17/25 13:18	VN111725
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	11/17/25 13:18	VN111725
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	11/17/25 13:18	VN111725
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	11/17/25 13:18	VN111725
67-64-1	Acetone	1.50	U	1	1.50	5.00	ug/L	11/17/25 13:18	VN111725
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	11/17/25 13:18	VN111725
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	11/17/25 13:18	VN111725
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	11/17/25 13:18	VN111725
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	11/17/25 13:18	VN111725
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	11/17/25 13:18	VN111725
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	11/17/25 13:18	VN111725
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	11/17/25 13:18	VN111725
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	11/17/25 13:18	VN111725
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	11/17/25 13:18	VN111725
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	11/17/25 13:18	VN111725
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	11/17/25 13:18	VN111725
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	11/17/25 13:18	VN111725
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	11/17/25 13:18	VN111725
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	11/17/25 13:18	VN111725
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	11/17/25 13:18	VN111725
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	11/17/25 13:18	VN111725
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	11/17/25 13:18	VN111725
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	11/17/25 13:18	VN111725
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	11/17/25 13:18	VN111725
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	11/17/25 13:18	VN111725
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	11/17/25 13:18	VN111725
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	11/17/25 13:18	VN111725
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	11/17/25 13:18	VN111725
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	11/17/25 13:18	VN111725
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	11/17/25 13:18	VN111725
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	11/17/25 13:18	VN111725
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	11/17/25 13:18	VN111725
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	11/17/25 13:18	VN111725
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	11/17/25 13:18	VN111725
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	11/17/25 13:18	VN111725

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3643-03
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	11/17/25 13:18	VN111725
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	11/17/25 13:18	VN111725
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	11/17/25 13:18	VN111725
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	11/17/25 13:18	VN111725
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	11/17/25 13:18	VN111725
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	11/17/25 13:18	VN111725
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	11/17/25 13:18	VN111725
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	11/17/25 13:18	VN111725
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	11/17/25 13:18	VN111725
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	11/17/25 13:18	VN111725
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	11/17/25 13:18	VN111725
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	11/17/25 13:18	VN111725
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	11/17/25 13:18	VN111725
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	11/17/25 13:18	VN111725
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	11/17/25 13:18	VN111725
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	11/17/25 13:18	VN111725
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	11/17/25 13:18	VN111725
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	11/17/25 13:18	VN111725
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	11/17/25 13:18	VN111725
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	11/17/25 13:18	VN111725
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	11/17/25 13:18	VN111725
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	11/17/25 13:18	VN111725
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	11/17/25 13:18	VN111725
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	11/17/25 13:18	VN111725
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	11/17/25 13:18	VN111725
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	11/17/25 13:18	VN111725
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	11/17/25 13:18	VN111725
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	11/17/25 13:18	VN111725
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	11/17/25 13:18	VN111725
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	11/17/25 13:18	VN111725
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	11/17/25 13:18	VN111725
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	11/17/25 13:18	VN111725
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	11/17/25 13:18	VN111725
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	55.3			74 - 125	111%	SPK: 50		
1868-53-7	Dibromofluoromethane	49.5			75 - 124	99%	SPK: 50		
2037-26-5	Toluene-d8	45.5			86 - 113	91%	SPK: 50		
460-00-4	4-Bromofluorobenzene	47.3			77 - 121	95%	SPK: 50		
INTERNAL STANDARDS									
363-72-4	Pentafluorobenzene	181000							
540-36-3	1,4-Difluorobenzene	409000							
3114-55-4	Chlorobenzene-d5	397000							
3855-82-1	1,4-Dichlorobenzene-d4	187000							

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-WATE
Lab Sample ID: Q3643-03
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SAMP
Lab Sample ID: Q3643-04
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.22	U	1	0.22	1.00	ug/L	11/14/25 15:41	VX111425
74-87-3	Chloromethane	0.32	U	1	0.32	1.00	ug/L	11/14/25 15:41	VX111425
75-01-4	Vinyl Chloride	0.26	U	1	0.26	1.00	ug/L	11/14/25 15:41	VX111425
141-78-6	Ethyl Acetate	0.31	U	1	0.31	1.00	ug/L	11/14/25 15:41	VX111425
74-83-9	Bromomethane	1.40	U	1	1.40	5.00	ug/L	11/14/25 15:41	VX111425
75-00-3	Chloroethane	0.47	U	1	0.47	1.00	ug/L	11/14/25 15:41	VX111425
75-69-4	Trichlorofluoromethane	0.33	U	1	0.33	1.00	ug/L	11/14/25 15:41	VX111425
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	1	0.25	1.00	ug/L	11/14/25 15:41	VX111425
75-65-0	Tert butyl alcohol	5.50	U	1	5.50	25.0	ug/L	11/14/25 15:41	VX111425
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	11/14/25 15:41	VX111425
107-02-8	Acrolein	7.10	U	1	7.10	25.0	ug/L	11/14/25 15:41	VX111425
107-13-1	Acrylonitrile	0.83	U	1	0.83	5.00	ug/L	11/14/25 15:41	VX111425
67-64-1	Acetone	1.50	U	1	1.50	5.00	ug/L	11/14/25 15:41	VX111425
75-15-0	Carbon Disulfide	0.21	U	1	0.21	1.00	ug/L	11/14/25 15:41	VX111425
1634-04-4	Methyl tert-butyl Ether	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:41	VX111425
79-20-9	Methyl Acetate	0.27	U	1	0.27	1.00	ug/L	11/14/25 15:41	VX111425
75-09-2	Methylene Chloride	0.28	U	1	0.28	1.00	ug/L	11/14/25 15:41	VX111425
156-60-5	trans-1,2-Dichloroethene	0.23	U	1	0.23	1.00	ug/L	11/14/25 15:41	VX111425
108-05-4	Vinyl Acetate	0.66	U	1	0.66	5.00	ug/L	11/14/25 15:41	VX111425
75-34-3	1,1-Dichloroethane	0.23	U	1	0.23	1.00	ug/L	11/14/25 15:41	VX111425
110-82-7	Cyclohexane	1.50	U	1	1.50	5.00	ug/L	11/14/25 15:41	VX111425
78-93-3	2-Butanone	0.98	U	1	0.98	5.00	ug/L	11/14/25 15:41	VX111425
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	1.00	ug/L	11/14/25 15:41	VX111425
594-20-7	2,2-Dichloropropane	0.21	U	1	0.21	1.00	ug/L	11/14/25 15:41	VX111425
156-59-2	cis-1,2-Dichloroethene	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:41	VX111425
74-97-5	Bromochloromethane	0.22	U	1	0.22	1.00	ug/L	11/14/25 15:41	VX111425
67-66-3	Chloroform	0.25	U	1	0.25	1.00	ug/L	11/14/25 15:41	VX111425
71-55-6	1,1,1-Trichloroethane	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:41	VX111425
108-87-2	Methylcyclohexane	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:41	VX111425
563-58-6	1,1-Dichloropropene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:41	VX111425
71-43-2	Benzene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:41	VX111425
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	1.00	ug/L	11/14/25 15:41	VX111425
79-01-6	Trichloroethene	0.090	U	1	0.090	1.00	ug/L	11/14/25 15:41	VX111425
78-87-5	1,2-Dichloropropane	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:41	VX111425
74-95-3	Dibromomethane	0.25	U	1	0.25	1.00	ug/L	11/14/25 15:41	VX111425
75-27-4	Bromodichloromethane	0.22	U	1	0.22	1.00	ug/L	11/14/25 15:41	VX111425
108-10-1	4-Methyl-2-Pentanone	0.68	U	1	0.68	5.00	ug/L	11/14/25 15:41	VX111425
108-88-3	Toluene	0.14	U	1	0.14	1.00	ug/L	11/14/25 15:41	VX111425
10061-02-6	t-1,3-Dichloropropene	0.17	U	1	0.17	1.00	ug/L	11/14/25 15:41	VX111425
10061-01-5	cis-1,3-Dichloropropene	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:41	VX111425
79-00-5	1,1,2-Trichloroethane	0.21	U	1	0.21	1.00	ug/L	11/14/25 15:41	VX111425
142-28-9	1,3-Dichloropropane	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:41	VX111425
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	1	0.30	5.00	ug/L	11/14/25 15:41	VX111425

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SAMP
Lab Sample ID: Q3643-04
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
591-78-6	2-Hexanone	0.89	U	1	0.89	5.00	ug/L	11/14/25 15:41	VX111425
124-48-1	Dibromochloromethane	0.18	U	1	0.18	1.00	ug/L	11/14/25 15:41	VX111425
106-93-4	1,2-Dibromoethane	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:41	VX111425
127-18-4	Tetrachloroethene	0.23	U	1	0.23	1.00	ug/L	11/14/25 15:41	VX111425
108-90-7	Chlorobenzene	0.12	U	1	0.12	1.00	ug/L	11/14/25 15:41	VX111425
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:41	VX111425
67-72-1	Hexachloroethane	0.32	U	1	0.32	1.00	ug/L	11/14/25 15:41	VX111425
100-41-4	Ethyl Benzene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:41	VX111425
179601-23-1	m/p-Xylenes	0.24	U	1	0.24	2.00	ug/L	11/14/25 15:41	VX111425
95-47-6	o-Xylene	0.12	U	1	0.12	1.00	ug/L	11/14/25 15:41	VX111425
100-42-5	Styrene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:41	VX111425
75-25-2	Bromoform	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:41	VX111425
98-82-8	Isopropylbenzene	0.12	U	1	0.12	1.00	ug/L	11/14/25 15:41	VX111425
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	1	0.26	1.00	ug/L	11/14/25 15:41	VX111425
96-18-4	1,2,3-Trichloropropane	0.35	U	1	0.35	1.00	ug/L	11/14/25 15:41	VX111425
108-86-1	Bromobenzene	0.24	U	1	0.24	1.00	ug/L	11/14/25 15:41	VX111425
103-65-1	n-propylbenzene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:41	VX111425
95-49-8	2-Chlorotoluene	0.14	U	1	0.14	1.00	ug/L	11/14/25 15:41	VX111425
108-67-8	1,3,5-Trimethylbenzene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:41	VX111425
106-43-4	4-Chlorotoluene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:41	VX111425
98-06-6	tert-Butylbenzene	0.14	U	1	0.14	1.00	ug/L	11/14/25 15:41	VX111425
95-63-6	1,2,4-Trimethylbenzene	0.14	U	1	0.14	1.00	ug/L	11/14/25 15:41	VX111425
135-98-8	sec-Butylbenzene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:41	VX111425
99-87-6	p-Isopropyltoluene	0.13	U	1	0.13	1.00	ug/L	11/14/25 15:41	VX111425
541-73-1	1,3-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:41	VX111425
106-46-7	1,4-Dichlorobenzene	0.19	U	1	0.19	1.00	ug/L	11/14/25 15:41	VX111425
104-51-8	n-Butylbenzene	0.15	U	1	0.15	1.00	ug/L	11/14/25 15:41	VX111425
95-50-1	1,2-Dichlorobenzene	0.16	U	1	0.16	1.00	ug/L	11/14/25 15:41	VX111425
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	1	0.53	1.00	ug/L	11/14/25 15:41	VX111425
120-82-1	1,2,4-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:41	VX111425
87-68-3	Hexachlorobutadiene	0.30	U	1	0.30	1.00	ug/L	11/14/25 15:41	VX111425
91-20-3	Naphthalene	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:41	VX111425
87-61-6	1,2,3-Trichlorobenzene	0.20	U	1	0.20	1.00	ug/L	11/14/25 15:41	VX111425

SURROGATES

17060-07-0	1,2-Dichloroethane-d4	58.6		74 - 125	117%	SPK: 50
1868-53-7	Dibromofluoromethane	47.6		75 - 124	95%	SPK: 50
2037-26-5	Toluene-d8	51.0		86 - 113	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	57.2		77 - 121	114%	SPK: 50

INTERNAL STANDARDS

363-72-4	Pentafluorobenzene	152000
540-36-3	1,4-Difluorobenzene	287000
3114-55-4	Chlorobenzene-d5	309000
3855-82-1	1,4-Dichlorobenzene-d4	197000

Report of Analysis

Client: Chemtech Consulting Group
Project: Weekly Storage Blanks
Client Sample ID: STORAGE-BLANK-SAMP
Lab Sample ID: Q3643-04
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/07/25
Date Received: 11/14/25
SDG No.: Q3643
Matrix: Water
% Solid: 0
Test: VOC- Chemtech Full

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	---------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3643	OrderDate:	11/14/2025 10:09:00 AM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	A12,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3643-01	STORAGE-BLANK-SOI L-REF-6	Water			11/07/25			11/14/25
			VOC- Chemtech Full	8260-Low			11/17/25	
Q3643-02	STORAGE-BLANK-WAT ER-REF-5	Water			11/07/25			11/14/25
			VOC- Chemtech Full	8260-Low			11/14/25	
Q3643-03	STORAGE-BLANK-WAT ER-REF-4	Water			11/07/25			11/14/25
			VOC- Chemtech Full	8260-Low			11/17/25	
Q3643-04	STORAGE-BLANK-SAM PLE-MANAGEMENT	Water			11/07/25			11/14/25
			VOC- Chemtech Full	8260-Low			11/14/25	