

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: PSEG

Project: PSEG Hillsdale SGMO

Client Sample ID: VNJ-212 Lab Sample ID: Q3647-01 Date Collected: 11/14/25 09:27

Date Received: 11/14/25 SDG No.: Q3647 Matrix: SOIL % Solid: 95.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	6.52		1	0.073	0.42	mg/Kg	11/17/25 09:15	11/17/25 15:13	7196A
Ignitability	NO		1	0	0	oC		11/18/25 09:32	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/17/25 13:33	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits