

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 11/17/2025 Time : 16:00 Temp : N/A

Matrix : SOIL

End Digest Date: 11/17/2025 Time : 17:30 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/17/2025 17:45	RM (w/c)	RM (w/c)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB170588BL	PBS588	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3649-07DUP	B4-0.0-0.5-20251114DUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3649-07	B4-0.0-0.5-20251114	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3652-04	TP-1	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3659-01	TANK-1-COMP-1	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3659-02	TANK-1-COMP-2	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A