

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#2

Block ID : WC-DIST-BLOCK-1

Weigh By : IZ

Start Digest Date: 11/17/2025 Time : 09:20 Temp : N/A

End Digest Date: 11/17/2025 Time : 10:50 Temp : N/A

Paul B. B. B. 11/17/2025 11:10 12
11/17/2025 12:40 12

Digestion tube ID : M5595

Block Thermometer ID : N/A

Filter paper ID : N/A

Prep Technician Signature: *12*

pH Meter ID : N/A

Supervisor Signature: *JP*

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP114311
FORMALDEHYDE	2.0ML	W3220
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

11/17/25 12

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170547BL	PBS547	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-03DUP	AU-713-COMP-01DUP	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-03	AU-713-COMP-01	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-06	AU-713-COMP-02	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-09	AU-713-COMP-03	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-12	AU-713-COMP-04	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-15	AU-713-COMP-05	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3628-04	TP-5	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3638-02	MOO-25-0327	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3638-04	MOO-25-0328	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3640-02	LAW-25-0179-0180	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3640-03	LAW-25-0182	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3647-02	VNJ-212	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3649-07	B4-0.0-0.5-20251114	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A