

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB137935

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3649-06	B4-0.0-0.5-20251114	1	100.05	0.00	11/18/2025	10:30
2	Q3649-06DUP	B4-0.0-0.5-20251114D	1	100.07	0.00	11/18/2025	10:37
3	Q3652-01	TP-1	1	100.05	0.00	11/18/2025	10:44
4	Q3656-01	T2-GRAVEL	1	100.06	0.00	11/18/2025	10:52
5	Q3658-01	NB-07-111725	1	100.04	0.00	11/18/2025	11:00

WORKLIST(Hardcopy Internal Chain)

16137935-

WorkList Name : PF-111825

WorkList ID : 193165

Department : Wet-Chemistry

Date : 11-18-2025 08:20:16

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3649-06	B4-0-0-5-20251114	Solid	Paint Filter	Cool 4 deg C	HDR108	D41	11/14/2025	9095B
Q3652-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	11/17/2025	9095B
Q3656-01	T2-GRAVEL	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	11/17/2025	9095B
Q3658-01	NB-07-111725	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	11/17/2025	9095B

Date/Time 11/18/25 08:30
 Raw Sample Received by: EM (VST)
 Raw Sample Relinquished by: [Signature]

Date/Time 11/18/25 11:20
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: EM (VST)