

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW111825\
 Data File : VW032484.D
 Acq On : 18 Nov 2025 16:14
 Operator : SY/MD
 Sample : Q3649-09
 Misc : 4.79g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 B3-0.5-1.0-20251114

Quant Time: Nov 19 00:29:36 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W111025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 11 03:48:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.965	168	212864	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.849	114	490545	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.629	117	510548	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	271829	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	161220	58.747	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	117.500%
35) Dibromofluoromethane	7.898	113	140948	47.990	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	95.980%
50) Toluene-d8	10.325	98	491285	43.603	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	87.200%
62) 4-Bromofluorobenzene	12.617	95	234272	55.040	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	110.080%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW111825\
Data File : VW032484.D
Acq On : 18 Nov 2025 16:14
Operator : SY/MD
Sample : Q3649-09
Misc : 4.79g/5mL/MSVOA_W/SOIL/A
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
B3-0.5-1.0-20251114

Quant Time: Nov 19 00:29:36 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W111025S.M
Quant Title : SW846 8260
QLast Update : Tue Nov 11 03:48:21 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.965 min Scan# 997
Delta R.T. 0.000 min
Lab File: VW032484.D
Acq: 18 Nov 2025 16:14




Instrument :
MSVOA_W
ClientSampleId :
B3-0.5-1.0-20251114


Tgt Ion:168 Resp: 212864
Ion Ratio Lower Upper
168 100
99 58.9 45.4 68.2



#33
1,2-Dichloroethane-d4
Concen: 58.747 ug/l
RT: 8.319 min Scan# 1055
Delta R.T. 0.000 min
Lab File: VW032484.D
Acq: 18 Nov 2025 16:14

Tgt Ion: 65 Resp: 161220
Ion Ratio Lower Upper
65 100
67 52.0 0.0 106.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.849 min Scan# 1142

Delta R.T. 0.000 min

Lab File: VW032484.D

Acq: 18 Nov 2025 16:14

Instrument :

MSVOA_W

ClientSampleId :

B3-0.5-1.0-20251114





Tgt Ion:114 Resp: 490545

Ion Ratio Lower Upper

114 100

63 21.7 0.0 41.8

88 16.3 0.0 32.6



#35

Dibromofluoromethane

Concen: 47.990 ug/l

RT: 7.898 min Scan# 986

Delta R.T. -0.006 min

Lab File: VW032484.D

Acq: 18 Nov 2025 16:14




Tgt Ion:113 Resp: 140948


Ion Ratio Lower Upper

113 100

111 102.2 83.1 124.7

192 16.1 13.4 20.2









#50
Toluene-d8
Concen: 43.603 ug/l
RT: 10.325 min Scan# 1384
Delta R.T. 0.000 min
Lab File: VW032484.D
Acq: 18 Nov 2025 16:14




Instrument :
MSVOA_W
ClientSampleId :
B3-0.5-1.0-20251114


Tgt Ion: 98 Resp: 491285
Ion Ratio Lower Upper
98 100
100 66.4 53.3 79.9



#62
4-Bromofluorobenzene
Concen: 55.040 ug/l
RT: 12.617 min Scan# 1760
Delta R.T. 0.000 min
Lab File: VW032484.D
Acq: 18 Nov 2025 16:14

Tgt Ion: 95 Resp: 234272
Ion Ratio Lower Upper
95 100
174 68.0 0.0 135.4
176 65.3 0.0 131.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.629 min Scan# 11

Delta R.T. -0.006 min

Lab File: VW032484.D

Acq: 18 Nov 2025 16:14

Instrument :

MSVOA_W

ClientSampleId :

B3-0.5-1.0-20251114





Tgt Ion:117 Resp: 510548

Ion Ratio Lower Upper

117 100

82 60.0 43.0 64.4

119 33.3 25.0 37.6



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.556 min Scan# 1914

Delta R.T. 0.000 min

Lab File: VW032484.D

Acq: 18 Nov 2025 16:14

Tgt Ion:152 Resp: 271829

Ion Ratio Lower Upper

152 100

115 63.2 32.8 98.3

150 158.0 0.0 356.6

