

Client Contact Information		Bottle Order ID : B2511013		Courier : F Galdun		1 of 6 COCs																		
Client ID : GFELO1		Project ID : 74-18-00000-1111-51-010000-NY		Sampler Name(s): FRANK GILDUN		Analysis																		
Customer Name : GFE LLC		Project Manager : FRANK GILDUN		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified		Matrix																		
Address : 58 Nokomis Ave		Phone Number : 646-542-3465																						
		Fax Number : 973-334-1692																						
City : Lake Hiawatha		Site Details: 4708 472 WESTBURY AVE																						
State : NJ		CARME PULLEY NY																						
Zip Code : 07034		Analysis Turnaround Time 5 DAY																						
Country :		Standard : 10 business days OR 5 Days																						
		Rush (Specify):																						
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas									
901	11/15/15	11:15	1:15	68	68	68	68	-30	-4.7	10511	10294	50	VL043082.D	TO-15	1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																								
** Submittal of this COC indicates approval of the analysis based on existing conditions.																								
Please follow the instructions on the back of this COC.																								
Special Instructions/QC Requirements & Comments :																								
Suspected Contamination: High Medium Low																								
Sampling site (State):																								
Quick Connector required : NO																								
Canisters Shipped by: Sony		Date/Time: 11/10/15		Canisters Received by: <i>[Signature]</i>		Date/Time: 11/14/15																		
Samples Relinquished by: <i>[Signature]</i>		Date/Time: 11/14/15		Received by: <i>[Signature]</i>		Date/Time: 11-14-25 1230																		
Relinquished by: <i>[Signature]</i>		Date/Time: 11-14-25 1323		Received by: <i>[Signature]</i>		Date/Time: 11-14-25 1230																		
B2511013 - 4																								

Client Contact Information				Bottle Order ID : B2511013				Courier : F. Galdun				2 of 6 COCs			
Client ID : GFEL01				Project ID : 74-16-Suppose Hillside, NJ				Sampler Name(s) : FRANK Galdun				Analysis Matrix			
Customer Name : GFE LLC				Project Manager : FRANK Galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
Address : 58 Nokomis Ave				Phone Number : 646-542-3465											
City : Lake Hiawatha				Fax Number : 973-334-1692											
State : NJ				Analysis Turnaround Time : 5 DAY											
Zip Code : 07034				Standard : 40 business days OR				Data Package Type : RESURSONLY							
Country :				Rush (Specify) : 5 Days				EDD Type : DF							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum Field ("Hg) (Start)	Can Vacuum Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID		
952	11/14/03	11:07	1:07	6	6	68	68	-29.5	-5.1	10649	10279	6 L 50	VL043047.D	1	
Temperature (Fahrenheit)															
Ambient		Maximum		Minimum											
Start															
Stop															
Pressure (Inches of Hg)															
Ambient		Maximum		Minimum											
Start															
Stop															
** Submittal of this COC indicates approval of the analysis based on existing conditions.															
Report only those analyses on the attached list.															
Please follow the instructions on the back of this COC.															
GC/MS Analyst Signature (TO-15)															
Signature															
Special Instructions/QC Requirements & Comments :															
Suspected Contamination: High Medium Low															
Sampling site (State):															
Quick Connector required : N/A															
Canisters Shipped by: sam				Date/Time: 11/14/03				Canisters Received by: [Signature]				Date/Time: 11/14/03			
Samples Relinquished by: FPA				Date/Time: 11/14/03				Received by: [Signature]				Date/Time: 11/14/03			
Relinquished by: [Signature]				Date/Time: 11/14/03				Received by: [Signature]				Date/Time: 11/14/03			

Client Contact Information		Bottle Order ID : B2511013	Courier : F. GARDUN	COCs	
Client ID : GFEL01	Project ID : 74-16 Cypress Hill St, Glendale NY	Sampler Name(s) : FRANK GARDUN		Analysis	Matrix
Customer Name : GFE LLC	Project Manager : FRANK GARDUN	AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified			
Address : 58 Nokomis Ave	Phone Number : 646-542-3465				
City : Lake Hiawatha	Fax Number : 973-334-1692				
State : NJ	Site Details: 4706 472 WESTBURY AVE CARLE PLACE, NY				
Zip Code : 07034	Analysis Turnaround Time : 5 DAY	Standard : 10 business days	OR	Data Package Type : REQUEST ONLY	Indoor Ambient Air TO-15 Soil Gas
Country : USA	Rush (Specify) : 5 Days	EDD Type : PDF			
Sample Identification : IAI	Sample Date(s) : 11/15/11	Time Start (24 hr Clock) : 11:00	Time Stop (24 hr Clock) : 11:00	Can Vacuum in Field ("Hg) (Start) : 26	
Can Vacuum in Field ("Hg) (Stop)** : 1.5	Interior Temp. (F) (Start) : 68	Interior Temp. (F) (Stop) : 68	Out going Can Pressure ("Hg) (Lab) : -30	In coming Can Pressure ("Hg) (Lab) : -3-9	Flow Reg. ID : 10502
Can ID : 10154	Flow Controller Readout (ml/min) : 50	Can Cert ID : VL043047.D	GC/MS Analyst Signature (TO-15)		
** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.					
Special Instructions/QC Requirements & Comments :					
Suspected Contamination: High Medium Low Sampling site (State):					
Quick Connector required : NO					
Canisters Shipped by: Sam	Date/Time: 11/11/11	Canisters Received by:	Date/Time:	Date/Time: 11-14-25 1230	
Samples Relinquished by: Sam	Date/Time: 11/14/25	Received by:	Date/Time:	Date/Time:	
Relinquished by: Sam	Date/Time: 11-14-25 1233	Received by:	Date/Time:	Date/Time:	

Client Contact Information		Bottle Order ID : B2511012		Counter : F Galdun		4 of 6 COCs	
Client ID : GFEL01		Project ID : 74-16 Cypress Hill St, Glendale NY		Sampler Name(s) : FRANK GILDUN		Analysis	
Customer Name : GFE LLC		Project Manager : FRANK GILDUN		Data Package Type : RESULTS ONLY		Matrix	
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		Can ID		Can Cert ID	
City : Lake Hiawatha		Fax Number : 973-334-1692		Flow Reg. ID		Flow Controller Readout (ml/min)	
State : NJ		Site Details : 4704472 Westbury Ave. Cable Race, NY		10550		50	
Zip Code : 07034		Analysis Turnaround Time : 5 DAY		10275		VL043047.D	
Country : USA		Standard : 10 Business Days OR		6 L		TO-15	
Rush (Specify): 5 Days		In coming Can Pressure ("Hg)(Lab)		10550		Indoor/ Ambient Air	
Can Vacuum in Field ("Hg) (Start)		Can Vacuum in Field ("Hg) (Stop)**		-29.5		Soil Gas	
Time Start (24 hr Clock)		Time Stop (24 hr Clock)		68		68	
Sample Date(s)		Sample Date(s)		11/29 12:50		11/29 12:50	
Sample Identification		Sample Identification		IAZ		IAZ	
Temperature (Fahrenheit)		Temperature (Fahrenheit)		Ambient		Maximum	
Start		Stop		Minimum		Minimum	
Pressure (Inches of Hg)		Pressure (Inches of Hg)		Ambient		Maximum	
Start		Stop		Minimum		Minimum	
Special Instructions/QC Requirements & Comments :		Special Instructions/QC Requirements & Comments :		GC/MS Analyst Signature (TO-15)		GC/MS Analyst Signature (TO-15)	
Suspected Contamination: High		Suspected Contamination: Medium		PID Readings: 0.0		PID Readings: 0.0	
Sampling site (State):		Sampling site (State):		Quick Connector required : NO		Quick Connector required : NO	
Canisters Shipped by: Sam		Canisters Shipped by: Sam		Date/Time: 11/14/12		Date/Time: 11/14/12	
Samples Relinquished by: Sam		Samples Relinquished by: Sam		Date/Time: 11/14/12		Date/Time: 11/14/12	
Relinquished by: Sam		Relinquished by: Sam		Date/Time: 11/14/12		Date/Time: 11/14/12	

** Submittal of this COC indicates approval of the analysis based on existing conditions.
REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST
 Please follow the instructions on the back of this COC.

Client Contact Information		Bottle Order ID : B2511012		Courier : FRANK GILDUN		of 6 COCs											
Client ID : GFEL01		Project ID :		Sampler Name(s) : FRANK GILDUN		Analysis											
Customer Name : GFE LLC		Project Manager : FRANK GILDUN		AIR ANALYSIS		Matrix											
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY													
		Fax Number : 973-324-1692		Individual Certified													
City : Lake Hiawatha		Site Details: 470 & 472 WESTBURY AVE CARLE PLACE NY															
State : NJ		Analysis Turnaround Time 5 DAY															
Zip Code : 07034		Standard : 10 business days OR		Data Package Type : RESULTS ONLY													
Country :		Rush (Specify): 5 Days		EDD Type : PDF													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg) (Lab)	In coming Can Pressure ("Hg) (Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas	
11/12/23 11:00	11/12/23 11:00	11:00	1:00	30	32.5	68	68	-30	-5.1	10579	10198	6 L	50	1			
Temperature (Fahrenheit)																	
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)																	
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low																	
Sampling site (State):																	
Quick Connector required : No																	
Canisters Shipped by: Sam		Date/Time: 11/10/23		Canisters Received by: [Signature]		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23	
Samples Relinquished by: [Signature]		Date/Time: 11/14/23		Received by: [Signature]		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23	
Relinquished by: [Signature]		Date/Time: 11/14/23		Received by: [Signature]		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23		Date/Time: 11/14/23	
B2511012 - 3																	

[illegible]

New Jersey Department of Environmental Protection
Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample		Laboratory: Chemtech		Location: 284 Sheffield Street, Mountainside, NJ 7092		Title: Sample Custodian		Date Broken 11/14/2025		Military Time Seal Broken: 12:30:00		Case No.: 470 TO 472 WESTBURY AV		Field Sample Seal No. Q3650		Analytical Parameter/Fraction/OCMS Group2	
---	--	----------------------	--	---	--	-------------------------	--	------------------------	--	-------------------------------------	--	----------------------------------	--	-----------------------------	--	---	--

Sample No.	Alliquot/Extract No.	Sample No.	Alliquot/Extract No.
Q3650-01	SV1		
Q3650-02	SV2		
Q3650-03	IA1		
Q3650-04	IA2		
Q3650-05	IA3		
Q3650-06	OA1		

[illegible]

Distribution: White - Original (Sent With Report)
Yellow - Contractor Archive
Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOK

METHOD: TO-15

Analyst Signature: Supervisor Signature: 

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/10/25	Q3594-01	10595	13.6	-2.2				sy
11/12/25	Q3626-01	10682	10.8	-8.0				sy
11/12/25	Q3626-02	10413	9.6	-10.4				
	Q3626-03	10450	10.0	-9.6				
	Q3626-04	10677	10.0	-9.6				
	Q3626-05	10464	9.8	-10.0				
	Q3626-06	10435	10.8	-8.0				
	Q3626-07	10471	9.4	-10.8				
	Q3626-08	10046	9.4	-10.8				
	Q3626-09	10673	9.4	-10.8				
	Q3626-10	10416	11.0	-7.5				
	Q3626-11	10123	9.6	-10.4				
	Q3626-12	10794	10.2	-9.2				
11/12/25	Q3627-01	10608	10.8	-8.0				
	Q3627-02	10321	11.4	-6.7				
	Q3627-03	10590	13.4	-2.7				
	Q3627-04	10650	9.2	-11.2				
	Q3627-05	10793	9.6	-10.4				
11/14/25	Q3650-01	10294	12.4	-4.7				
	Q3650-02	10279	12.2	-5.1				
	Q3650-03	10154	12.8	-3.9				

AIR SAMPLE PRESSURE & DILUTION LOGBOOK

Analyst Signature:  METHOD: TO-15

Supervisor Signature: 

Pressure Gauge ID: A755971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/14/25	Q3650-04	10275	13.0	-3.5				Sc
11/14/25	Q3650-05	10198	12.2	-5.1				Sc
11/14/25	Q3650-06	10197	12.8	-3.9				
	Q3651-01	10281	12.0	-5.5				
	Q3651-02	10606	12.8	-3.9				
	Q3651-03	10331	12.6	-4.3				
	Q3651-04	10320	12.4	-4.7				
	Q3651-05	10315	12.8	-3.9				
	Q3651-06	10280	12.8	-3.9				
11/14/25	Q3655-01	10669	9.8	-10.0				
	Q3655-02	10795	9.2	-11.2				
	Q3655-03	10800	10.0	-9.6				
	Q3655-04	10656	9.4	-10.8				
	Q3655-05	10120	9.6	-10.4				
	Q3655-06	10679	9.8	-10.0				

Sc

Sc

Process Report

Order ID : Q3650

Date	Bottle ID	Lab Sample Number	Incoming Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
11/17/2025	B2511012	Q3650-04	-3.5	10275	6 L	10550		C2509005	VL043047.D Seq: VL100625 TUNE: VL043043.D ICAL: VL043037.D CCAL: VL043044.D MB: VL043045.D
11/17/2025	B2511012	Q3650-05	-5.1	10198	6 L	10579		C2509005	VL043047.D Seq: VL100625 TUNE: VL043043.D ICAL: VL043037.D CCAL: VL043044.D MB: VL043045.D
11/17/2025	B2511012	Q3650-06	-3.9	10197	6 L	10525		C2509005	VL043047.D Seq: VL100625 TUNE: VL043043.D ICAL: VL043037.D CCAL: VL043044.D MB: VL043045.D
11/17/2025	B2511013	Q3650-01	-4.7	10294	6 L	10511		C2510001	VL043082.D Seq: VL100925 TUNE: VL043078.D ICAL: VL043037.D CCAL: VL043079.D MB: VL043080.D
11/17/2025	B2511013	Q3650-02	-5.1	10279	6 L	10649		C2509005	VL043047.D Seq: VL100625 TUNE: VL043043.D ICAL: VL043037.D CCAL: VL043044.D MB: VL043045.D
11/17/2025	B2511013	Q3650-03	-3.9	10154	6 L	10502		C2509005	VL043047.D Seq: VL100625 TUNE: VL043043.D ICAL: VL043037.D CCAL: VL043044.D MB: VL043045.D

CHEMTECH
284 Sheffield Street, Mountinside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV2
 Client Name: 4708472 WESTBURY
 Project Name: SV2
 Date: 11/11 Time: 10:15
 Analysis: _____
 Comments: _____
 CHEMTECH'S SAMPLE
 Date Received: _____
 Disposal: _____

Storage Location: VOA Lab
Sample: Q3650-02
Cust #: SV2

B2511013

CHEMTECH
284 Sheffield Street, Mountinside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV2
 Client Name: 4708472 WESTBURY
 Project Name: SV2
 Date: 11/11 Time: 10:15
 Analysis: _____
 Comments: _____
 CHEMTECH'S SAMPLE
 Date Received: _____

Storage Location: VOA Lab
Sample: Q3650-03
Cust #: 1A1

B2511013

CHEMTECH
284 Sheffield Street, Mountinside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV1
 Client Name: 4708472 WESTBURY
 Project Name: SV1
 Date: 11/11 Time: 10:15
 Analysis: _____
 Comments: _____
 CHEMTECH'S SAMPLE
 Date Received: _____

Storage Location: VOA Lab
Sample: Q3650-01
Cust #: SV1

B2511013

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

Client Name:

Project Name:

Date:

Analysis:

Comments:

CHEMTECH'S S

Date Received:

Storage Location: VOA Lab

Sample: Q3650-05

Cust #: IA3

IA3
GFE
4704472 WISTBURY
11/11
10-15
62511012

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

Client Name:

Project Name:

Date:

Analysis:

Comments:

CHEMTECH'S S

Date Received:

Storage Location: VOA Lab

Sample: Q3650-04

Cust #: IA2

IA2
GFE
4704472 WISTBURY
11/11
10-15
62511012

Storage Location: VOA Lab

Sample: Q3650-06

Cust #: OA1

OA1
GFE
4704472 WISTBURY
11/11
10-15
62511012

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

CHEMTECH'S S

Date Received:

Comments:

Analysis:

Date:

Project Name:

Client Name:

Client Sample ID #: