

Client Contact Information				Bottle Order ID : B2511013				Courier : FGaldun				1 of 6 COCs																	
Client ID : GFEL01				Project ID : 74-10 Express Hill St, Glen Dale NY				Sampler Name(s) : FRANK Galdun				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK Galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 470 & 472 WESTBURY AVE CABLE PLACE, NY																									
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type RESULTS ONLY																					
State : NJ				Standard : 10 business days OR				EDD Type : PDF																					
Zip Code : 07034				Rush (Specify): 5 Days																									
Country :																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SV1	11/14/25	11:15	12:30	OVER 30	5.5	68	68	-30	-4.7	10511	10294	6 L	50	VL043082.D	1		1												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) Sgt							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.1</u>																													
Sampling site (State):																													
Quick Connector required : <u>NO</u>																													
Canisters Shipped by: <u>Sgt</u>				Date/Time: <u>11/10/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>11-14-25 1230</u>																	
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>11/14/25</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11-14-25 1323</u>																	
Relinquished by: <u>[Signature]</u>				Date/Time: <u>11-14-25 1323</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11-14-25 1323</u>																	

Client Contact Information				Bottle Order ID : B2511013				Courier : F. Galdun				2 of 6 COCs																	
Client ID : GFEL01 Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : FRANK GILDUN				Analysis				Matrix																	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 4708 472 Westbury Ave CARLE PLACE, NY																									
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY																					
State : NJ				Standard : 10 business days OR																									
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : TDF																					
Country :																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
S02	11/14/25	11:07	1:07	30	6	68	68	-29.5	+5.1	10649	10279	6 L	50	VL043047.D	1		1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 11/10/25				Canisters Received by:				Date/Time:																	
Samples Relinquished by: F. Galdun				Date/Time: 11/14/25				Received by:				Date/Time: 11/14-25 12:30																	
Relinquished by:				Date/Time: 11-14-25 1323				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2511013				Courier : F. Galdun				3 of 6 COCs			
Client ID : GFEL01				Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : Frank Galdun				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 470 472 WESTBURY AVE CARLE PLACE, NY											
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10 business days OR				EDD Type : PDF							
Zip Code : 07034				Rush (Specify): 5 Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IA1	11/14/25	11:00	1:00	26	1.5	68	68	-30	-3-9	10502	10154	6 L	50	VL043047.D	1	1	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: **0.0**

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: Sam	Date/Time: 11/14/25	Canisters Received by:	Date/Time:
Samples Relinquished by: FM	Date/Time: 11/14/25	Received by: [Signature]	Date/Time: 11-14-25 1230
Relinquished by: [Signature]	Date/Time: 11-14-25 1323	Received by: [Signature]	Date/Time:

Client Contact Information				Bottle Order ID : B2511012				Courier : F GALDUN				4 of 6 COCs			
Client ID : GFEL01				Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 470 & 472 WESTBURY AVE, CABLE PLACE, NY											
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10 business days OR											
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF							
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/ Ambient Air	Soil Gas
IAZ	11/14/25	10:50	12:50	00.62	30	5	60	60	-29.5	-3.5	10550	10275	6 L 50	VL043047.D	1	1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) SIA

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : NO

Canisters Shipped by: <u>Sam</u>	Date/Time: <u>11/10/25</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u>11-14-23</u>
Samples Relinquished by: <u>[Signature]</u>	Date/Time: <u>11/14/25</u>	Received by: <u>[Signature]</u>	Date/Time: <u>11-14-23 1230</u>
Relinquished by: <u>[Signature]</u>	Date/Time: <u>11-14-23 1233</u>	Received by: <u>[Signature]</u>	Date/Time: <u>25</u>

B2511012 - 4

Client Contact Information				Bottle Order ID : B2511012				Courier : <u>FGALDUN</u>				<u>5</u> of <u>6</u> COCs																	
Client ID : GFEL01 Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis				Matrix																	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: <u>470 & 472 WESTBURY AVE</u> <u>CARLE PLACE NY</u>																									
City : Lake Hiawatha				Analysis Turnaround Time <u>5 DAY</u>				TO-15 Indoor Ambient Air Soil Gas																					
State : NJ				Standard : 16 business days OR																									
Zip Code : 07034				Data Package Type : <u>RESULTS ONLY</u>																									
Country :				Rush (Specify): <u>5</u> Days				EDD Type : <u>PDF</u>																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID																
<u>IA3</u>	<u>11/1/25</u>	<u>11:00</u>	<u>1:00</u>	<u>30</u>	<u>5.25</u>	<u>68</u>	<u>68</u>	<u>-30</u>	<u>-5.1</u>	<u>10579</u>	<u>10198</u>	<u>6 L</u>	<u>50</u>	<u>VL043047.D</u>	<u>1</u>	<u>1</u>	<u>1</u>												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <u>Sgt</u>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																													
Sampling site (State):																													
Quick Connector required : <u>No</u>																													
Canisters Shipped by: <u>Sgt</u>				Date/Time: <u>11/10/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>11-14-23 12:30</u>																	
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>11-14-23 13:23</u>				Received by: <u>[Signature]</u>				Date/Time: <u>25</u>																	
Relinquished by: <u>[Signature]</u>																													

Client Contact Information				Bottle Order ID : B2511012				Courier : FGALDUN				<u>6</u> of <u>6</u> COCs			
Client ID : GFEL01				Project ID : 74-18 Cypress Hill St, Glendale NY				Sampler Name(s) : Frank Galdun				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 4108472 Westbury Ave. CARLE PLACE, NY											
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : Results Only							
State : NJ				Standard : 10 business days OR				EDD Type : PDF							
Zip Code : 07034				Rush (Specify): 5 Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
OAI	11/14/25	11:05	1:05	OVER 30	4	40	41	-30	-3.9	10525	10197	6 L	50	VL043047.D		

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	40			
Stop	41			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) SIL

**** Submittal of this COC indicates approval of the analysis based on existing conditions.**

REPORT ONLY THOSE ANALYSES ON THE ATTACHED HST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0, 0

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: Sam	Date/Time: 11/10/25	Canisters Received by: [Signature]	Date/Time: 11/14/25
Samples Relinquished by: Frank	Date/Time: 11/14/25	Received by: [Signature]	Date/Time: 11-14-23 12:30
Relinquished by: [Signature]	Date/Time: 11-14-23 12:30	Received by: [Signature]	Date/Time: 25

B2511012 - 2