

DATA PACKAGE

VOLATILE ORGANICS

PROJECT NAME : 316 TO 326 WESTBURY AVE

GFE LLC

58 Nokomis Ave

Lake Hiawatha, NJ - 07034

Phone No: 646-542-3465

ORDER ID : Q3651

ATTENTION : Frank Galdun



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOCMS Group2- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) VOCMS Group2 Data	8
6) Shipping Document	23
6.1) CHAIN OF CUSTODY	24
6.2) ROC	30
6.3) Lab Certificate	32
6.4) Internal COC	33

Cover Page

Order ID : Q3651

Project ID : 316 TO 326 WESTBURY AVE

Client : GFE LLC

Lab Sample Number

Q3651-01
Q3651-02
Q3651-03
Q3651-04
Q3651-05
Q3651-06

Client Sample Number

SV1
SV2
IA1
IA2
SV3
IA3

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/21/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

GFE LLC

Project Name: 316 TO 326 WESTBURY AVE

Project # N/A

Order ID # Q3651

Test Name: VOCMS Group2

A. Number of Samples and Date of Receipt:

6 Air samples were received on 11/14/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOCMS Group2. This data package contains results for VOCMS Group2.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax , Entech 7100A Preconcentrator. The analysis of VOCMS Group2 was based on method TO-15.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD for {Q3651-03DUP} with File ID: VL043215.D met criteria except for Naphthalene[200%], Tetrachloroethene[28.6%] due to difference in results of original and DUP.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Tuning criteria met requirements.

Due to potential high concentration of target analytes, Samples SV1, SV2 and SV3 were initially diluted.

Samples IA1, IA2 and IA3 were diluted due to high concentrations.

E. Additional Comments:



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3651

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/21/2025

Hit Summary Sheet
SW-846

SDG No.: Q3651
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: SV1								
Q3651-01	SV1	Air	Heptane	15.6		2.79	8.20	ug/m3
Q3651-01	SV1	Air	Cyclohexane	4.47	J	3.03	6.88	ug/m3
Q3651-01	SV1	Air	Benzene	3.19	J	1.02	6.39	ug/m3
Q3651-01	SV1	Air	Toluene	46.0		2.41	7.54	ug/m3
Q3651-01	SV1	Air	Tetrachloroethene	1.08		0.41	0.81	ug/m3
Q3651-01	SV1	Air	Ethyl Benzene	5.21	J	3.30	8.69	ug/m3
Q3651-01	SV1	Air	m/p-Xylene	14.3	J	6.95	17.4	ug/m3
Q3651-01	SV1	Air	o-Xylene	6.95	J	3.65	8.69	ug/m3
Q3651-01	SV1	Air	1,2,4-Trimethylbenzene	4.52	J	3.54	9.83	ug/m3
Q3651-01	SV1	Air	Hexane	73.3		2.26	7.05	ug/m3
Total Voc :					175			
Total Concentration:					175			
Client ID: SV2								
Q3651-02	SV2	Air	Heptane	8.61		2.79	8.20	ug/m3
Q3651-02	SV2	Air	Cyclohexane	4.47	J	3.03	6.88	ug/m3
Q3651-02	SV2	Air	1,1,1-Trichloroethane	2.07		0.33	0.65	ug/m3
Q3651-02	SV2	Air	2,2,4-Trimethylpentane	2.66	J	2.62	9.34	ug/m3
Q3651-02	SV2	Air	Benzene	1.85	J	1.02	6.39	ug/m3
Q3651-02	SV2	Air	Toluene	107		2.41	7.54	ug/m3
Q3651-02	SV2	Air	Tetrachloroethene	6.71		0.41	0.81	ug/m3
Q3651-02	SV2	Air	Ethyl Benzene	8.69		3.30	8.69	ug/m3
Q3651-02	SV2	Air	m/p-Xylene	27.8		6.95	17.4	ug/m3
Q3651-02	SV2	Air	o-Xylene	9.56		3.65	8.69	ug/m3
Q3651-02	SV2	Air	1,2,4-Trimethylbenzene	4.52	J	3.54	9.83	ug/m3
Q3651-02	SV2	Air	Hexane	22.9		2.26	7.05	ug/m3
Total Voc :					207			
Total Concentration:					207			
Client ID: IA1								
Q3651-03	IA1	Air	Vinyl Chloride	0.13		0.080	0.080	ug/m3
Q3651-03	IA1	Air	Heptane	2.70		0.70	2.05	ug/m3
Q3651-03	IA1	Air	Cyclohexane	1.07	J	0.76	1.72	ug/m3
Q3651-03	IA1	Air	Benzene	0.58	J	0.26	1.60	ug/m3
Q3651-03	IA1	Air	Toluene	678	E	0.60	1.88	ug/m3
Q3651-03	IA1	Air	Tetrachloroethene	0.27		0.14	0.20	ug/m3
Q3651-03	IA1	Air	Ethyl Benzene	6.52		0.83	2.17	ug/m3
Q3651-03	IA1	Air	m/p-Xylene	28.2		1.78	4.34	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q3651

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3651-03	IA1	Air	o-Xylene	7.82		0.91	2.17	ug/m3
Q3651-03	IA1	Air	1,2,4-Trimethylbenzene	2.90		0.88	2.46	ug/m3
Q3651-03	IA1	Air	Naphthalene	0.63		0.050	0.52	ug/m3
			Total Voc :		729			
			Total Concentration:		729			
Client ID:	IA1DL							
Q3651-03DL	IA1DL	Air	Toluene	980	D	12.1	37.7	ug/m3
			Total Voc :		980			
			Total Concentration:		980			
Client ID:	IA2							
Q3651-04	IA2	Air	Heptane	11.1		0.70	2.05	ug/m3
Q3651-04	IA2	Air	Cyclohexane	9.64		0.76	1.72	ug/m3
Q3651-04	IA2	Air	2,2,4-Trimethylpentane	7.94		0.65	2.34	ug/m3
Q3651-04	IA2	Air	Benzene	1.12	J	0.26	1.60	ug/m3
Q3651-04	IA2	Air	Toluene	246	E	0.60	1.88	ug/m3
Q3651-04	IA2	Air	Tetrachloroethene	1.56		0.14	0.20	ug/m3
Q3651-04	IA2	Air	Ethyl Benzene	11.7		0.83	2.17	ug/m3
Q3651-04	IA2	Air	m/p-Xylene	39.5		1.78	4.34	ug/m3
Q3651-04	IA2	Air	o-Xylene	8.69		0.91	2.17	ug/m3
Q3651-04	IA2	Air	1,3,5-Trimethylbenzene	1.08	J	0.88	2.46	ug/m3
Q3651-04	IA2	Air	1,2,4-Trimethylbenzene	3.49		0.88	2.46	ug/m3
Q3651-04	IA2	Air	Naphthalene	0.52		0.050	0.52	ug/m3
Q3651-04	IA2	Air	Hexane	8.81		0.56	1.76	ug/m3
			Total Voc :		351			
			Total Concentration:		351			
Client ID:	IA2DL							
Q3651-04DL	IA2DL	Air	Heptane	10.7	JD	6.97	20.5	ug/m3
Q3651-04DL	IA2DL	Air	Cyclohexane	8.95	JD	7.57	17.2	ug/m3
Q3651-04DL	IA2DL	Air	2,2,4-Trimethylpentane	7.94	JD	6.54	23.4	ug/m3
Q3651-04DL	IA2DL	Air	Toluene	270	D	6.03	18.8	ug/m3
Q3651-04DL	IA2DL	Air	Ethyl Benzene	10.4	JD	8.25	21.7	ug/m3
Q3651-04DL	IA2DL	Air	m/p-Xylene	36.5	JD	17.8	43.4	ug/m3
Q3651-04DL	IA2DL	Air	Hexane	10.2	JD	5.64	17.6	ug/m3
			Total Voc :		355			
			Total Concentration:		355			
Client ID:	SV3							
Q3651-05	SV3	Air	Heptane	5.33	J	2.79	8.20	ug/m3
Q3651-05	SV3	Air	Benzene	1.28	J	1.02	6.39	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q3651

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3651-05	SV3	Air	Toluene	27.5		2.41	7.54	ug/m3
Q3651-05	SV3	Air	Tetrachloroethene	1.36		0.41	0.81	ug/m3
Q3651-05	SV3	Air	Hexane	23.3		2.26	7.05	ug/m3
Total Voc :				58.7				
Total Concentration:				58.7				
Client ID:	IA3							
Q3651-06	IA3	Air	Heptane	5.74		0.70	2.05	ug/m3
Q3651-06	IA3	Air	Benzene	0.42	J	0.26	1.60	ug/m3
Q3651-06	IA3	Air	Toluene	203	E	0.60	1.88	ug/m3
Q3651-06	IA3	Air	Ethyl Benzene	1.56	J	0.83	2.17	ug/m3
Q3651-06	IA3	Air	m/p-Xylene	6.52		1.78	4.34	ug/m3
Q3651-06	IA3	Air	o-Xylene	3.08		0.91	2.17	ug/m3
Q3651-06	IA3	Air	1,2,4-Trimethylbenzene	1.82	J	0.88	2.46	ug/m3
Q3651-06	IA3	Air	Naphthalene	0.94		0.050	0.52	ug/m3
Q3651-06	IA3	Air	Hexane	4.93		0.56	1.76	ug/m3
Total Voc :				228				
Total Concentration:				228				
Client ID:	IA3DL							
Q3651-06DL	IA3DL	Air	Toluene	223	D	6.03	18.8	ug/m3
Total Voc :				223				
Total Concentration:				223				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: SV1
Lab Sample ID: Q3651-01
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/18/25 20:29	VL111825
142-82-5	Heptane	3.80	15.6		4	2.79	8.20	11/18/25 20:29	VL111825
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/18/25 20:29	VL111825
110-82-7	Cyclohexane	1.30	4.47	J	4	3.03	6.88	11/18/25 20:29	VL111825
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/18/25 20:29	VL111825
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	4	0.33	0.65	11/18/25 20:29	VL111825
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	11/18/25 20:29	VL111825
71-43-2	Benzene	1.00	3.19	J	4	1.02	6.39	11/18/25 20:29	VL111825
79-01-6	Trichloroethene	0.10	0.54	U	4	0.54	0.64	11/18/25 20:29	VL111825
108-88-3	Toluene	12.2	46.0		4	2.41	7.54	11/18/25 20:29	VL111825
127-18-4	Tetrachloroethene	0.16	1.08		4	0.41	0.81	11/18/25 20:29	VL111825
100-41-4	Ethyl Benzene	1.20	5.21	J	4	3.30	8.69	11/18/25 20:29	VL111825
179601-23-1	m/p-Xylene	3.30	14.3	J	4	6.95	17.4	11/18/25 20:29	VL111825
95-47-6	o-Xylene	1.60	6.95	J	4	3.65	8.69	11/18/25 20:29	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/18/25 20:29	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.92	4.52	J	4	3.54	9.83	11/18/25 20:29	VL111825
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/18/25 20:29	VL111825
110-54-3	Hexane	20.8	73.3		4	2.26	7.05	11/18/25 20:29	VL111825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	10.2				65 - 135	102% SPK: 10		
INTERNAL STANDARDS									
74-97-5	Bromochloromethane	97400							
540-36-3	1,4-Difluorobenzene	255000							
3114-55-4	Chlorobenzene-d5	197000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: SV2
Lab Sample ID: Q3651-02
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/18/25 21:01	VL111825
142-82-5	Heptane	2.10	8.61		4	2.79	8.20	11/18/25 21:01	VL111825
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/18/25 21:01	VL111825
110-82-7	Cyclohexane	1.30	4.47	J	4	3.03	6.88	11/18/25 21:01	VL111825
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/18/25 21:01	VL111825
71-55-6	1,1,1-Trichloroethane	0.38	2.07		4	0.33	0.65	11/18/25 21:01	VL111825
540-84-1	2,2,4-Trimethylpentane	0.57	2.66	J	4	2.62	9.34	11/18/25 21:01	VL111825
71-43-2	Benzene	0.58	1.85	J	4	1.02	6.39	11/18/25 21:01	VL111825
79-01-6	Trichloroethene	0.10	0.54	U	4	0.54	0.64	11/18/25 21:01	VL111825
108-88-3	Toluene	28.3	107		4	2.41	7.54	11/18/25 21:01	VL111825
127-18-4	Tetrachloroethene	0.99	6.71		4	0.41	0.81	11/18/25 21:01	VL111825
100-41-4	Ethyl Benzene	2.00	8.69		4	3.30	8.69	11/18/25 21:01	VL111825
179601-23-1	m/p-Xylene	6.40	27.8		4	6.95	17.4	11/18/25 21:01	VL111825
95-47-6	o-Xylene	2.20	9.56		4	3.65	8.69	11/18/25 21:01	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/18/25 21:01	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.92	4.52	J	4	3.54	9.83	11/18/25 21:01	VL111825
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/18/25 21:01	VL111825
110-54-3	Hexane	6.50	22.9		4	2.26	7.05	11/18/25 21:01	VL111825

SURROGATES

460-00-4 1-Bromo-4-Fluorobenzene 10.3 65 - 135 103% SPK: 10

INTERNAL STANDARDS

	Area Count
74-97-5 Bromochloromethane	93500
540-36-3 1,4-Difluorobenzene	242000
3114-55-4 Chlorobenzene-d5	194000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA1
Lab Sample ID: Q3651-03
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.050	0.13		1	0.080	0.080	11/18/25 15:57	VL111825
142-82-5	Heptane	0.66	2.70		1	0.70	2.05	11/18/25 15:57	VL111825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/18/25 15:57	VL111825
110-82-7	Cyclohexane	0.31	1.07	J	1	0.76	1.72	11/18/25 15:57	VL111825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/18/25 15:57	VL111825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/18/25 15:57	VL111825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	11/18/25 15:57	VL111825
71-43-2	Benzene	0.18	0.58	J	1	0.26	1.60	11/18/25 15:57	VL111825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/18/25 15:57	VL111825
108-88-3	Toluene	180	678	E	1	0.60	1.88	11/18/25 15:57	VL111825
127-18-4	Tetrachloroethene	0.040	0.27		1	0.14	0.20	11/18/25 15:57	VL111825
100-41-4	Ethyl Benzene	1.50	6.52		1	0.83	2.17	11/18/25 15:57	VL111825
179601-23-1	m/p-Xylene	6.50	28.2		1	1.78	4.34	11/18/25 15:57	VL111825
95-47-6	o-Xylene	1.80	7.82		1	0.91	2.17	11/18/25 15:57	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/18/25 15:57	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.59	2.90		1	0.88	2.46	11/18/25 15:57	VL111825
91-20-3	Naphthalene	0.12	0.63		1	0.050	0.52	11/18/25 15:57	VL111825
110-54-3	Hexane	0.16	0.56	U	1	0.56	1.76	11/18/25 15:57	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.5			65 - 135	105%	SPK: 10
----------	-------------------------	------	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	107000
540-36-3	1,4-Difluorobenzene	268000
3114-55-4	Chlorobenzene-d5	213000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA1DL
Lab Sample ID: Q3651-03DL
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.50	1.28	UD	20	1.28	1.53	11/18/25 23:09	VL111825
142-82-5	Heptane	3.40	13.9	UD	20	13.9	41.0	11/18/25 23:09	VL111825
75-34-3	1,1-Dichloroethane	2.60	10.5	UD	20	10.5	40.5	11/18/25 23:09	VL111825
110-82-7	Cyclohexane	4.40	15.2	UD	20	15.2	34.4	11/18/25 23:09	VL111825
156-59-2	cis-1,2-Dichloroethene	2.00	7.93	UD	20	7.93	39.6	11/18/25 23:09	VL111825
71-55-6	1,1,1-Trichloroethane	0.32	1.75	UD	20	1.75	3.27	11/18/25 23:09	VL111825
540-84-1	2,2,4-Trimethylpentane	2.80	13.1	UD	20	13.1	46.7	11/18/25 23:09	VL111825
71-43-2	Benzene	1.60	5.11	UD	20	5.11	31.9	11/18/25 23:09	VL111825
79-01-6	Trichloroethene	0.48	2.58	UD	20	2.58	3.22	11/18/25 23:09	VL111825
108-88-3	Toluene	260	980	D	20	12.1	37.7	11/18/25 23:09	VL111825
127-18-4	Tetrachloroethene	0.30	2.03	UD	20	2.03	4.07	11/18/25 23:09	VL111825
100-41-4	Ethyl Benzene	3.80	16.5	UD	20	16.5	43.4	11/18/25 23:09	VL111825
179601-23-1	m/p-Xylene	8.20	35.6	UD	20	35.6	86.9	11/18/25 23:09	VL111825
95-47-6	o-Xylene	4.20	18.2	UD	20	18.2	43.4	11/18/25 23:09	VL111825
108-67-8	1,3,5-Trimethylbenzene	3.60	17.7	UD	20	17.7	49.2	11/18/25 23:09	VL111825
95-63-6	1,2,4-Trimethylbenzene	3.60	17.7	UD	20	17.7	49.2	11/18/25 23:09	VL111825
91-20-3	Naphthalene	0.26	1.36	UD	20	1.36	10.5	11/18/25 23:09	VL111825
110-54-3	Hexane	3.20	11.3	UD	20	11.3	35.2	11/18/25 23:09	VL111825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135		101% SPK: 10		
INTERNAL STANDARDS									
74-97-5	Bromochloromethane	97500							
540-36-3	1,4-Difluorobenzene	253000							
3114-55-4	Chlorobenzene-d5	195000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA2
Lab Sample ID: Q3651-04
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/18/25 17:06	VL111825
142-82-5	Heptane	2.70	11.1		1	0.70	2.05	11/18/25 17:06	VL111825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/18/25 17:06	VL111825
110-82-7	Cyclohexane	2.80	9.64		1	0.76	1.72	11/18/25 17:06	VL111825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/18/25 17:06	VL111825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/18/25 17:06	VL111825
540-84-1	2,2,4-Trimethylpentane	1.70	7.94		1	0.65	2.34	11/18/25 17:06	VL111825
71-43-2	Benzene	0.35	1.12	J	1	0.26	1.60	11/18/25 17:06	VL111825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/18/25 17:06	VL111825
108-88-3	Toluene	65.3	246	E	1	0.60	1.88	11/18/25 17:06	VL111825
127-18-4	Tetrachloroethene	0.23	1.56		1	0.14	0.20	11/18/25 17:06	VL111825
100-41-4	Ethyl Benzene	2.70	11.7		1	0.83	2.17	11/18/25 17:06	VL111825
179601-23-1	m/p-Xylene	9.10	39.5		1	1.78	4.34	11/18/25 17:06	VL111825
95-47-6	o-Xylene	2.00	8.69		1	0.91	2.17	11/18/25 17:06	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.22	1.08	J	1	0.88	2.46	11/18/25 17:06	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.71	3.49		1	0.88	2.46	11/18/25 17:06	VL111825
91-20-3	Naphthalene	0.10	0.52		1	0.050	0.52	11/18/25 17:06	VL111825
110-54-3	Hexane	2.50	8.81		1	0.56	1.76	11/18/25 17:06	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.0				65 - 135	100%	SPK: 10
----------	-------------------------	------	--	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	100000
540-36-3	1,4-Difluorobenzene	262000
3114-55-4	Chlorobenzene-d5	210000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA2DL
Lab Sample ID: Q3651-04DL
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.25	0.64	UD	10	0.64	0.77	11/19/25 00:13	VL111825
142-82-5	Heptane	2.60	10.7	JD	10	6.97	20.5	11/19/25 00:13	VL111825
75-34-3	1,1-Dichloroethane	1.30	5.26	UD	10	5.26	20.2	11/19/25 00:13	VL111825
110-82-7	Cyclohexane	2.60	8.95	JD	10	7.57	17.2	11/19/25 00:13	VL111825
156-59-2	cis-1,2-Dichloroethene	0.99	3.93	UD	10	3.93	19.8	11/19/25 00:13	VL111825
71-55-6	1,1,1-Trichloroethane	0.16	0.87	UD	10	0.87	1.64	11/19/25 00:13	VL111825
540-84-1	2,2,4-Trimethylpentane	1.70	7.94	JD	10	6.54	23.4	11/19/25 00:13	VL111825
71-43-2	Benzene	0.79	2.52	UD	10	2.52	16.0	11/19/25 00:13	VL111825
79-01-6	Trichloroethene	0.24	1.29	UD	10	1.29	1.61	11/19/25 00:13	VL111825
108-88-3	Toluene	71.7	270	D	10	6.03	18.8	11/19/25 00:13	VL111825
127-18-4	Tetrachloroethene	0.15	1.02	UD	10	1.02	2.03	11/19/25 00:13	VL111825
100-41-4	Ethyl Benzene	2.40	10.4	JD	10	8.25	21.7	11/19/25 00:13	VL111825
179601-23-1	m/p-Xylene	8.40	36.5	JD	10	17.8	43.4	11/19/25 00:13	VL111825
95-47-6	o-Xylene	2.10	9.12	UD	10	9.12	21.7	11/19/25 00:13	VL111825
108-67-8	1,3,5-Trimethylbenzene	1.80	8.85	UD	10	8.85	24.6	11/19/25 00:13	VL111825
95-63-6	1,2,4-Trimethylbenzene	1.80	8.85	UD	10	8.85	24.6	11/19/25 00:13	VL111825
91-20-3	Naphthalene	0.13	0.68	UD	10	0.68	5.24	11/19/25 00:13	VL111825
110-54-3	Hexane	2.90	10.2	JD	10	5.64	17.6	11/19/25 00:13	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104%	SPK: 10
----------	-------------------------	------	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	91900
540-36-3	1,4-Difluorobenzene	239000
3114-55-4	Chlorobenzene-d5	187000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: SV3
Lab Sample ID: Q3651-05
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/18/25 21:33	VL111825
142-82-5	Heptane	1.30	5.33	J	4	2.79	8.20	11/18/25 21:33	VL111825
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/18/25 21:33	VL111825
110-82-7	Cyclohexane	0.88	3.03	U	4	3.03	6.88	11/18/25 21:33	VL111825
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/18/25 21:33	VL111825
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	4	0.33	0.65	11/18/25 21:33	VL111825
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	11/18/25 21:33	VL111825
71-43-2	Benzene	0.40	1.28	J	4	1.02	6.39	11/18/25 21:33	VL111825
79-01-6	Trichloroethene	0.10	0.54	U	4	0.54	0.64	11/18/25 21:33	VL111825
108-88-3	Toluene	7.30	27.5		4	2.41	7.54	11/18/25 21:33	VL111825
127-18-4	Tetrachloroethene	0.20	1.36		4	0.41	0.81	11/18/25 21:33	VL111825
100-41-4	Ethyl Benzene	0.76	3.30	U	4	3.30	8.69	11/18/25 21:33	VL111825
179601-23-1	m/p-Xylene	1.60	6.95	U	4	6.95	17.4	11/18/25 21:33	VL111825
95-47-6	o-Xylene	0.84	3.65	U	4	3.65	8.69	11/18/25 21:33	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/18/25 21:33	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/18/25 21:33	VL111825
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/18/25 21:33	VL111825
110-54-3	Hexane	6.60	23.3		4	2.26	7.05	11/18/25 21:33	VL111825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	10.3				65 - 135	103% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	90200							
540-36-3	1,4-Difluorobenzene	239000							
3114-55-4	Chlorobenzene-d5	188000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA3
Lab Sample ID: Q3651-06
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/18/25 17:40	VL111825
142-82-5	Heptane	1.40	5.74		1	0.70	2.05	11/18/25 17:40	VL111825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/18/25 17:40	VL111825
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	11/18/25 17:40	VL111825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/18/25 17:40	VL111825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/18/25 17:40	VL111825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	11/18/25 17:40	VL111825
71-43-2	Benzene	0.13	0.42	J	1	0.26	1.60	11/18/25 17:40	VL111825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/18/25 17:40	VL111825
108-88-3	Toluene	53.9	203	E	1	0.60	1.88	11/18/25 17:40	VL111825
127-18-4	Tetrachloroethene	0.020	0.14	U	1	0.14	0.20	11/18/25 17:40	VL111825
100-41-4	Ethyl Benzene	0.36	1.56	J	1	0.83	2.17	11/18/25 17:40	VL111825
179601-23-1	m/p-Xylene	1.50	6.52		1	1.78	4.34	11/18/25 17:40	VL111825
95-47-6	o-Xylene	0.71	3.08		1	0.91	2.17	11/18/25 17:40	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/18/25 17:40	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.37	1.82	J	1	0.88	2.46	11/18/25 17:40	VL111825
91-20-3	Naphthalene	0.18	0.94		1	0.050	0.52	11/18/25 17:40	VL111825
110-54-3	Hexane	1.40	4.93		1	0.56	1.76	11/18/25 17:40	VL111825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	10.0				65 - 135	100% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	99700							
540-36-3	1,4-Difluorobenzene	263000							
3114-55-4	Chlorobenzene-d5	208000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA3DL
Lab Sample ID: Q3651-06DL
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.25	0.64	UD	10	0.64	0.77	11/19/25 00:44	VL111825
142-82-5	Heptane	1.70	6.97	UD	10	6.97	20.5	11/19/25 00:44	VL111825
75-34-3	1,1-Dichloroethane	1.30	5.26	UD	10	5.26	20.2	11/19/25 00:44	VL111825
110-82-7	Cyclohexane	2.20	7.57	UD	10	7.57	17.2	11/19/25 00:44	VL111825
156-59-2	cis-1,2-Dichloroethene	0.99	3.93	UD	10	3.93	19.8	11/19/25 00:44	VL111825
71-55-6	1,1,1-Trichloroethane	0.16	0.87	UD	10	0.87	1.64	11/19/25 00:44	VL111825
540-84-1	2,2,4-Trimethylpentane	1.40	6.54	UD	10	6.54	23.4	11/19/25 00:44	VL111825
71-43-2	Benzene	0.79	2.52	UD	10	2.52	16.0	11/19/25 00:44	VL111825
79-01-6	Trichloroethene	0.24	1.29	UD	10	1.29	1.61	11/19/25 00:44	VL111825
108-88-3	Toluene	59.1	223	D	10	6.03	18.8	11/19/25 00:44	VL111825
127-18-4	Tetrachloroethene	0.15	1.02	UD	10	1.02	2.03	11/19/25 00:44	VL111825
100-41-4	Ethyl Benzene	1.90	8.25	UD	10	8.25	21.7	11/19/25 00:44	VL111825
179601-23-1	m/p-Xylene	4.10	17.8	UD	10	17.8	43.4	11/19/25 00:44	VL111825
95-47-6	o-Xylene	2.10	9.12	UD	10	9.12	21.7	11/19/25 00:44	VL111825
108-67-8	1,3,5-Trimethylbenzene	1.80	8.85	UD	10	8.85	24.6	11/19/25 00:44	VL111825
95-63-6	1,2,4-Trimethylbenzene	1.80	8.85	UD	10	8.85	24.6	11/19/25 00:44	VL111825
91-20-3	Naphthalene	0.13	0.68	UD	10	0.68	5.24	11/19/25 00:44	VL111825
110-54-3	Hexane	1.60	5.64	UD	10	5.64	17.6	11/19/25 00:44	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104%	SPK: 10
----------	-------------------------	------	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	94200
540-36-3	1,4-Difluorobenzene	242000
3114-55-4	Chlorobenzene-d5	187000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA1DUP
Lab Sample ID: Q3651-03DUP
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected:
Date Received:
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.050	0.13		1	0.080	0.080	11/18/25 16:31	VL111825
142-82-5	Heptane	0.60	2.46		1	0.70	2.05	11/18/25 16:31	VL111825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/18/25 16:31	VL111825
110-82-7	Cyclohexane	0.27	0.93	J	1	0.76	1.72	11/18/25 16:31	VL111825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/18/25 16:31	VL111825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/18/25 16:31	VL111825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	11/18/25 16:31	VL111825
71-43-2	Benzene	0.18	0.58	J	1	0.26	1.60	11/18/25 16:31	VL111825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/18/25 16:31	VL111825
108-88-3	Toluene	180	678	E	1	0.60	1.88	11/18/25 16:31	VL111825
127-18-4	Tetrachloroethene	0.030	0.20		1	0.14	0.20	11/18/25 16:31	VL111825
100-41-4	Ethyl Benzene	1.40	6.08		1	0.83	2.17	11/18/25 16:31	VL111825
179601-23-1	m/p-Xylene	6.20	26.9		1	1.78	4.34	11/18/25 16:31	VL111825
95-47-6	o-Xylene	1.80	7.82		1	0.91	2.17	11/18/25 16:31	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/18/25 16:31	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.56	2.75		1	0.88	2.46	11/18/25 16:31	VL111825
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	11/18/25 16:31	VL111825
110-54-3	Hexane	0.16	0.56	U	1	0.56	1.76	11/18/25 16:31	VL111825
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	10.0				65 - 135	100% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	113000							
540-36-3	1,4-Difluorobenzene	276000							
3114-55-4	Chlorobenzene-d5	221000							

U = Not Detected
RL = Reporting Limit
MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

LAB CHRONICLE

OrderID:	Q3651	OrderDate:	11/14/2025 3:39:00 PM
Client:	GFE LLC	Project:	316 TO 326 WESTBURY AVE
Contact:	Frank Galdun	Location:	Air Lab, VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3651-01	SV1	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-02	SV2	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-03	IA1	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-03DL	IA1DL	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-04	IA2	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-04DL	IA2DL	Air	VOCMS Group2	TO-15	11/11/25		11/19/25	11/14/25
Q3651-05	SV3	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-06	IA3	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-06DL	IA3DL	Air	VOCMS Group2	TO-15	11/11/25		11/19/25	11/14/25



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2511013				Courier : F Galdun				<u>1</u> of <u>6</u> COCs			
Client ID : GFEL01				Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : FRANK GILDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 316 to 326 Westbury Ave CARLE PLACE NY											
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10 business days OR											
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF							
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SVI	11/11/25	12:04	12:04	30	30	68	68	-30	-5.5	10528	10281	6 L	50	VL043047.D		

Temperature (Fahrenheit)

	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (Inches of Hg)

	Ambient	Maximum	Minimum
Start			
Stop			

GC/MS Analyst Signature (TO-15)

**** Submittal of this COC indicates approval of the analysis based on existing conditions.**

REPORT ONLY THOSE ANALYSES IN THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.1

Sampling site (State):

Quick Connector required : <u>NO</u>			
Canisters Shipped by: <u>[Signature]</u>	Date/Time: <u>11/10/25</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u>11-14-25 12:28</u>
Samples Relinquished by: <u>[Signature]</u>	Date/Time: <u>11-14-25</u>	Received by: <u>[Signature]</u>	Date/Time: <u>11-14-25 12:28</u>
Relinquished by: <u>[Signature]</u>	Date/Time: <u>11-14-25 12:28</u>	Received by: <u>[Signature]</u>	Date/Time: <u>11-14-25 12:28</u>

Client Contact Information				Bottle Order ID : B2511013				Courier : F Galdun				2 of 6 COCs																	
Client ID : GFEL01				Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : FRANK Galdun				Analysis		Matrix															
Customer : GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : FRANK Galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
Site Details: 316 to 318 Westbury Ave CARLE PLACE, NY																													
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY																					
State : NJ				Standard : 10 business days OR				EDD Type : PDF																					
Zip Code : 07034				Rush (Specify): 5 Days																									
Country :																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SUZ	11/15	9:33	11:33	OVER 30	3	68	68	-30	-3.9	10707	10606	6 L	50	VL043047.D	1		1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES IN THE ATTACHED LST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: 0.1 Sampling site (State): Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 11/10/15				Canisters Received by:				Date/Time:																	
Samples Relinquished by: FEL				Date/Time: 11/14/25				Received by:				Date/Time: 11-14-25 12:30																	
Relinquished by:				Date/Time: 11-14-25 13:23				Received by:				Date/Time:																	

B2511013 - 6

Client Contact Information				Bottle Order ID : B2511013				Courier : F Galdun				3 of 6 COCs																	
Client ID : GFEL01 Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : Frank Galdun				Analysis				Matrix																	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 316-318 Westbury Ave CARLE PLACE, NY																									
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				TO-15 Indoor/Ambient Air Soil Gas																					
State : NJ				Standard : 10-Business Days OR																									
Zip Code : 07034				Data Package Type : RESULTS ONLY																									
Country :				Rush (Specify): 5 Days				EDD Type : PDF																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID																
IAI	11/14/25	10:02	12:02	29.5	29.5	68	68	-30	-4.3	10767	10331	6 L	50	VL043047.D	1	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES IN THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.0																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 11/10/25				Canisters Received by: [Signature]				Date/Time:																	
Samples Relinquished by: [Signature]				Date/Time: 11/14/25				Received by: [Signature]				Date/Time: 11-14-25 1230																	
Relinquished by: [Signature]				Date/Time: 11-14-25 1328				Received by: [Signature]				Date/Time:																	

B2511013 - 5

Client Contact Information				Bottle Order ID : B2511012				Courier : <u>Frank Galdun</u>				4 of 6 COCs																	
Client ID : GFEL01				Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : <u>FRANK GILDUN</u>				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: <u>316-318 WESTBURY AVE CARLE PLACE, NY</u>																									
City : Lake Hiawatha				Analysis Turnaround Time <u>5 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>																					
State : NJ				Standard : 10 business days OR																									
Zip Code : 07034				Rush (Specify): <u>5</u> Days				EDD Type : <u>PDF</u>																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	<u>TO-15</u>	<u>Indoor Ambient Air</u>	<u>Soil Gas</u>												
<u>IAZ</u>	<u>11/1/25</u>	<u>9:29</u>	<u>11:29</u>	<u>4.5</u>	<u>4.5</u>	<u>68</u>	<u>68</u>	<u>-30</u>	<u>-4.7</u>	<u>10185</u>	<u>10320</u>	<u>6 L</u>	<u>50</u>	<u>VL043048.D</u>	<u>1</u>	<u>1</u>													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <u>[Signature]</u>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</u> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																													
Sampling site (State):																													
Quick Connector required : <u>No</u>																													
Canisters Shipped by: <u>[Signature]</u>				Date/Time: <u>11/20/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>11/19/25 12:00</u>																	
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>11/14/25</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11/14/25 13:23</u>																	
Relinquished by: <u>[Signature]</u>				Date/Time: <u>11/14/25 13:23</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11/14/25 13:23</u>																	

B2511012 - 7

Client Contact Information				Bottle Order ID : B2511012				Courier : F. GALDUN				<u>5</u> of <u>6</u> COCs			
Client ID : GFEL01				Project ID : 74-16-6-223 Hill St, Glendale NY				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 316318 Westbury Ave CARLE PLACE, NY											
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10-business days OR				EDD Type : PDF							
Zip Code : 07034				Rush (Specify): 5 Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV3	11/14/25	9:03	11:04	0.52	0.30	68	68	-30	-3.9	10648	10315	6 L	50	VL043048.D	1		1

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start			
Stop			

GC/MS Analyst Signature (TO-15) [Signature]

**** Submittal of this COC indicates approval of the analysis based on existing conditions.**

REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.2

Sampling site (State):

Quick Connector required : NO

Canisters Shipped by: <u>SGM</u>	Date/Time: <u>11/10/25</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u>11/14/25</u>
Samples Relinquished by: <u>FRANK</u>	Date/Time: <u>11/14/25</u>	Received by: <u>[Signature]</u>	Date/Time: <u>11-14-25 1230</u>
Relinquished by: <u>[Signature]</u>	Date/Time: <u>11-14-25 1323</u>	Received by: <u>[Signature]</u>	Date/Time:

Client Contact Information				Bottle Order ID : B2511012				Courier : F Galdun				6 of 6 COCs							
Client ID : GFEL01 Project ID : 74-06 Cypress Hill St, Ste 101, NY				Sampler Name(s) : Frank Galdun				Analysis				Matrix							
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 646-542-3465															
				Fax Number : 973-334-1692															
				Site Details: 316 to 318 Westbury Ave CARLE PLACE, NY															
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY															
State : NJ				Standard : 10 business days OR												Data Package Type :			
Zip Code : 07034				Rush (Specify): 5 Days												EDD Type :			
Country :																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas			
IA3	11/11/25	9:04	11:04	OVER 30	5	68	68	-29	-3.9	10616	10280	6 L	50	VL043048.D	1	1			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium <u>Low</u> PID Readings: 0,0																			
Sampling site (State):																			
Quick Connector required : No																			
Canisters Shipped by: Sam				Date/Time: 11/10/25				Canisters Received by:				Date/Time:							
Samples Relinquished by: [Signature]				Date/Time: 11/14/25				Received by: [Signature]				Date/Time: 11-14-25 1230							
Relinquished by: [Signature]				Date/Time: 11-14-25 1328				Received by: [Signature]				Date/Time:							

B2511012 - 5

From: frankg4@optonline.net
Sent: Monday, November 17, 2025 8:53 AM
Subject: Re: Missing analysis list
Attachments: REQUESTED ANALYTE LIST.docx

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Deepak, see attached.

Frank

----- Original Message -----

From: Deepak.Parmar@alliancetg.com
To: Frankg4@optonline.net
Sent: Friday, November 14th 2025, 15:50
Subject: Missing analysis list

hi,

sample received without analysis list, Please send the analysis list for both site,

Thanks & Regards,



Deepak Parmar
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3154
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com



REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

NOTE:

Title: Sample Custodian

Field Sample Seal No. Q3651


Date Broken 11/14/2025

Military Time Seal Broken: 12:30:00

Case No.: 316 TO 326 WESTBURY AV

Analytical Parameter/Fraction OCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3651-01	SV1		
Q3651-02	SV2		
Q3651-03	IA1		
Q3651-04	IA2		
Q3651-05	SV3		
Q3651-06	IA3		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
11/17/25	10:05	Signature 	Signature 	
		Printed Name <u>Cassanova Peric</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy