





SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2511013				Courier : F Galdun				<u>1</u> of <u>6</u> COCs				
Client ID : GFEL01				Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : FRANK GILDUN				Analysis		Matrix		
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
				Site Details: 316 to 326 Westbury Ave CARLE PLACE NY												
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY								
State : NJ				Standard : 10 business days OR				EDD Type : PDF								
Zip Code : 07034				Rush (Specify): 5 Days												
Country :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SVI	11/11/25	12:04	12:04	30	30	68	68	-30	-5.5	10528	10281	6 L	50	VL043047.D		
Temperature (Fahrenheit) Ambient: Maximum: Minimum: Start: Stop:										GC/MS Analyst Signature (TO-15) 						
Pressure (Inches of Hg) Ambient: Maximum: Minimum: Start: Stop:										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYSES IN THE ATTACHED LIST Please follow the instructions on the back of this COC.						
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.1</u>																
Sampling site (State):																
Quick Connector required : <u>NO</u>																
Canisters Shipped by: 				Date/Time: <u>11/10/25</u>				Canisters Received by: 				Date/Time:				
Samples Relinquished by: 				Date/Time: <u>11/14/25</u>				Received by: 				Date/Time: <u>11-14-25 12:28</u>				
Relinquished by: 				Date/Time: <u>11-14-25 13:23</u>				Received by: 				Date/Time:				

Client Contact Information				Bottle Order ID : B2511013				Courier : F Galdun				2 of 6 COCs																	
Client ID : GFEL01				Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : FRANK Galdun				Analysis		Matrix															
Customer : GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : FRANK Galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
Site Details: 316 to 318 Westbury Ave CARLE PLACE, NY																													
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY																					
State : NJ				Standard : 10 business days OR																									
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF																					
Sample Identification		Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SUZ		11/15	9:33	11:33	OVER 30	3	68	68	-30	-3.9	10707	10606	6 L	50	VL043047.D		1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES IN THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.1																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 11/10/15				Canisters Received by:				Date/Time:																	
Samples Relinquished by: FEL				Date/Time: 11/14/25				Received by:				Date/Time: 11-14-25 12:30																	
Relinquished by:				Date/Time: 11-14-25 13:23				Received by:				Date/Time:																	
B2511013 - 6																													

Client Contact Information				Bottle Order ID : B2511013				Courier : F Galdun				3 of 6 COCs																
Client ID : GFEL01 Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : Frank Galdun				Analysis				Matrix																
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: 316-318 WESTBURY AVE CARLE PLACE, NY 5 DAY																								
Analysis Turnaround Time				Standard : 10 BUSINESS DAYS OR				Data Package Type : RESULTS ONLY																				
Rush (Specify): 5 Days				EDD Type : PDF																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
IAI	11/14/25	10:02	12:02	29.5	29.5	68	68	-30	-4.3	10767	10331	6 L	50	VL043047.D	1	1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES IN THE ATTACHED LIST Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium Low PID Readings: 0.0																												
Sampling site (State):																												
Quick Connector required : NO																												
Canisters Shipped by: [Signature]				Date/Time: 11/10/25				Canisters Received by: [Signature]				Date/Time:																
Samples Relinquished by: [Signature]				Date/Time: 11/14/25				Received by: [Signature]				Date/Time: 11-14-25 1230																
Relinquished by: [Signature]				Date/Time: 11-14-25 1323				Received by: [Signature]				Date/Time:																

Client Contact Information				Bottle Order ID : B2511012				Courier : F. Galdun				4 of 6 COCs																	
Client ID : GFEL01				Project ID : 74-16 Cypress Hill St, Glendale NY				Sampler Name(s) : FRANK GILDUN				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GILDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 316-318 WESTBURY AVE CARLE PLACE, NY																									
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY																					
State : NJ				Standard : 10 business days OR																									
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas												
IAZ	11/1/25	9:29	11:29	4.5	4.5	68	68	-30	-4.7	10185	10320	6 L	50	VL043048.D	1	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																													
Sampling site (State):																													
Quick Connector required : <u>No</u>																													
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>11/20/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>11-19-25 12:00</u>																	
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>11/14/25</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11-14-25 13:23</u>																	
Relinquished by: <u>[Signature]</u>				Date/Time: <u>11-14-25 13:23</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11-14-25 13:23</u>																	

Client Contact Information				Bottle Order ID : B2511012				Courier : F Galdun				<u>5</u> of <u>6</u> COCs					
Client ID : GFEL01				Project ID : 74-16-61234 Hill St, Glendale NY				Sampler Name(s) : FRANK Galdun				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK Galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 316318 Westbury Ave CARLE PLACE, NY													
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY									
State : NJ				Standard : 10 business days OR													
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV3	11/14/25	9:03	11:04	0.52	0.5	68	68	-30	-3.9	10648	10315	6 L	50	VL043048.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Report ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: 0.2																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: [Signature]				Date/Time: 11/10/25				Canisters Received by: [Signature]				Date/Time: 11-14-25 1230					
Samples Relinquished by: [Signature]				Date/Time: 11/14/25				Received by: [Signature]				Date/Time: 11-14-25 1230					
Relinquished by: [Signature]				Date/Time: 11-14-25 1323				Received by: [Signature]				Date/Time: 11-14-25 1230					

Client Contact Information				Bottle Order ID : B2511012				Courier : F Galdun				6 of 6 COCs							
Client ID : GFEL01				Project ID : 74-06 Cypress Hill St, Ste 101, NY				Sampler Name(s) : Frank Galdun				Analysis		Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : FRANK GALDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 646-542-3465															
				Fax Number : 973-334-1692															
				Site Details: 316 to 318 Westbury Ave CARLE PLACE, NY															
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY															
State : NJ				Standard : 10 business days OR												Data Package Type :			
Zip Code : 07034				Rush (Specify): 5 Days												EDD Type :			
Country :																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas		
IA3	11/14/25	9:04	11:04	OVER 30	5	68	68	-29	-3.9	10616	10280	6 L	50	VL043048.D	1	1			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0,0</u>																			
Sampling site (State):																			
Quick Connector required : <u>No</u>																			
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>11/14/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>11-14-25 1230</u>				B2511012 - 5			
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>11-14-25</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11-14-25</u>							
Relinquished by: <u>[Signature]</u>				Date/Time: <u>11-14-25 1328</u>				Received by: <u>[Signature]</u>				Date/Time: <u>11-14-25</u>							

OrgeChem

From: frankg4@optonline.net
Sent: Monday, November 17, 2025 8:53 AM
Subject: Re: Missing analysis list
Attachments: REQUESTED ANALYTE LIST.docx

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Deepak, see attached.

Frank

----- Original Message -----

From: Deepak.Parmar@alliancetg.com
To: Frankg4@optonline.net
Sent: Friday, November 14th 2025, 15:50
Subject: Missing analysis list

hi,

sample received without analysis list, Please send the analysis list for both site,

Thanks & Regards,



Deepak Parmar

Sr. Project Manager

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3154

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

NOTE:

Title: Sample Custodian

Field Sample Seal No. Q3651


Date Broken 11/14/2025

Military Time Seal Broken: 12:30:00

Case No.: 316 TO 326 WESTBURY AV

Analytical Parameter/Fraction MOCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3651-01	SV1		
Q3651-02	SV2		
Q3651-03	IA1		
Q3651-04	IA2		
Q3651-05	SV3		
Q3651-06	IA3		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
11/17/25	10:05	Signature 	Signature 	
		Printed Name <u>Cassanova Peric</u>	Printed Name <u>Cassanova Peric</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy