

Hit Summary Sheet
SW-846

SDG No.: Q3651
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1							
Q3651-01	SV1	Air	Heptane	15.6		2.79	8.20	ug/m3
Q3651-01	SV1	Air	Cyclohexane	4.47	J	3.03	6.88	ug/m3
Q3651-01	SV1	Air	Benzene	3.19	J	1.02	6.39	ug/m3
Q3651-01	SV1	Air	Toluene	46.0		2.41	7.54	ug/m3
Q3651-01	SV1	Air	Tetrachloroethene	1.08		0.41	0.81	ug/m3
Q3651-01	SV1	Air	Ethyl Benzene	5.21	J	3.30	8.69	ug/m3
Q3651-01	SV1	Air	m/p-Xylene	14.3	J	6.95	17.4	ug/m3
Q3651-01	SV1	Air	o-Xylene	6.95	J	3.65	8.69	ug/m3
Q3651-01	SV1	Air	1,2,4-Trimethylbenzene	4.52	J	3.54	9.83	ug/m3
Q3651-01	SV1	Air	Hexane	73.3		2.26	7.05	ug/m3
Total Voc :					175			
Total Concentration:					175			
Client ID:	SV2							
Q3651-02	SV2	Air	Heptane	8.61		2.79	8.20	ug/m3
Q3651-02	SV2	Air	Cyclohexane	4.47	J	3.03	6.88	ug/m3
Q3651-02	SV2	Air	1,1,1-Trichloroethane	2.07		0.33	0.65	ug/m3
Q3651-02	SV2	Air	2,2,4-Trimethylpentane	2.66	J	2.62	9.34	ug/m3
Q3651-02	SV2	Air	Benzene	1.85	J	1.02	6.39	ug/m3
Q3651-02	SV2	Air	Toluene	107		2.41	7.54	ug/m3
Q3651-02	SV2	Air	Tetrachloroethene	6.71		0.41	0.81	ug/m3
Q3651-02	SV2	Air	Ethyl Benzene	8.69		3.30	8.69	ug/m3
Q3651-02	SV2	Air	m/p-Xylene	27.8		6.95	17.4	ug/m3
Q3651-02	SV2	Air	o-Xylene	9.56		3.65	8.69	ug/m3
Q3651-02	SV2	Air	1,2,4-Trimethylbenzene	4.52	J	3.54	9.83	ug/m3
Q3651-02	SV2	Air	Hexane	22.9		2.26	7.05	ug/m3
Total Voc :					207			
Total Concentration:					207			
Client ID:	IA1							
Q3651-03	IA1	Air	Vinyl Chloride	0.13		0.080	0.080	ug/m3
Q3651-03	IA1	Air	Heptane	2.70		0.70	2.05	ug/m3
Q3651-03	IA1	Air	Cyclohexane	1.07	J	0.76	1.72	ug/m3
Q3651-03	IA1	Air	Benzene	0.58	J	0.26	1.60	ug/m3
Q3651-03	IA1	Air	Toluene	678	E	0.60	1.88	ug/m3
Q3651-03	IA1	Air	Tetrachloroethene	0.27		0.14	0.20	ug/m3
Q3651-03	IA1	Air	Ethyl Benzene	6.52		0.83	2.17	ug/m3
Q3651-03	IA1	Air	m/p-Xylene	28.2		1.78	4.34	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q3651

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3651-03	IA1	Air	o-Xylene	7.82		0.91	2.17	ug/m3
Q3651-03	IA1	Air	1,2,4-Trimethylbenzene	2.90		0.88	2.46	ug/m3
Q3651-03	IA1	Air	Naphthalene	0.63		0.050	0.52	ug/m3
Total Voc :				729				
Total Concentration:				729				
Client ID:	IA1DL							
Q3651-03DL	IA1DL	Air	Toluene	980	D	12.1	37.7	ug/m3
Total Voc :				980				
Total Concentration:				980				
Client ID:	IA2							
Q3651-04	IA2	Air	Heptane	11.1		0.70	2.05	ug/m3
Q3651-04	IA2	Air	Cyclohexane	9.64		0.76	1.72	ug/m3
Q3651-04	IA2	Air	2,2,4-Trimethylpentane	7.94		0.65	2.34	ug/m3
Q3651-04	IA2	Air	Benzene	1.12	J	0.26	1.60	ug/m3
Q3651-04	IA2	Air	Toluene	246	E	0.60	1.88	ug/m3
Q3651-04	IA2	Air	Tetrachloroethene	1.56		0.14	0.20	ug/m3
Q3651-04	IA2	Air	Ethyl Benzene	11.7		0.83	2.17	ug/m3
Q3651-04	IA2	Air	m/p-Xylene	39.5		1.78	4.34	ug/m3
Q3651-04	IA2	Air	o-Xylene	8.69		0.91	2.17	ug/m3
Q3651-04	IA2	Air	1,3,5-Trimethylbenzene	1.08	J	0.88	2.46	ug/m3
Q3651-04	IA2	Air	1,2,4-Trimethylbenzene	3.49		0.88	2.46	ug/m3
Q3651-04	IA2	Air	Naphthalene	0.52		0.050	0.52	ug/m3
Q3651-04	IA2	Air	Hexane	8.81		0.56	1.76	ug/m3
Total Voc :				351				
Total Concentration:				351				
Client ID:	IA2DL							
Q3651-04DL	IA2DL	Air	Heptane	10.7	JD	6.97	20.5	ug/m3
Q3651-04DL	IA2DL	Air	Cyclohexane	8.95	JD	7.57	17.2	ug/m3
Q3651-04DL	IA2DL	Air	2,2,4-Trimethylpentane	7.94	JD	6.54	23.4	ug/m3
Q3651-04DL	IA2DL	Air	Toluene	270	D	6.03	18.8	ug/m3
Q3651-04DL	IA2DL	Air	Ethyl Benzene	10.4	JD	8.25	21.7	ug/m3
Q3651-04DL	IA2DL	Air	m/p-Xylene	36.5	JD	17.8	43.4	ug/m3
Q3651-04DL	IA2DL	Air	Hexane	10.2	JD	5.64	17.6	ug/m3
Total Voc :				355				
Total Concentration:				355				
Client ID:	SV3							
Q3651-05	SV3	Air	Heptane	5.33	J	2.79	8.20	ug/m3
Q3651-05	SV3	Air	Benzene	1.28	J	1.02	6.39	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q3651

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3651-05	SV3	Air	Toluene	27.5		2.41	7.54	ug/m3
Q3651-05	SV3	Air	Tetrachloroethene	1.36		0.41	0.81	ug/m3
Q3651-05	SV3	Air	Hexane	23.3		2.26	7.05	ug/m3
			Total Voc :			58.7		
			Total Concentration:			58.7		
Client ID:	IA3							
Q3651-06	IA3	Air	Heptane	5.74		0.70	2.05	ug/m3
Q3651-06	IA3	Air	Benzene	0.42	J	0.26	1.60	ug/m3
Q3651-06	IA3	Air	Toluene	203	E	0.60	1.88	ug/m3
Q3651-06	IA3	Air	Ethyl Benzene	1.56	J	0.83	2.17	ug/m3
Q3651-06	IA3	Air	m/p-Xylene	6.52		1.78	4.34	ug/m3
Q3651-06	IA3	Air	o-Xylene	3.08		0.91	2.17	ug/m3
Q3651-06	IA3	Air	1,2,4-Trimethylbenzene	1.82	J	0.88	2.46	ug/m3
Q3651-06	IA3	Air	Naphthalene	0.94		0.050	0.52	ug/m3
Q3651-06	IA3	Air	Hexane	4.93		0.56	1.76	ug/m3
			Total Voc :			228		
			Total Concentration:			228		
Client ID:	IA3DL							
Q3651-06DL	IA3DL	Air	Toluene	223	D	6.03	18.8	ug/m3
			Total Voc :			223		
			Total Concentration:			223		



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: SV1
Lab Sample ID: Q3651-01
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/18/25 20:29	VL111825
142-82-5	Heptane	3.80	15.6		4	2.79	8.20	11/18/25 20:29	VL111825
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/18/25 20:29	VL111825
110-82-7	Cyclohexane	1.30	4.47	J	4	3.03	6.88	11/18/25 20:29	VL111825
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/18/25 20:29	VL111825
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	4	0.33	0.65	11/18/25 20:29	VL111825
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	11/18/25 20:29	VL111825
71-43-2	Benzene	1.00	3.19	J	4	1.02	6.39	11/18/25 20:29	VL111825
79-01-6	Trichloroethene	0.10	0.54	U	4	0.54	0.64	11/18/25 20:29	VL111825
108-88-3	Toluene	12.2	46.0		4	2.41	7.54	11/18/25 20:29	VL111825
127-18-4	Tetrachloroethene	0.16	1.08		4	0.41	0.81	11/18/25 20:29	VL111825
100-41-4	Ethyl Benzene	1.20	5.21	J	4	3.30	8.69	11/18/25 20:29	VL111825
179601-23-1	m/p-Xylene	3.30	14.3	J	4	6.95	17.4	11/18/25 20:29	VL111825
95-47-6	o-Xylene	1.60	6.95	J	4	3.65	8.69	11/18/25 20:29	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/18/25 20:29	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.92	4.52	J	4	3.54	9.83	11/18/25 20:29	VL111825
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/18/25 20:29	VL111825
110-54-3	Hexane	20.8	73.3		4	2.26	7.05	11/18/25 20:29	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.2				65 - 135	102%	SPK: 10
----------	-------------------------	------	--	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	97400
540-36-3	1,4-Difluorobenzene	255000
3114-55-4	Chlorobenzene-d5	197000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: SV2
Lab Sample ID: Q3651-02
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/18/25 21:01	VL111825
142-82-5	Heptane	2.10	8.61		4	2.79	8.20	11/18/25 21:01	VL111825
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/18/25 21:01	VL111825
110-82-7	Cyclohexane	1.30	4.47	J	4	3.03	6.88	11/18/25 21:01	VL111825
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/18/25 21:01	VL111825
71-55-6	1,1,1-Trichloroethane	0.38	2.07		4	0.33	0.65	11/18/25 21:01	VL111825
540-84-1	2,2,4-Trimethylpentane	0.57	2.66	J	4	2.62	9.34	11/18/25 21:01	VL111825
71-43-2	Benzene	0.58	1.85	J	4	1.02	6.39	11/18/25 21:01	VL111825
79-01-6	Trichloroethene	0.10	0.54	U	4	0.54	0.64	11/18/25 21:01	VL111825
108-88-3	Toluene	28.3	107		4	2.41	7.54	11/18/25 21:01	VL111825
127-18-4	Tetrachloroethene	0.99	6.71		4	0.41	0.81	11/18/25 21:01	VL111825
100-41-4	Ethyl Benzene	2.00	8.69		4	3.30	8.69	11/18/25 21:01	VL111825
179601-23-1	m/p-Xylene	6.40	27.8		4	6.95	17.4	11/18/25 21:01	VL111825
95-47-6	o-Xylene	2.20	9.56		4	3.65	8.69	11/18/25 21:01	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/18/25 21:01	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.92	4.52	J	4	3.54	9.83	11/18/25 21:01	VL111825
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/18/25 21:01	VL111825
110-54-3	Hexane	6.50	22.9		4	2.26	7.05	11/18/25 21:01	VL111825

SURROGATES

460-00-4 1-Bromo-4-Fluorobenzene 10.3 65 - 135 103% SPK: 10

INTERNAL STANDARDS

	Area Count
74-97-5 Bromochloromethane	93500
540-36-3 1,4-Difluorobenzene	242000
3114-55-4 Chlorobenzene-d5	194000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA1
Lab Sample ID: Q3651-03
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.050	0.13		1	0.080	0.080	11/18/25 15:57	VL111825
142-82-5	Heptane	0.66	2.70		1	0.70	2.05	11/18/25 15:57	VL111825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/18/25 15:57	VL111825
110-82-7	Cyclohexane	0.31	1.07	J	1	0.76	1.72	11/18/25 15:57	VL111825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/18/25 15:57	VL111825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/18/25 15:57	VL111825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	11/18/25 15:57	VL111825
71-43-2	Benzene	0.18	0.58	J	1	0.26	1.60	11/18/25 15:57	VL111825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/18/25 15:57	VL111825
108-88-3	Toluene	180	678	E	1	0.60	1.88	11/18/25 15:57	VL111825
127-18-4	Tetrachloroethene	0.040	0.27		1	0.14	0.20	11/18/25 15:57	VL111825
100-41-4	Ethyl Benzene	1.50	6.52		1	0.83	2.17	11/18/25 15:57	VL111825
179601-23-1	m/p-Xylene	6.50	28.2		1	1.78	4.34	11/18/25 15:57	VL111825
95-47-6	o-Xylene	1.80	7.82		1	0.91	2.17	11/18/25 15:57	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/18/25 15:57	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.59	2.90		1	0.88	2.46	11/18/25 15:57	VL111825
91-20-3	Naphthalene	0.12	0.63		1	0.050	0.52	11/18/25 15:57	VL111825
110-54-3	Hexane	0.16	0.56	U	1	0.56	1.76	11/18/25 15:57	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.5				65 - 135	105%	SPK: 10
----------	-------------------------	------	--	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	107000
540-36-3	1,4-Difluorobenzene	268000
3114-55-4	Chlorobenzene-d5	213000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA1DL
Lab Sample ID: Q3651-03DL
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.50	1.28	UD	20	1.28	1.53	11/18/25 23:09	VL111825
142-82-5	Heptane	3.40	13.9	UD	20	13.9	41.0	11/18/25 23:09	VL111825
75-34-3	1,1-Dichloroethane	2.60	10.5	UD	20	10.5	40.5	11/18/25 23:09	VL111825
110-82-7	Cyclohexane	4.40	15.2	UD	20	15.2	34.4	11/18/25 23:09	VL111825
156-59-2	cis-1,2-Dichloroethene	2.00	7.93	UD	20	7.93	39.6	11/18/25 23:09	VL111825
71-55-6	1,1,1-Trichloroethane	0.32	1.75	UD	20	1.75	3.27	11/18/25 23:09	VL111825
540-84-1	2,2,4-Trimethylpentane	2.80	13.1	UD	20	13.1	46.7	11/18/25 23:09	VL111825
71-43-2	Benzene	1.60	5.11	UD	20	5.11	31.9	11/18/25 23:09	VL111825
79-01-6	Trichloroethene	0.48	2.58	UD	20	2.58	3.22	11/18/25 23:09	VL111825
108-88-3	Toluene	260	980	D	20	12.1	37.7	11/18/25 23:09	VL111825
127-18-4	Tetrachloroethene	0.30	2.03	UD	20	2.03	4.07	11/18/25 23:09	VL111825
100-41-4	Ethyl Benzene	3.80	16.5	UD	20	16.5	43.4	11/18/25 23:09	VL111825
179601-23-1	m/p-Xylene	8.20	35.6	UD	20	35.6	86.9	11/18/25 23:09	VL111825
95-47-6	o-Xylene	4.20	18.2	UD	20	18.2	43.4	11/18/25 23:09	VL111825
108-67-8	1,3,5-Trimethylbenzene	3.60	17.7	UD	20	17.7	49.2	11/18/25 23:09	VL111825
95-63-6	1,2,4-Trimethylbenzene	3.60	17.7	UD	20	17.7	49.2	11/18/25 23:09	VL111825
91-20-3	Naphthalene	0.26	1.36	UD	20	1.36	10.5	11/18/25 23:09	VL111825
110-54-3	Hexane	3.20	11.3	UD	20	11.3	35.2	11/18/25 23:09	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
----------	-------------------------	------	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	97500
540-36-3	1,4-Difluorobenzene	253000
3114-55-4	Chlorobenzene-d5	195000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA2
Lab Sample ID: Q3651-04
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/18/25 17:06	VL111825
142-82-5	Heptane	2.70	11.1		1	0.70	2.05	11/18/25 17:06	VL111825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/18/25 17:06	VL111825
110-82-7	Cyclohexane	2.80	9.64		1	0.76	1.72	11/18/25 17:06	VL111825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/18/25 17:06	VL111825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/18/25 17:06	VL111825
540-84-1	2,2,4-Trimethylpentane	1.70	7.94		1	0.65	2.34	11/18/25 17:06	VL111825
71-43-2	Benzene	0.35	1.12	J	1	0.26	1.60	11/18/25 17:06	VL111825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/18/25 17:06	VL111825
108-88-3	Toluene	65.3	246	E	1	0.60	1.88	11/18/25 17:06	VL111825
127-18-4	Tetrachloroethene	0.23	1.56		1	0.14	0.20	11/18/25 17:06	VL111825
100-41-4	Ethyl Benzene	2.70	11.7		1	0.83	2.17	11/18/25 17:06	VL111825
179601-23-1	m/p-Xylene	9.10	39.5		1	1.78	4.34	11/18/25 17:06	VL111825
95-47-6	o-Xylene	2.00	8.69		1	0.91	2.17	11/18/25 17:06	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.22	1.08	J	1	0.88	2.46	11/18/25 17:06	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.71	3.49		1	0.88	2.46	11/18/25 17:06	VL111825
91-20-3	Naphthalene	0.10	0.52		1	0.050	0.52	11/18/25 17:06	VL111825
110-54-3	Hexane	2.50	8.81		1	0.56	1.76	11/18/25 17:06	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.0				65 - 135	100%	SPK: 10
----------	-------------------------	------	--	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	100000
540-36-3	1,4-Difluorobenzene	262000
3114-55-4	Chlorobenzene-d5	210000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA2DL
Lab Sample ID: Q3651-04DL
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.25	0.64	UD	10	0.64	0.77	11/19/25 00:13	VL111825
142-82-5	Heptane	2.60	10.7	JD	10	6.97	20.5	11/19/25 00:13	VL111825
75-34-3	1,1-Dichloroethane	1.30	5.26	UD	10	5.26	20.2	11/19/25 00:13	VL111825
110-82-7	Cyclohexane	2.60	8.95	JD	10	7.57	17.2	11/19/25 00:13	VL111825
156-59-2	cis-1,2-Dichloroethene	0.99	3.93	UD	10	3.93	19.8	11/19/25 00:13	VL111825
71-55-6	1,1,1-Trichloroethane	0.16	0.87	UD	10	0.87	1.64	11/19/25 00:13	VL111825
540-84-1	2,2,4-Trimethylpentane	1.70	7.94	JD	10	6.54	23.4	11/19/25 00:13	VL111825
71-43-2	Benzene	0.79	2.52	UD	10	2.52	16.0	11/19/25 00:13	VL111825
79-01-6	Trichloroethene	0.24	1.29	UD	10	1.29	1.61	11/19/25 00:13	VL111825
108-88-3	Toluene	71.7	270	D	10	6.03	18.8	11/19/25 00:13	VL111825
127-18-4	Tetrachloroethene	0.15	1.02	UD	10	1.02	2.03	11/19/25 00:13	VL111825
100-41-4	Ethyl Benzene	2.40	10.4	JD	10	8.25	21.7	11/19/25 00:13	VL111825
179601-23-1	m/p-Xylene	8.40	36.5	JD	10	17.8	43.4	11/19/25 00:13	VL111825
95-47-6	o-Xylene	2.10	9.12	UD	10	9.12	21.7	11/19/25 00:13	VL111825
108-67-8	1,3,5-Trimethylbenzene	1.80	8.85	UD	10	8.85	24.6	11/19/25 00:13	VL111825
95-63-6	1,2,4-Trimethylbenzene	1.80	8.85	UD	10	8.85	24.6	11/19/25 00:13	VL111825
91-20-3	Naphthalene	0.13	0.68	UD	10	0.68	5.24	11/19/25 00:13	VL111825
110-54-3	Hexane	2.90	10.2	JD	10	5.64	17.6	11/19/25 00:13	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104%	SPK: 10
----------	-------------------------	------	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	91900
540-36-3	1,4-Difluorobenzene	239000
3114-55-4	Chlorobenzene-d5	187000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: SV3
Lab Sample ID: Q3651-05
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/18/25 21:33	VL111825
142-82-5	Heptane	1.30	5.33	J	4	2.79	8.20	11/18/25 21:33	VL111825
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/18/25 21:33	VL111825
110-82-7	Cyclohexane	0.88	3.03	U	4	3.03	6.88	11/18/25 21:33	VL111825
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/18/25 21:33	VL111825
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	4	0.33	0.65	11/18/25 21:33	VL111825
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	11/18/25 21:33	VL111825
71-43-2	Benzene	0.40	1.28	J	4	1.02	6.39	11/18/25 21:33	VL111825
79-01-6	Trichloroethene	0.10	0.54	U	4	0.54	0.64	11/18/25 21:33	VL111825
108-88-3	Toluene	7.30	27.5		4	2.41	7.54	11/18/25 21:33	VL111825
127-18-4	Tetrachloroethene	0.20	1.36		4	0.41	0.81	11/18/25 21:33	VL111825
100-41-4	Ethyl Benzene	0.76	3.30	U	4	3.30	8.69	11/18/25 21:33	VL111825
179601-23-1	m/p-Xylene	1.60	6.95	U	4	6.95	17.4	11/18/25 21:33	VL111825
95-47-6	o-Xylene	0.84	3.65	U	4	3.65	8.69	11/18/25 21:33	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/18/25 21:33	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/18/25 21:33	VL111825
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/18/25 21:33	VL111825
110-54-3	Hexane	6.60	23.3		4	2.26	7.05	11/18/25 21:33	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.3				65 - 135	103%	SPK: 10
----------	-------------------------	------	--	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	90200
540-36-3	1,4-Difluorobenzene	239000
3114-55-4	Chlorobenzene-d5	188000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA3
Lab Sample ID: Q3651-06
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/18/25 17:40	VL111825
142-82-5	Heptane	1.40	5.74		1	0.70	2.05	11/18/25 17:40	VL111825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/18/25 17:40	VL111825
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	11/18/25 17:40	VL111825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/18/25 17:40	VL111825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/18/25 17:40	VL111825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	11/18/25 17:40	VL111825
71-43-2	Benzene	0.13	0.42	J	1	0.26	1.60	11/18/25 17:40	VL111825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/18/25 17:40	VL111825
108-88-3	Toluene	53.9	203	E	1	0.60	1.88	11/18/25 17:40	VL111825
127-18-4	Tetrachloroethene	0.020	0.14	U	1	0.14	0.20	11/18/25 17:40	VL111825
100-41-4	Ethyl Benzene	0.36	1.56	J	1	0.83	2.17	11/18/25 17:40	VL111825
179601-23-1	m/p-Xylene	1.50	6.52		1	1.78	4.34	11/18/25 17:40	VL111825
95-47-6	o-Xylene	0.71	3.08		1	0.91	2.17	11/18/25 17:40	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/18/25 17:40	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.37	1.82	J	1	0.88	2.46	11/18/25 17:40	VL111825
91-20-3	Naphthalene	0.18	0.94		1	0.050	0.52	11/18/25 17:40	VL111825
110-54-3	Hexane	1.40	4.93		1	0.56	1.76	11/18/25 17:40	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.0				65 - 135	100%	SPK: 10
----------	-------------------------	------	--	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	99700
540-36-3	1,4-Difluorobenzene	263000
3114-55-4	Chlorobenzene-d5	208000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA3DL
Lab Sample ID: Q3651-06DL
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/11/25
Date Received: 11/14/25
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.25	0.64	UD	10	0.64	0.77	11/19/25 00:44	VL111825
142-82-5	Heptane	1.70	6.97	UD	10	6.97	20.5	11/19/25 00:44	VL111825
75-34-3	1,1-Dichloroethane	1.30	5.26	UD	10	5.26	20.2	11/19/25 00:44	VL111825
110-82-7	Cyclohexane	2.20	7.57	UD	10	7.57	17.2	11/19/25 00:44	VL111825
156-59-2	cis-1,2-Dichloroethene	0.99	3.93	UD	10	3.93	19.8	11/19/25 00:44	VL111825
71-55-6	1,1,1-Trichloroethane	0.16	0.87	UD	10	0.87	1.64	11/19/25 00:44	VL111825
540-84-1	2,2,4-Trimethylpentane	1.40	6.54	UD	10	6.54	23.4	11/19/25 00:44	VL111825
71-43-2	Benzene	0.79	2.52	UD	10	2.52	16.0	11/19/25 00:44	VL111825
79-01-6	Trichloroethene	0.24	1.29	UD	10	1.29	1.61	11/19/25 00:44	VL111825
108-88-3	Toluene	59.1	223	D	10	6.03	18.8	11/19/25 00:44	VL111825
127-18-4	Tetrachloroethene	0.15	1.02	UD	10	1.02	2.03	11/19/25 00:44	VL111825
100-41-4	Ethyl Benzene	1.90	8.25	UD	10	8.25	21.7	11/19/25 00:44	VL111825
179601-23-1	m/p-Xylene	4.10	17.8	UD	10	17.8	43.4	11/19/25 00:44	VL111825
95-47-6	o-Xylene	2.10	9.12	UD	10	9.12	21.7	11/19/25 00:44	VL111825
108-67-8	1,3,5-Trimethylbenzene	1.80	8.85	UD	10	8.85	24.6	11/19/25 00:44	VL111825
95-63-6	1,2,4-Trimethylbenzene	1.80	8.85	UD	10	8.85	24.6	11/19/25 00:44	VL111825
91-20-3	Naphthalene	0.13	0.68	UD	10	0.68	5.24	11/19/25 00:44	VL111825
110-54-3	Hexane	1.60	5.64	UD	10	5.64	17.6	11/19/25 00:44	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104%	SPK: 10
----------	-------------------------	------	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	94200
540-36-3	1,4-Difluorobenzene	242000
3114-55-4	Chlorobenzene-d5	187000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 316 TO 326 WESTBURY AVE
Client Sample ID: IA1DUP
Lab Sample ID: Q3651-03DUP
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected:
Date Received:
SDG No.: Q3651
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.050	0.13		1	0.080	0.080	11/18/25 16:31	VL111825
142-82-5	Heptane	0.60	2.46		1	0.70	2.05	11/18/25 16:31	VL111825
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/18/25 16:31	VL111825
110-82-7	Cyclohexane	0.27	0.93	J	1	0.76	1.72	11/18/25 16:31	VL111825
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/18/25 16:31	VL111825
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/18/25 16:31	VL111825
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	11/18/25 16:31	VL111825
71-43-2	Benzene	0.18	0.58	J	1	0.26	1.60	11/18/25 16:31	VL111825
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/18/25 16:31	VL111825
108-88-3	Toluene	180	678	E	1	0.60	1.88	11/18/25 16:31	VL111825
127-18-4	Tetrachloroethene	0.030	0.20		1	0.14	0.20	11/18/25 16:31	VL111825
100-41-4	Ethyl Benzene	1.40	6.08		1	0.83	2.17	11/18/25 16:31	VL111825
179601-23-1	m/p-Xylene	6.20	26.9		1	1.78	4.34	11/18/25 16:31	VL111825
95-47-6	o-Xylene	1.80	7.82		1	0.91	2.17	11/18/25 16:31	VL111825
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/18/25 16:31	VL111825
95-63-6	1,2,4-Trimethylbenzene	0.56	2.75		1	0.88	2.46	11/18/25 16:31	VL111825
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	11/18/25 16:31	VL111825
110-54-3	Hexane	0.16	0.56	U	1	0.56	1.76	11/18/25 16:31	VL111825

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.0				65 - 135	100%	SPK: 10
----------	-------------------------	------	--	--	--	----------	------	---------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	113000
540-36-3	1,4-Difluorobenzene	276000
3114-55-4	Chlorobenzene-d5	221000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

LAB CHRONICLE

OrderID:	Q3651	OrderDate:	11/14/2025 3:39:00 PM
Client:	GFE LLC	Project:	316 TO 326 WESTBURY AVE
Contact:	Frank Galdun	Location:	Air Lab, VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3651-01	SV1	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-02	SV2	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-03	IA1	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-03DL	IA1DL	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-04	IA2	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-04DL	IA2DL	Air	VOCMS Group2	TO-15	11/11/25		11/19/25	11/14/25
Q3651-05	SV3	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-06	IA3	Air	VOCMS Group2	TO-15	11/11/25		11/18/25	11/14/25
Q3651-06DL	IA3DL	Air	VOCMS Group2	TO-15	11/11/25		11/19/25	11/14/25