

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/17/25
Project:	George W. Wingate H.S		Date Received:	11/17/25
Client Sample ID:	1A1B1C		SDG No.:	Q3654
Lab Sample ID:	Q3654-01		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	1.69 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B	Prep Date: 11/19/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	701	U	10	701	3000	ug/kg	11/19/25 15:30	PB170633
11104-28-2	Aroclor-1221	715	U	10	715	3000	ug/kg	11/19/25 15:30	PB170633
11141-16-5	Aroclor-1232	660	U	10	660	3000	ug/kg	11/19/25 15:30	PB170633
53469-21-9	Aroclor-1242	712	U	10	712	3000	ug/kg	11/19/25 15:30	PB170633
12672-29-6	Aroclor-1248	1100	U	10	1100	3000	ug/kg	11/19/25 15:30	PB170633
11097-69-1	Aroclor-1254	570	U	10	570	3000	ug/kg	11/19/25 15:30	PB170633
37324-23-5	Aroclor-1262	891	U	10	891	3000	ug/kg	11/19/25 15:30	PB170633
11100-14-4	Aroclor-1268	639	U	10	639	3000	ug/kg	11/19/25 15:30	PB170633
11096-82-5	Aroclor-1260	573	U	10	573	3000	ug/kg	11/19/25 15:30	PB170633
Total PCBs	Total PCBs	1100	U	10	1100	3000	ug/kg	11/19/25 15:30	PB170633
SURROGATES									
877-09-8	Tetrachloro-m-xylene	20.3			21 - 165	102%	SPK: 20		
2051-24-3	Decachlorobiphenyl	15.6			10 - 170	78%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit