

Prep Standard - Chemical Standard Summary

Order ID: Q3659

Test: Corrosivity, Hexavalent Chromium, Ignitability, Percent Solids, Reactive Cyanide, Reactive Sulfide

Prepbatch ID: PB170588,PB170592,PB170611,

Sequence ID/Qc Batch ID: LB137934,LB137938,LB137940,LB137946,LB137963,

Standard ID:

WP113836,WP113838,WP113880,WP113881,WP114310,WP114311,WP114324,WP115157,WP115338,WP115339,WP115340,WP115410,WP115688,WP115712,WP115713,WP115714,WP115715,WP115716,WP115717,WP115718,WP115719,WP115720,WP115721,

Chemical ID:

E3982, M6151, M6162, M6186, M6187, W2202, W2651, W2652, W2668, W2926, W2979, W3019, W3093, W3112, W3113, W3139, W3149, W3152, W3161, W3163, W3168, W3178, W3191, W3200, W3203, W3206, W3213, W3214, W3217, W3220, W3224, W3248,



Alliance TECHNICAL GROUP

Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
11	Sodium hydroxide absorbing solution 0.25 N	<u>WP113836</u>	07/08/2025	12/31/2025	Rubina Mughal	CALE_8 (WC		07/08/2025
						SC-7)		

FROM 21.00000L of W3112 + 210.00000gram of W3113 = Final Quantity: 21.000 L

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
3371	Cyanide LCS Spike Solution, 5PPM	<u>WP113838</u>	07/08/2025	12/24/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3 (WC)	,

FROM 1.00000ml of W3224 + 199.00000ml of WP113836 = Final Quantity: 200.000 ml





Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
1993	HEXAVALENTCHROMIUM STOCK STD 1, 50PPM	<u>WP113880</u>	07/10/2025	01/10/2026	Rubina Mughal	CALE_5 (WC		07/10/2025
FROM	0.14140gram of W2651 + 1000.0000	0ml of W31	12 = Final Qu	antity: 1000.00	00 ml	SC-5)		

M	0.14140gram of W2651	+ 1000.0000ml of W3112	= Final Quantity: 1000.000 ml
---	----------------------	------------------------	-------------------------------

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
1994	HEXAVALENTCHROMIUM STOCK STD 2. 50PPM	WP113881	07/10/2025	01/10/2026	Rubina Mughal	WETCHEM_S CALE 5 (WC	None	07/40/0005
	310CK 31D 2, 30FFW					SC-5)		07/10/2025

0.14140 gram of W2652 + 1000.00000 ml of W3112 = Final Quantity: 1000.000 ml**FROM**



Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	NO	Prep Date	Expiration	Prepared By	ScaleID	DinettelD	Supervised By		
3354		NO. WP114310	08/19/2025		Rubina Mughal		PipetteID None	Jignesh Parikh		
	Tronging Great in g		00/10/2020		lasma magnan			08/19/2025		
192 00000ml of M6151 ± 727 00000ml of W2112 ± 01 00000ml of M6162 = Final Quantity: 1000 000 ml										

FRUIN	162.00000111 01 W0 131 + 727.00000111 01 W3 112 + 91.00000111 01 W0 102	- I mai Quantity.	1000.000 1111

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
160	0.5M ZINC ACETATE	WP114311	08/19/2025	02/17/2026	Rubina Mughal	WETCHEM_S	WETCHEM_F	
						CALE_8 (WC	IPETTE_3	08/19/2025
						SC-7)	(WC)	

FROM 0.88900L of W3112 + 1.00000ml of M6151 + 110.00000gram of W2926 = Final Quantity: 1000.000 ml





Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
607	PYRIDINE-BARBITURIC ACID	WP114324	08/19/2025	02/17/2026	Rubina Mughal	WETCHEM_S		
						CALE_5 (WC	Pipette-A	08/19/2025
	145 00000ml of W2442 + 45 00000m	f \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	22 + 45 00000	Seel of MC454	75 00000ml of	SC-5)	O	000

FROM 145.00000ml of W3112 + 15.00000gram of W3203 + 15.00000ml of M6151 + 75.00000ml of W3019 = Final Quantity: 250.000 ml

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
539	CN BUFFER	WP115157	10/10/2025	12/03/2025	Rubina Mughal		None	-
						CALE_8 (WC		10/14/2025
			<u> </u>			SC-7)	<u> </u>	_

FROM 138.00000gram of W2668 + 862.00000ml of W3112 = Final Quantity: 1000.000 ml



Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Jignesh Parikh
148	hexchrome digestion fluid	<u>WP115338</u>	10/27/2025	11/27/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC	None	10/27/2025
	100,0000 514/0400 14,00000			5346446	<u> </u>	SC-7)		

FROM 120.00000gram of W3163 + 4.00000L of W3112 + 80.00000gram of W3113 = Final Quantity: 4000.000 ml

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
1836	HNO3 Hex-Chrome, 5M	WP115339	10/27/2025	01/28/2026	Rubina Mughal	None	None	·
								10/27/2025

FROM 320.0000ml of M6187 + 680.00000ml of W3112 = Final Quantity: 1000.000 ml





Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Jignesh Parikh
126	5N sulfuric acid	WP115340	10/27/2025	04/27/2026	Rubina Mughal	None	None	S
								10/27/2025

FROM	140.00000ml of M6186 + 860.00000ml of W3112 = Final Quantity: 1.000 L
-------------	---

Recipe ID	<u>NAME</u>	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
190	HEX CHROME PHOSPHATE BUFFER	<u>WP115410</u>	11/03/2025	05/03/2026	Rubina Mughal	WETCHEM_S CALE_8 (WC	None	11/03/2025

FROM 0.84500L of W3112 + 68.04000gram of W3206 + 87.09000gram of W3168 = Final Quantity: 1.000 L



Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych		
114	hexavalent chromium color reagent	<u>WP115688</u>	11/14/2025	11/21/2025	Rubina Mughal	CALE_5 (WC		11/17/2025		
FROM	FROM 0.25000gram of W2979 + 50.00000ml of E3982 = Final Quantity: 50.000 ml									

Recipe ID	NAME.	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
3456	Cyanide Intermediate Working Std, 5PPM	WP115712	11/18/2025	11/19/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	11/18/2025
							(VVC)	

FROM 0.25000ml of W3214 + 49.75000ml of WP113836 = Final Quantity: 50.000 ml



Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych			
4	Calibation standard 500 ppb	<u>WP115713</u>	11/18/2025	11/19/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	,			
EDOM	(WC)										

FROM	45.000001111 01 WP 1	13030 + 5.000001111	JI VVP 113/12 = FI	nai Quantity. 50.000 mi

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
3761	Calibration-CCV CN Standard 250	WP115714	11/18/2025	11/19/2025	Rubina Mughal	None	WETCHEM_F	•
	ppb						IPETTE_3	11/18/2025

FROM 2.50000ml of WP115712 + 47.50000ml of WP113836 = Final Quantity: 50.000 ml



Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe				Expiration	<u>Prepared</u>			Supervised By			
<u>ID</u>	NAME	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych			
6	Calibration Standard 100 ppb	WP115715	11/18/2025	11/19/2025	Rubina Mughal	None	WETCHEM_F				
							IPETTE_3	11/18/2025			
FROM	(VVC)										

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
7	Calibration Standard 50 ppb	WP115716	11/18/2025	11/19/2025	Rubina Mughal	None	WETCHEM F	

IPETTE_3

11/18/2025

FROM 0.50000ml of WP115712 + 49.50000ml of WP113836 = Final Quantity: 50.000 ml



Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych			
8	Calibration Standard 10 ppb	WP115717	11/18/2025	11/19/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	11/18/2025			
FROM	(WC)										

<u> </u>	 	

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
9	Calibration Standard 5 ppb	WP115718	11/18/2025	11/19/2025	Rubina Mughal	None	WETCHEM_F	
							IPETTE_3	11/18/2025

FROM 0.50000ml of WP115713 + 49.50000ml of WP113836 = Final Quantity: 50.000 ml



Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
167	0 ppb CN calibration std	WP115719	11/18/2025	11/19/2025	Rubina Mughal	None	None	Wona Zaryon
								11/18/2025

FROM 50.00000ml of WP113836 = Final Quantity: 50.000 ml

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
2168	RCN ICV STD, 100 PPB	WP115720	11/18/2025	11/19/2025	Rubina Mughal	None	WETCHEM_F	•
							IPETTE_3	11/18/2025

FROM 1.00000ml of WP113838 + 49.00000ml of WP113836 = Final Quantity: 50.000 ml





Fax: 908 789 8922

Wet Chemistry STANDARD PREPARATION LOG

Recipe ID 1582	NAME Chloramine T solution, 0.014M	NO. WP115721	Prep Date 11/18/2025	Expiration Date 11/19/2025	<u>Prepared</u> <u>By</u> Rubina Mughal	ScaleID WETCHEM_S CALE_5 (WC	PipetteID Glass Pipette-A	Supervised By Iwona Zarych 11/18/2025
FROM	0.08000gram of W3139 + 20.00000n	of W3112	= Final Quan	tity: 20.000 ml		SC-5) '		



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24L1062001	10/04/2027	10/31/2025 / RUPESH	10/31/2025 / RUPESH	E3982
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	02/17/2026	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24H0162012	11/27/2025	05/27/2025 / Sagar	04/27/2025 / Sagar	M6162
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	07/12/2026	08/13/2025 / Sagar	08/06/2025 / Sagar	M6186
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24H0162012	01/28/2026	08/29/2025 / Sagar	08/08/2025 / Sagar	M6187
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AA14125-36 / LEAD (II) CHROMATE, ACS, 500G	U19B018	01/23/2027	01/23/2017 / apatel	01/23/2017 / apatel	W2202



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AA13450-36 / Potassium Dichromate, 500g(NEW)	T15F019	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2651
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P188-500 / Potassium Dichromate, 500g(new-2nd lot)	194664	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2652
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYS, ACS, 2.5 KG	0000225799	12/03/2025	04/05/2021 / Alexander	02/10/2020 / apatel	W2668
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J4296-1 / ZINC ACETATE,DIHYD,CRYS,AC S,500G	383058	07/05/2027	07/05/2022 / ketankumar	07/05/2022 / ketankumar	W2926
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific Supply, Inc.	31390 / 1,5-Diphenylcarbazide	MKCR6636	12/09/2027	12/09/2022 / Iwona	12/09/2022 / Iwona	W2979
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
SIGMA ALDRICH	270970-1L / Pyridine 1L	SHBQ2113	04/03/2028	04/03/2023 / Iwona	04/03/2023 / Iwona	W3019



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	566002 / BUFFER PH 7.00 GREEN 1PINT PK6	44001f99	12/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3093
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-7 / Sodium Hydroxide Pellets 12 Kg	23B1556310	12/31/2025	07/08/2024 / Iwona	07/08/2024 / Iwona	W3113
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	JTE494-6 / CHLORAMINE-T BAKER 250GM	10239484	09/09/2029	09/09/2024 / Iwona	09/09/2024 / Iwona	W3139
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL70850-8 / Starch Solution, 4L	4408P62	08/31/2026	10/16/2024 / Iwona	10/16/2024 / Iwona	W3149
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #



Fax: 908 789 8922

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL13850-1 / Buffer Solution, PH2 (500ml)	2411E26	10/31/2026	12/09/2024 / Iwona	12/09/2024 / Iwona	W3161
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-SX0395-3 / SODIUM CARBONATE ANHYDR 2.5KG	24E3156178	09/30/2027	12/10/2024 / Iwona	12/10/2024 / Iwona	W3163
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3252-1 / POTAS PHOSPHATE, DIBASIC PWD, ACS, 500G	24H0856239	04/19/2028	01/03/2025 / Iwona	01/03/2025 / Iwona	W3168
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14055-3 / PH 4 BUFFER SOLUTION	2411A93	10/30/2026	04/01/2025 / JIGNESH	01/27/2025 / jignesh	W3178
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific Supply, Inc.	1601-1 / PH 10.01 BUFFER,COLOR CD 475ML	2410F80	03/31/2026	04/01/2025 / JIGNESH	03/13/2025 / jignesh	W3191
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
			•	1	1	I



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-BX0035-3 / Barbituric Acid, 100 gms	WXBF3271V	05/16/2029	04/21/2025 / Iwona	04/21/2025 / Iwona	W3203
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3246-1 / POTAS PHOSPHATE, MONO, CRYS, ACS, 500G	MKCX1379	01/31/2029	04/29/2025 / Iwona	04/29/2025 / Iwona	W3206
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL35830-4 / IODINE SOLUTION .025N 1L	MK25A21527	01/20/2029	05/21/2025 / lwona	05/21/2025 / Iwona	W3213
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific Supply, Inc.	RC2543-4 / CYANIDE STD 1000PPM 4OZ	1505H73	11/30/2025	05/21/2025 / Iwona	05/21/2025 / lwona	W3214
	ItemCode / ItemName	Lot #	Expiration	Date Opened /	Received Date /	Chemtech
Supplier	itemcode / itemname	201 "	Date	Opened By	Received By	Lot #
Supplier PCI Scientific Supply, Inc.	AL14455-3 / buffer solution pH 7 yellow	2504D34	03/31/2027	07/02/2025 / jignesh	06/26/2025 / Iwona	W3217
PCI Scientific	AL14455-3 / buffer solution			07/02/2025 /	06/26/2025 /	



Fax: 908 789 8922

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	LC135457 / Cyanide Standard, 1000 PPM, Second Source	45060288	12/24/2025	07/07/2025 / Iwona	07/07/2025 / Iwona	W3224

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL69870-8 / SODIUM THIOSULFATE,0.025N,4LIT RE	250904J	02/28/2027	10/03/2025 / Iwona	10/03/2025 / Iwona	W3248

Certificate of analysis

Product No. 14125

Product: Lead(II) chromate, ACS, 98%

Lot No.: U19B018

Test	Limits	Results
Assay	98.0 % min	99.3 %
Soluble matter	0.15 % max	< 0.02 %
Carbon compounds	0.01 % max	< 0.01 %

Traceable to NIST? Yes

This document has been electronically generated and does not require a signature.





Certificate of Analysis

Product No.: 13450

Product: Potassium dichromate, ACS, 99.0% min

Lot No.: T15F019

Test	Limits	Results
Appearance	Orange-red crystals	Orange-red crystals
Identification	To Pass	Passes
Purity	99.0 % min	99.67 %
Insoluble matter	0.005 % max	0.004 %
Loss on drying	0.05 % max	0.03 %
Chloride	0.001 % max	< 0.001 %
Sulfate	0.005 % max	< 0.005 %
Iron	0.001 % max	< 0.001 %
Calcium	0.003 % max	0.0012 %
Sodium	0.02 % max	0.0047 %

Order our products online alfa.com

This document has been electronically generated and does not require a signature.

This is to certify that units of the lot number above were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The above information is the actual analytical results obtained.

W3019 lec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Product Name:

Certificate of Analysis

Pyridine - anhydrous, 99.8%

Product Number:

270970

Batch Number:

SHBQ2113

Brand:

SIAL

CAS Number:

110-86-1

MDL Number:

MFCD00011732

Formula:

C5H5N

Formula Weight:

79.10 g/mol

Quality Release Date:

15 DEC 2022

L	
	N

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Purity (GC)	> 99.75 %	99.99 %
Water (by Karl Fischer)	_ < 0.003 %	0.002 %
Residue on Evaporation	_ < 0.0005 %	< 0.0001 %

Larry Coers, Director Quality Control

Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate of Analysis Page 1 of 1



Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P188	Quality Test / Release Date	08/12/2019
Lot Number	194664		
Description	POTASSIUM DICHROMATE, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Aug/2024
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	No animal products are used as starting in processing aids, or any other material that	•	
Chemical Comment			

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Fine, orange-red crystals
ASSAY	%	>= 99	99.2
CALCIUM	%	<= 0.003	<0.003
CHLORIDE	%	<= 0.001	<0.001
LOSS ON DRYING @ 105 C	%	<= 0.05	<0.05
SULFATE (SO4)	%	<= 0.005	<0.005
INSOLUBLE MATTER	%	<= 0.005	0.003
IRON (Fe)	%	<= 0.001	<0.001
SODIUM (Na)	%	<= 0.02	<0.02
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST

Derisa Bailey- Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis



Material No.: 9254-03

Batch No.: 24L1062001

Manufactured Date: 2024-10-04

Expiration Date: 2027-10-04

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected forwater)	>= 99.4 %	99.7 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.3 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titrable Acid (μeq/g)	<= 0.3	0.1
Titrable Base (µeq/g)	<= 0.6	<0.1
Water (H2O)	<= 0.5 %	0.3 %
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

10 Received on 10/29/25

JCoak

Director Quality Operations, Bioscience Production

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





M6151

R-> 1/15/25

Material No.: 9530-33

Batch No.: 22G2862015 Manufactured Date: 2022-06-15

Retest Date: 2027-06-14

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS - Assay (as HCI) (by acid-base titrn)	36.5 - 38.0 %	
ACS - Color (APHA)	50.5 - 36.0 % ≤ 10	37.9 %
ACS - Residue after Ignition	≤ 3 ppm	5
ACS - Specific Gravity at 60°/60°F		< 1 ppm
ACS – Bromide (Br)	1.185 - 1.192	1.191
ACS - Extractable Organic Substances	≤ 0.005 %	< 0.005 %
ACS - Free Chlorine (as Cl2)	≤ 5 ppm	< 1 ppm
Phosphate (PO ₄)	≤ 0.5 ppm	< 0.5 ppm
Sulfate (SO ₄)	≤ 0.05 ppm	< 0.03 ppm
Sulfite (SO₃)	≤ 0.5 ppm	< 0.3 ppm
Ammonium (NH ₄)	≤ 0.8 ppm	0.3 ppm
Trace Impurities - Arsenic (As)	≤ 3 ppm	< 1 ppm
Trace Impurities - Aluminum (AI)	≤ 0.010 ppm	< 0.003 ppm
Arsenic and Antimony (as As)	≤ 10.0 ppb	1.3 ppb
Trace Impurities - Barium (Ba)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities - Beryllium (Be)	≤ 1.0 ppb	0.2 ppb
Trace Impurities - Bismuth (Bi)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Cadmium (Cd)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities - Calcium (Ca)	≤ 1.0 ppb	< 0.3 ppb
	≤ 50.0 ppb	163.0 ppb
Trace Impurities - Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities - Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities - Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Frace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Frace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities - Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities - Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities - Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities - Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities - Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities - Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities - Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities - Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (TI)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Frace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test

Specification

Result

For Laboratory, Research, or Manufacturing Use Product Information (not specifications): Appearance (clear, fuming liquid) Meets ACS Specifications Storage Condition: Store below 25 °C.

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC







M-6162

R. Date & 0412712025

Material No.: 9606-03 Batch No.: 24H0162012 Manufactured Date: 2024-06-28

Retest Date: 2029-06-27 Revision No.: 0

Certificate of Analysis

Assay (HNOs) Appearance Passes Test Passes Test Passes Test Color (APHA) Residue after Ignition S 2 ppm Chloride (Cl) Choride (Cl) Choride (SOa) Sulfate (SOa) Sulfate (SOa) Arsenic and Antimony (as As) Trace Impurities - Barlum (Ba) Trace Impurities - Barlum (Ba) Trace Impurities - Barlum (Cd) Trace Impurities - Barlum (Cd) Trace Impurities - Coper (Cu) Trace Impurities - Coper (Cu) Trace Impurities - Coper (Cu) Trace Impurities - Cold (Au) Frace Impurities - Gold (Au) Frace Impurities - Iron (Fe) Trace Impurities - Iron (Fe) Trace Impurities - Inon (Fe) Trace Impurities - Lind magnesium (Mg) Trace Impurities - Lind (Fe) Trace Impurities - Lind (Fe) Trace Impurities - Lind (Fe) Trace Impurities - Coppe (Cu) Tra	Test	Specification	Result
Appearance Color (APHA)	Assay (HNO3)	69.0 - 70.0 %	69.7 %
Color (APHA) ≤ 10 5 Residue after Ignition ≤ 2 ppm < 1 ppm	Appearance		
Residue after Ignition ≤ 2 ppm < 1 ppm	Color (APHA)	≤ 10	
Chloride (CI) ≤ 0.08 ppm 0.03 ppm Phosphate (PO4) ≤ 0.10 ppm < 0.03 ppm	Residue after Ignition	≤ 2 ppm	
Phosphate (PO₄) ≤ 0.10 ppm < 0.03 ppm	Chloride (CI)	≤ 0.08 ppm	
Sulfate (SO ₄) ≤ 0.2 ppm < 0.2 ppm	Phosphate (PO ₄)	≤ 0.10 ppm	• •
Trace Impurities - Aluminum (Al) ≤ 40.0 ppb < 1.0 ppb	Sulfate (SO ₄)	≤ 0.2 ppm	
Arsenic and Antimony (as As) \$\leq\$ 5.0 ppb	Trace Impurities - Aluminum (Al)	≤ 40.0 ppb	• •
Trace Impurities – Barium (Ba)	Arsenic and Antimony (as As)	≤ 5.0 ppb	
Trace Impurities – Beryllium (Be) Trace Impurities – Bismuth (Bi) Trace Impurities – Boron (B) Trace Impurities – Cadmium (Cd) Trace Impurities – Calcium (Ca) Trace Impurities – Chromium (Cr) Trace Impurities – Cobalt (Co) Trace Impurities – Cobalt (Co) Trace Impurities – Copper (Cu) Trace Impurities – Copper (Cu) Trace Impurities – Callium (Ga) Trace Impurities – Gallium (Ga) Trace Impurities – Gallium (Ga) Trace Impurities – Germanium (Ge) Trace Impurities – Gold (Au) Heavy Metals (as Pb) Trace Impurities – Iron (Fe) Trace Impurities – Lead (Pb) Trace Impurities – Lead (Pb) Trace Impurities – Magnesium (Mg) Trace Impurities – Manganese (Mn) Trace Impurities – Mickel (Ni) ■ 200 ppb ■ 21.0 ppb ▼ 10.0 ppb ▼ 10.0 ppb ▼ 21.0 ppb ▼ 10.0 ppb	Trace Impurities - Barium (Ba)	≤ 10.0 ppb	
Trace Impurities – Bismuth (Bi) \$\leq 20.0 ppb	Trace Impurities - Beryllium (Be)	≤ 10.0 ppb	• •
Trace Impurities – Boron (B) ≤ 10.0 ppb 0.1 ppb Trace Impurities – Cadmium (Cd) ≤ 50 ppb < 1 ppb Trace Impurities – Calcium (Ca) ≤ 50.0 ppb 0.3 ppb Trace Impurities – Chromium (Cr) ≤ 30.0 ppb 0.1 ppb Trace Impurities – Cobalt (Co) ≤ 10.0 ppb	Trace Impurities - Bismuth (Bi)	≤ 20.0 ppb	• •
Trace Impurities - Cadmium (Cd) ≤ 50 ppb 0.3 ppb Trace Impurities - Calcium (Ca) ≤ 50.0 ppb 0.3 ppb Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb Trace Impurities - Gold (Au) ≤ 20 ppb < 1.0 ppb Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb Trace Impurities - Magnesee (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Boron (B)	≤ 10.0 ppb	• •
Trace Impurities - Calcium (Ca) ≤ 50.0 ppb 0.3 ppb Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb	Trace Impurities - Cadmium (Cd)	≤ 50 ppb	
Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb	Trace Impurities - Calcium (Ca)		• •
Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Germanium (Ge) < 20 ppb < 1 ppb Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb Trace Impurities - Lead (Pb) < 20.0 ppb < 1.0 ppb Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities - Magnesee (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Chromium (Cr)	≤ 30.0 ppb	
Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities - Magnesium (Mg) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Cobalt (Co)	≤ 10.0 ppb	
Trace Impurities – Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb Trace Impurities – Germanium (Ge) ≤ 20 ppb < 1 ppb Trace Impurities – Gold (Au) ≤ 20 ppb < 1 ppb Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities – Manganese (Mn) ≤ 10.0 ppb	Trace Impurities - Copper (Cu)	≤ 10.0 ppb	• •
Trace Impurities – Germanium (Ge) ≤ 20 ppb < 1 ppb Trace Impurities – Gold (Au) ≤ 20 ppb < 1 ppb Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Gallium (Ga)	≤ 10.0 ppb	
Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb	Trace Impurities - Germanium (Ge)	≤ 20 ppb	
Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Gold (Au)	≤ 20 ppb	• •
Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb	Heavy Metals (as Pb)	≤ 100 ppb	
Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb	Trace Impurities - Iron (Fe)	≤ 40.0 ppb	
Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities - Lead (Pb)	≤ 20.0 ppb	• • • • • • • • • • • • • • • • • • • •
Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb Trace Impurities – Mickel (Ni)	Trace Impurities - Lithium (Li)	≤ 10.0 ppb	. ,
Trace Impurities - Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb	Trace Impurities – Magnesium (Mg)	≤ 20 ppb	• •
Trace Impurities Mickel (Ni)	Trace Impurities - Manganese (Mn)	≤ 10.0 ppb	
	Trace Impurities – Nickel (Ni)	≤ 20.0 ppb	< 1.0 ppb

>>> Continued on page 2 >>>





Material No.: 9606-03 Batch No.: 24H0162012

Test	Specification	Result
Trace Impurities - Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities - Potassium (K)	≤ 50 ppb	< i ppb
Trace Impurities - Silicon (Si)	≤ 50 ppb	1 ppb
Trace Impurities - Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Sodium (Na)	≤ 150.0 ppb	< 1.0 ppb
Trace Impurities - Strontium (Sr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities - Tantalum (Ta)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Thallium (TI)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Tin (Sn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count – 0.5 µm and greater	≤ 60 par/ml	13 par/ml
Particle Count - 1.0 µm and greater	≤ 10 par/ml	5 par/ml

Nitric Acid 69% **CMOS**





Material No.: 9606-03 Batch No.: 24H0162012

Test Specification Result

For Microelectronic Use

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium





Material No.: 9673-33

Batch No.: 23D2462010 Manufactured Date: 2023-03-22

Retest Date: 2028-03-20

Revision No.: 0

[m6186] Reciew Dute = 68/06/25

Certificate of Analysis

	Specification	Result
ACS - Assay (H2SO4)	95.0 - 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS - Substances Reducing Permanganate (as SO2)	≤ 2 ppm	< 2 ppm
Ammonium (NH ₄)	≤ 1 ppm	1 ppm
Chloride (CI)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO ₃)	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO4)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Frace Impurities - Boron (B)	≤ 10.0 ppb	8.5 ppb
Frace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Frace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
race Impurities – Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
race Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
race Impurities - Gold (Au)	≤ 10.0 ppb	0.5 ppb
leavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
race Impurities – Iron (Fe)	≤ 50.0 ppb	1.3 ppb
race Impurities – Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
race Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
race Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
race Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
race Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
race Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
race Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
ace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
ace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium





Material No.: 9673-33 Batch No.: 23D2462010

Specification	Result
≤ 500.0 ppb	5.4 ppb
≤ 5.0 ppb	< 0.2 ppb
≤ 5.0 ppb	< 0.8 ppb
≤ 5.0 ppb	0.4 ppb
	≤ 500.0 ppb ≤ 5.0 ppb ≤ 5.0 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC







M6187 R.D:-08108125

Material No.: 9606-03 Batch No.: 24H0162012 Ifactured Date: 2024-06-28

Manufactured Date: 2024-06-28 Retest Date: 2029-06-27

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO3)	69.0 – 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	< 1 ppm
Chloride (CI)	≤ 0.08 ppm	0.03 ppm
Phosphate (PO ₄)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.2 ppm	< 0.2 ppm
Trace Impurities - Aluminum (AI)	≤ 40.0 ppb	< 1.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities - Barium (Ba)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Bismuth (Bi)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Boron (B)	≤ 10.0 ppb	0.1 ppb
Trace Impurities – Cadmium (Cd)	≤ 50 ppb	< 1 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 30.0 ppb	0.1 ppb
Trace Impurities - Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Germanium (Ge)	≤ 20 ppb	< 1 ppb
Trace Impurities – Gold (Au)	≤ 20 ppb	< 1 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 40.0 ppb	< 1.0 ppb
Frace Impurities – Lead (Pb)	≤ 20.0 ppb	< 1.0 ppb
Frace Impurities – Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Frace Impurities – Magnesium (Mg)	≤ 20 ppb	< 1 ppb
race Impurities – Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb
race Impurities - Nickel (Ni)	≤ 20.0 ppb	< 1.0 ppb

>>> Continued on page 2 >>>





Material No.: 9606-03 Batch No.: 24H0162012

Test	Specification	Result
Trace Impurities - Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities – Potassium (K)	≤ 50 ppb	< 1 ppb
Trace Impurities - Silicon (Si)	≤ 50 ppb	1 ppb
Trace Impurities – Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Sodium (Na)	≤ 150.0 ppb	< 1.0 ppb
Trace Impurities - Strontium (Sr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities – Tantalum (Ta)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Thallium (TI)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities ~ Tin (Sn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities – Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count - 0.5 µm and greater	≤ 60 par/ml	13 par/ml
Particle Count - 1.0 µm and greater	≤ 10 par/ml	5 par/ml

Nitric Acid 69% CMOS





Material No.: 9606-03 Batch No.: 24H0162012

Test Specification Result

For Microelectronic Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak

Director Quality Operations, Bioscience Production

Sodium Phosphate, Monobasic, Monohydrate, Crystal BAKER ANALYZED® A.C.S. Reagent **C**Vavantor™ J.T.Baker

(sodium dihydrogen phosphate, monohydrate)

Material No.: 3818-05 Batch No.: 0000225799

Manufactured Date: 2018/12/05 Retest Date: 2025/12/03

Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (NaH2PO4 · H2O)	98.0 - 102.0 %	99.5
pH of 5% Solution at 25°C	4.1 - 4.5	4.3
Insoluble Matter	<= 0.01 %	< 0.01
Chloride (CI)	<= 5 ppm	< 5
ACS - Sulfate (SO ₄)	<= 0.003 %	< 0.003
Calcium (Ca)	<= 0.005 %	< 0.005
Potassium (K)	<= 0.01 %	< 0.01
Heavy Metals (as Pb)	<= 0.001 %	< 0.001
Trace Impurities – Iron (Fe)	<= 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: IN

Packaging Site: Paris Mfg Ctr & DC



3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA:

techserv@sial.com

Outside USA: eurtechserv@sial.com 002926 0pen 715/22 peleiral 0015/22

Product Name:

Certificate of Analysis

Zinc acetate dihydrate - ACS reagent, ≥98%

Product Number:

383058

Batch Number:

MKCQ9159

Brand:

SIGALD

CAS Number:

5970-45-6

MDL Number:

MFCD00066961

Formula:

C4H6O4Zn · 2H2O

Formula Weight:

219.51 g/mol

Quality Release Date:

06 JAN 2022

H₃C O Zn²· 2H₂O

Appearance (Color)	White	White	
Appearance (Form)	Powder or Crystal or Chunk(s)	Powder	
Infrared Spectrum	Conforms to Structure	Conforms	
Insoluble Matter	< 0.005 %	0.003 %	
Calcium (Ca)	< 0.005 %	0.003 %	
Chloride (CI)	< 5 ppm	< 5 ppm	
Iron (Fe)	< 5 ppm	< 5 ppm	
Potassium (K)	< 0.01 %	0.00 %	
Magnesium (Mg)	< 0.005 %	0.003 %	
Sodium (Na)	< 0.05 %	0.03 %	
Lead (Pb)	< 0.002 %	< 0.001 %	
pH	6.0 - 7.0	6.1	
Sulfate (SO4)	< 0.005 %	< 0.005 %	
Complexometric EDTA	98.0 - 101.0 %	100.3 %	
Meets ACS Requirements	Meets Requirements	Meets Requirements	

Larry Coers, Director Quality Control Milwaukee, WI US

Meets ACS Requirements

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

W 2979

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

lec: 12/08/22

exp. 12/08/27

Certificate of Analysis

1,5-Diphenylcarbazide - ACS reagent

Product Number:

259225

Batch Number:

MKCR6636

Brand:

SIAL

CAS Number:

140-22-7

MDL Number:

MFCD00003013

Formula:

C13H14N4O

Formula Weight:

242.28 g/mol

Quality Release Date:

02 JUN 2022

Test	Specification	Result	
Appearance (Color)	Conforms to Requirements	Pink	
Off-White to Pink, Light Purple or Tan	-		
Appearance (Form)	Powder or Chunks	Powder	
Melting Point	173.0 - 176.0 ℃	173.0 °C	
Infrared Spectrum	Conforms to Structure	Conforms	
Residue on ignition (Ash)	< 0.05 %	0.01 %	
15 minutes, 800 Degrees Celsius	_		
Solubility	Pass	Pass	
Sensitivity Test	Pass	Pass	
Meets ACS Requirements	Current ACS Specification	Conforms	

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



RICCA CHEMICAL COMPANY

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis Onlong Concession Co

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4401F99

Product Number: 1551

Manufacture Date: JAN 08, 2024

Expiration Date: DEC 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

5 10 15 20 25 30 35 40 45 50 pН 7.12 7.09 7.06 7.04 7.02 7.00 6.99 6.98 6.98 6.97 6.97

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Sodium Phosphate Dibasic	7558-79-4	ACS	
Potassium Dihydrogen Phosphate	7778-77-0	ACS	
Preservative	Proprietary	II II Ta' .	
Yellow Dye	Proprietary		
Sodium Hydroxide	1310-73-2		

Test	Specification	Result	
Appearance	Yellow liquid	Passed	*Not a certified value
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.004	0.02	186-I-g, 186-II-g, 191d

Specification	Reference	
Commercial Buffer Solutions	ASTM (D 1293 B)	
Buffer A	ASTM (D 5464)	
Buffer A	ASTM (D 5128)	

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-1	4 L natural poly	24 months
1551-1CT	4 L Cubitainer®	24 months
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months
		V (V)

Recommended Storage: 15°C - 30°C (59°F - 86°F)

faul Drandon

Paul Brandon (01/08/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 4401F99 Product Number: 1551 Page 2 of 2



12/14/2022

12/31/2025

Sodium Hydroxide (Pellets)

Material: 0583

Grade: ACS GRADE Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40

CAS #: 1310-73-2

Appearance: Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Manufacture Date:

Expiration Date:

Internal ID #: 710

Signature Additional Information

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



12/14/2022

12/31/2025

Room Temperature

Manufacture Date:

Expiration Date:

Storage:

Sodium Hydroxide (Pellets)

Material: 0583

Grade: ACS GRADE Batch Number: 23B1556310

Chemical Formula: NaOH Molecular Weight: 40

CAS #: 1310-73-2

Appearance:

Pellets

Spec Set: 0583ACS

Internal ID #: 710

Signature Additional Information

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



W3139 Received on 9/9/24 by IZ

Product No.: A12044

Product: Chloramine-T trihydrate, 98%

Lot No.: 10239484

Appearance: White powder Melting Point: 166°C(dec)
Assay (Iodometric titration): 100.5% Identification (FTIR): Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62 Product Number: 8000 Manufacture Date: AUG 28, 2024

Expiration Date: AUG 2026

This product is Mercury-free.

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Starch, soluble	9005-84-9	ACS	
Salicylic Acid	69-72-7	ACS	

Test	Specification	Result
Appearance	White translucent liquid	Passed
Suitability for Use	Colorless (Iodine absent) - Blue	Passed
	(Iodine present)	


Specification	Reference
Starch Solution	APHA (4500-S2- F)
Starch Indicator Solution	APHA (4500-Cl B)
Starch Indicator	APHA (4500-SO32- B)
Starch indicator solution	APHA (2350 B)
Starch indicator solution	APHA (2350 E)
Starch Solution	APHA (510 B)
Starch Solution	APHA (5530 C)
Starch Indicator	APHA (4500-C1 C)
Starch Indicator	EPA (345.1)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
8000-1	4 L natural poly	24 months
8000-16	500 mL natural poly	24 months
8000-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 4408P62 Product Number: 8000 Page 1 of 2



This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 4408P62 Product Number: 8000 Page 2 of 2

Chem-Impex International, Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: sales@chemimpex.com

Web site: www.chemimpex.com

Shipping and Correspondence:935 Dillon Drive
825 Dillon Drive

Wood Dale, IL 60191 Wood Dale, IL 60191

Certificate of Analysis

Catalogue Number 01237

Lot Number 002126-2019-201

Product Magnesium chloride hexahydrate

Magnesium chloride•6H₂O

CAS Number 7791-18-6 Molecular Formula MgCl₂•6H₂O

Molecular Weight 203.3

Appearance White crystals

Solubility 167 g in 100 mL water

Melting Point ~ 115 °CHeavy Metals4.393 ppm

Anion Nitrate (NO_3) : < 0.001%

 $\begin{aligned} &Phosphate \ (PO_4): < 5 \ ppm \\ &Sulfate \ (SO_4): < 0.002\% \end{aligned}$

Cation Ammonium $(NH_4) : < 0.002\%$

Barium (Ba) : 0.005% Calcium (Ca) : 0.01% Iron (Fe) : 4.5 ppm

Manganese (Mn): 0.624 ppm Potassium (K): 0.004% Sodium (Na): 0.000003% Strontium (Sr): 0.005%

Insoluble material0.0021%Assay by titration100.83%GradeACS reagentStorageStore at RT

Catalog Number: 01237 Lot Number: 002126-2019-201

Remarks

See material safety data sheet for additional information

For laboratory use only

The foregoing is a copy of the Certificate of Analysis as provided by our supplier

Bala Kumar

Quality Control Manager

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 2.00 ± 0.01 at 25°C

Lot Number: 2411E26 Product Number: 1493

Manufacture Date: NOV 11, 2024

Expiration Date: OCT 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

25 30 35 40 45 50 1.93 1.98 1.98 2.00 2.01 2.03 2.03 2.04 2.04 pН

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Chloride	7447-40-7	ACS
Hydrochloric Acid	7647-01-0	ACS

	*		
Appearance	Colorless liquid	Passed	*Not a certified value.
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	1.994	0.02	185i, 186-I-g, 186-II-g

Specification


Result

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1493-1	4 L natural poly	24 months
1493-16	500 mL natural poly	24 months
1493-1CT	4 L Cubitainer®	24 months
1493-2.5	10 L Cubitainer®	24 months
1493-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 2411E26 Product Number: 1493 Page 1 of 2



This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 2411E26 Product Number: 1493 Page 2 of 2



W3163 Rec. on 12/10/24 by IZ

Certificate of Analysis

Material BDH9284-2.5KG

Material Description BDH SODIUM CARB ANHYD ACS 2.5KG

Grade USPREAGENT (ACS GRADE)

Batch 24E3156178
Reassay Date 09/30/2027
CAS Number 497-19-8
Molecular Formula Na2CO3
Molecular Mass 105.99

Date of Manufacture 09/01/2023

Storage Room Temperature

Material is hygroscopic. Protect from Moisture.

Additional Product Description:

Characteristics	Specifications	Measured Values
Appearance	Fine white granular powder	Fine white granular powder
Calcium	<= 0.03 %	0.003 %
Chloride	<= 0.001 %	0.0003 %
Heavy Metals (as Pb)	<= 0.0005 %	0.0001 %
Insolubles	<= 0.01 %	0.001 %
Iron	<= 0.0005 %	0.0001 %
Loss on Heating	<= 1.0 %	0.03 %
Magnesium	<= 0.005 %	0.001 %
Phosphate	<= 0.001 %	0.001 %
Potassium	<= 0.005 %	0.003 %
Purity	>= 99.5 %	100.0 %
Silica	<= 0.005 %	0.001 %
Sulfur Compounds	<= 0.003 %	0.002 %
Extra Description:	Meets Reagent Specifications for testing USP/NF monographs	

Internal ID #: 710

Signature Additional Information

We certify that this batch conforms to the specifications listed above.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits

Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed: 05/31/2024



Material BDH9266-500G

Material Description BDH POTASS PHOSPHAT DBSC 500GM

Grade ACS GRADE

Batch 24H0856239
Reassay Date 04/19/2028
CAS Number 7758-11-4
Molecular Formula K2HPO4
Molecular Mass 174.18

Date of Manufacture 04/19/2024

Storage Room Temperature

Characteristics	Specifications	Measured Values
Appearance	Fine white crystalline powder	Fine white crystalline powder
Chloride	<= 0.003 %	0.002 %
Heavy Metals (as Pb)	<= 0.0005 %	<0.0005 %
Insolubles	<= 0.01 %	<0.01 %
Iron	<= 0.001 %	<0.001 %
Loss on Drying	<= 1.0 %	<0.5 %
Nitrogen Compounds	<= 0.001 %	<0.001 %
pH (5%, Water) @25C	8.5 - 9.6	8.8
Purity	>= 98.0 %	99.1 %
Sodium	<= 0.05 %	<0.05 %
Sulfate	<= 0.005 %	<0.002 %
CUSTOMER PART # BDH9266-50	0G	

Internal ID #: 793

Signature Additional Information

We certify that this batch conforms to the specifications listed above.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.


28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits

Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed: 08/08/2024



1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

93178

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Lot Number: 2411A93

Product Number: 1501

Manufacture Date: NOV 04, 2024

Expiration Date: OCT 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST Traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

5 10 15 20 25 30 35 45 pH 50 4.00 4.00 4.00 4.00 4.004.00 4.01 4.024.03 4.04 4.06

Name	CAS#	Grade	A DESCRIPTION OF THE PERSON
Water	7732-18-5	ACS/ASTM/USP/	EP
Potassium Acid Phthalate	877-24-7	Buffer	
Preservative Red Dye	Proprietary	Commercial	
Red Dye	Proprietary	Purified	THE STATE OF THE S
Test	Specification	Result	
Appearance	Red liquid	Passed	*Not a partiful 1
l'est	Certified Value		*Not a certified val
pH at 25°C (Method: SQCP027, SQCP033)	4.008	Uncertainty	NIST SRM#
Specification	4.008	0.02	185i, 186-I-g, 186-II-g
Specification	Day	THE PARTY ASSESSMENT	

Specification	
Commonaid D. CC. G. L.	Reference
Ruffer R	ASTM (D 1293 B) ASTM (D 5464)
Buffer B	ASTM (D 5464) ASTM (D 5128)
DH measurements were and	ASTM (D 5128)

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are before first use and recalibrated regularly with a thermometer traceable to NIST standards. Thermometers and temperature probes are calibrated documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	CO. Yew to day	
1501-16		Shelf Life (Unopened Container)	
1501-2.5	500 mL natural poly	24 months	
1501-5	10 L Cubitainer®	24 months	
Recommended Storage: 15°C	20 L Cubitainer®	24 months	



RICCA CHEMICAL COMPANY 33191

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com

1-888-GO-RICCA customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

Lot Number: 2410F80

Product Number: 1601

Manufacture Date: OCT 09, 2024

Expiration Date: MAR 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

20 25 30 pН 35 10.31 10.23 40 50 10.1710.11 10.05 10.00 9.95 9.91 9.87 9.81

Name	CAS#		
Water		Grade	
Sodium Carbonate	7732-18-5	ACS/ASTM/USP/EP	
Sodium Ricarhamat	497-19-8	ACS	
Sodium Hydroxide	144-55-8	ACS	
Preservative	1310-73-2	Reagent	
Blue Dyo	Proprietary		
Cest	Proprietary	11-12-2 11 AT 1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Service and a service
Γest			El Mariano de

Appearance	Specification	Result	
Test	Blue liquid	Passed	*Not a certified value
	Certified Value	Uncertainty	
pH at 25°C (Method: SQCP027, SQCP033) Specification	10.009	0.00	186-I-g, 186-II-g, 191d

Specification	0.02	186-I-g, 186-II-g, 191d
Commoraial P. Co. C. J.	Reference	
Buffer C	ASTM (D 1293 B)	
Buffer C	ASTM (D 54CA)	0 × 20 1 0 30 010 1000
pH measurements were performed in our Pocomoke City, MD laboratory us		
cortified the delivery was common and the cortified the co	adou ICO TEO	**************************************

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing

Part Number		and production and testing
1601-1	Size / Package Type	Shelf Life (Time Lo
1601-16	4 L natural poly 500 mL natural poly	Shelf Life (Unopened Container) 18 months
1601-16 1601-1CT	500 mL natural poly 4 L Cubitainer®	18 months
2.0	4 L Cubitainer® 10 L Cubitainer®	18 months
	1 L natural poly	18 months
	1 L natural poly 20 L Cubitainer®	18 months
ersion: 1.3	Lot Number: 2410F80	18 months

Lot Number: 2410F80

Product Number: 1601

Page 1 of 2

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 12.00 ± 0.01 at 25°C

Lot Number: 2504F20 Product Number: 1615

Manufacture Date: APR 08, 2025

Expiration Date: SEP 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Chloride	7447-40-7	ACS
Sodium Hydroxide	1310-73-2	Reagent (from ACS)


Test	Specification	nesuit	
Appearance	Colorless liquid	Passed	*Not a certified value.
Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)			-

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1615-1	4 L natural poly	18 months
1615-16	500 mL clear PET-G	18 months
1615-5	20 L Cubitainer®	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 2504F20 Product Number: 1615 Page 1 of 2



This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 2504F20 Product Number: 1615 Page 2 of 2



3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Barbituric acid - ReagentPlus®, 99%

Product Name:

Product Number: 185698
Batch Number: WXBF3271V

Brand: SIAL
CAS Number: 67-52-7
Formula: C4H4N2O3
Formula Weight: 128,09 g/mol
Quality Release Date: 16 MAY 2024

		LΗ
0	`N^	>>`0
	Ĥ	

Test	Specification	Result	
Appearance (Colour)	White to Off-White	White	
Appearance (Form)	Pow der	Pow der	
Infrared spectrum	Conforms to Structure	Conforms	
Purity (Titration by NaOH)	98.5 - 101.5 %	100.4 %	
GC (area %)	> 98 %	100 %	
VPCT	_		

S. 455

Kang Chen Quality Manager Wuxi , China CN

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1 Page 1 of 1

3050 Spruce Street, Saint Louis, MO 63103, USA

KH₂PO₄

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Product Name: Certificate of Analysis

Potassium phosphate monobasic - ACS reagent, ≥99.0%

Product Number: P0662
Batch Number: MKCX1379

 Brand:
 SIGALD

 CAS Number:
 7778-77-0

 MDL Number:
 MFCD00011401

Formula: H2KO4P
Formula Weight: 136.09 g/mol
Quality Release Date: 27 JAN 2025
Recommended Retest Date: JAN 2029

Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystals	Crystals
Assay	≥ 99.0 %	99.9 %
Insoluble Matter	≤ 0.01 %	< 0.01 %
Loss on Drying	≤ 0.2 %	< 0.1 %
At 105°C		
рН	4.1 - 4.5	4.5
(c = 5%, 25 deg C)		
Chloride Content	≤ 0.001 %	< 0.001 %
Sulfate (SO4)	≤ 0.003 %	< 0.003 %
Heavy Metals	≤ 0.001 %	< 0.001 %
by ICP		
Iron (Fe)	≤ 0.002 %	< 0.001 %
Sodium (Na)	≤ 0.005 %	< 0.001 %
Recommended Retest Period		
4 Years		

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 2 Page 1 of 1



W3213 Deceived on 5/21/25 6y 12 Certificate of Analysis

W

Material

Material Description

Lot

Expires end of

Molecular mass

Last Quality Control

Date of manufacture

Made in

Manufacturer Source Batch

BDHVBDH7206-1

IODINE SOLUTION 0.025N

25A2461008

2029-Jan-20

0

2025-Jan-24

2025-Jan-21

United States

MK25A21527

Additional infomation

Characteristics	Specifications	Measured values
Prepared to formulation and St.	The second secon	Measured values
Prepared to formulation on file	Confirmed	Confirmed
Appearance	Passes Test	Passes Test
Normality, N		1 43563 1636
Normancy, IV	0.0200 - 0.0300	0.0268

Signature

We certify that this batch conforms to the specifications listed above.

This document has been produced electronically and is valid without a signature.

Michelle Bales - Sr. Manager Quality Assurance Avantor Performance Materials, LLC

For Professional use in Laboratory or Manufacturing. Not for use as an Active Pharmaceutical Ingredient or Food or Animal Feed. Suitability and intended use of the product remains the responsibility of the user

448 West Fork Dr Arlington, TX 76012 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Cyanide Standard, 1000 ppm CN

Lot Number: 1505H73 Product Number: 2543

Manufacture Date: MAY 08, 2025

Expiration Date: NOV 2025

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty in the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225% (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Cyanide	151-50-8	ACS
Sodium Hydroxide	1310-73-2	Reagent (from ACS)

Test	Specification	Result
Appearance	Colorless liquid	Passed
Cyanide (CN)	995-1005 ppm	1000 ppm


Specification	Reference
Stock Standard Cyanide Solution	APHA (4500-CN- F)
Stock Cyanide Solution	APHA (4500-CN- E)
Stock Cyanide Solution	APHA (4500-CN- K)
Stock Cyanide Solution	APHA (4500-CN- H)
Cyanide Reference Solution (1000 mg/L)	EPA (SW-846) (7.3.3.2)
Cyanide Calibration Stock Solution (1,000 mg/L CN-)	EPA (SW-846) (9213)
Stock Cyanide Solution	EPA (335.3)
Stock Cyanide Solution	EPA (335.2)
Cyanide Solution Stock	ASTM (D 4282)
Simple Cyanide Solution, Stock (1.0 g/L CN)	ASTM (D 4374)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
2543-16	500 mL amber poly	6 months
2543-32	1 L amber poly	6 months
2543-4	120 mL amber poly	6 months

Recommended Storage: 2°C - 8°C (36°F - 46°F)

Version: 1.3 Lot Number: 1505H73 Product Number: 2543 Page 1 of 2



This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 1505H73 Product Number: 2543 Page 2 of 2

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 2504D34 Product Number: 1551

Manufacture Date: APR 03, 2025

Expiration Date: MAR 2027

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ±0.05.

15 20 30 35 45 50 рH 7.12 7.09 7.06 7.04 7.02 7.00 6.99 6.98 6.98 6.97 6.97

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Phosphate Dibasic	7558-79-4	ACS
Potassium Dihydrogen Phosphate	7778-77-0	ACS
Preservative	Proprietary	
Yellow Dye	Proprietary	
Sodium Hydroxide	1310-73-2	Reagent (from ACS)

	Test	Specification	Result	
•	Appearance	Yellow liquid	Passed	*Not a certified value.
	Test	Certified Value	Uncertainty	NIST SRM#


Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer A	ASTM (D 5464)
Buffer A	ASTM (D 5128)

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-2.5	10 L Cubitainer®	24 months
1551-20	20 x 20 mL pack	24 months
1551-32	1 L natural poly	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 2504D34 Product Number: 1551 Page 1 of 2



This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 2504D34 Product Number: 1551 Page 2 of 2

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis


Formaldehyde solution - ACS reagent, 37 wt. % in H2O, contains 10-15% Methanol as stabilizer (to prevent

polymerization)

Product Name:

Product Number: 252549
Batch Number: MKCW7614
Brand: SIAL

MDL Number: MFCD00003274
Quality Release Date: 05 DEC 2024
Recommended Retest Date: DEC 2026



Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Titration by H2SO4	36.5 - 38.0 %	36.6 %
Residue on ignition (Ash)	≤ 0.005 %	0.004 %
Color Test	< 10 APHA	5 APHA
Chloride (CI)	≤ 5 ppm	< 5 ppm
Iron (Fe)	≤ 5 ppm	< 1 ppm
Heavy Metals	≤ 5 ppm	2 ppm
by ICP-OES		
Sulfate (SO4)	< = 0.002%	< = 0.002%
Titratable Acid (meq/g)	≤ 0.006	< 0.006
Note	Confirmed	Conforms
Stabilized with 10% to 15% Methanol		
Meets ACS Requirements	Current ACS Specification	Conforms
Recommended Retest Period		
2 Years		

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 2 Page 1 of 1



Jackson's Pointe Commerce Park- Building 1000 1010 Jackson's Pointe Court, Zelienople, PA 16063

Certificate of Analysis

Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code: LC13545 Manufacture Date: June 25, 2025

Lot Number: 45060288 Expiration Date: December 24, 2025

Test	Specification	Result	Result		
Appearance (clarity)	clear solution	clear solution			
Appearance (color)	colorless	colorless			
Concentration (CN)	0.990 - 1.010mg/mL	1.000mg/mL			
Concentration (CN)	990 - 1,010ppm	1,000ppm			
Traceable to NIST SRM	Report	999b			

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

Storage Information - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

Instructions for Handling and Use - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

Preparation - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST

The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information

Suffix	1	2	3/35/36/36S	4/4C	5	6	7	8	9	20	44	200	246	486
Size	500mL or g	1L or 1kg	2.5L/2.5L Coated/6x2.5L/6x2.5L Coated	4L	20L	10L	125mL	25g	100g	20x20mL	4x4L	200L	24x6mL	48x6mL



1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Sodium Thiosulfate, 0.0250 Normal (N/40)

Lot Number: 250904J Product Number: 7900

Manufacture Date: SEP 03, 2025

Expiration Date: FEB 2027

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Organic Preservative	Proprietary	
Sodium Carbonate	497-19-8	ACS
Sodium Thiosulfate Pentahydrate	10102-17-7	ACS

Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	Passed	_
Assay (vs. Potassium Iodate/Starch)	0.02499-0.02501 N at 20°C	0.02501 N at 20°C	136


Specification	Reference	
Standard Sodium Thiosulfate Solution, 0.0250 N	APHA (4500-S2- F)	
Standard Sodium Thiosulfate Titrant	APHA (4500-O D)	
Standard Sodium Thiosulfate Titrant	APHA (4500-O E)	
Standard Sodium Thiosulfate Titrant	APHA (4500-O F)	
Standard Sodium Thiosulfate Titrant, 0.025 N	APHA (4500-Cl B)	
Standard Sodium Thiosulfate Titrant	APHA (4500-O C)	
Standard Sodium Thiosulfate Titrant, 0.025 M	APHA (5530 C)	
Standard Sodium Thiosulfate Solution (0.025 N)	EPA (SW-846) (9031)	
Standard Sodium Thiosulfate solution (0.025 N)	EPA (SW-846) (9034)	

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7900-1	4 L natural poly	18 months
7900-16	500 mL natural poly	18 months
7900-32	1 L natural poly	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 250904J Product Number: 7900 Page 1 of 2



This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 250904J Product Number: 7900 Page 2 of 2