



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Hit Summary Sheet  
SW-846

SDG No.: Q3661  
Client: Sciacca General Contractors, LLC

| Sample ID            | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|----------------------|-----------|--------|-----------|---------------|---|-----|-----|-------|
| Client ID:           |           |        |           | 0             |   |     |     |       |
| Total Voc :          |           |        |           |               |   |     |     |       |
| Total Concentration: |           |        |           |               |   |     |     |       |

A

B

C

D



# SAMPLE DATA

A

B

C

D

## Report of Analysis

Client: Sciacca General Contractors, LLC  
Project: 186 Arlington Blvd, North Arlington  
Client Sample ID: VOC  
Lab Sample ID: Q3661-02  
Analytical Method: 8260D  
Sample Wt/Vol: 5 g

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/17/25  
Date Received: 11/17/25  
SDG No.: Q3661  
Matrix: SOIL  
% Solid: 77.8  
Test: VOC-TCLVOA-10

| CAS Number     | Parameter                      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Date Ana.      | BatchID  |
|----------------|--------------------------------|-------|------|----|------|------------|-------|----------------|----------|
| <b>TARGETS</b> |                                |       |      |    |      |            |       |                |          |
| 75-71-8        | Dichlorodifluoromethane        | 1.50  | U    | 1  | 1.50 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 74-87-3        | Chloromethane                  | 1.50  | U    | 1  | 1.50 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-01-4        | Vinyl Chloride                 | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 74-83-9        | Bromomethane                   | 1.40  | U    | 1  | 1.40 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-00-3        | Chloroethane                   | 1.60  | U    | 1  | 1.60 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-69-4        | Trichlorofluoromethane         | 1.60  | U    | 1  | 1.60 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 1.40  | U    | 1  | 1.40 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-35-4        | 1,1-Dichloroethene             | 1.30  | U    | 1  | 1.30 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 67-64-1        | Acetone                        | 6.10  | U    | 1  | 6.10 | 32.1       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-15-0        | Carbon Disulfide               | 1.40  | U    | 1  | 1.40 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.94  | U    | 1  | 0.94 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 79-20-9        | Methyl Acetate                 | 2.00  | U    | 1  | 2.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-09-2        | Methylene Chloride             | 4.50  | U    | 1  | 4.50 | 12.9       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 156-60-5       | trans-1,2-Dichloroethene       | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-34-3        | 1,1-Dichloroethane             | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 110-82-7       | Cyclohexane                    | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 78-93-3        | 2-Butanone                     | 8.40  | U    | 1  | 8.40 | 32.1       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 56-23-5        | Carbon Tetrachloride           | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.96  | U    | 1  | 0.96 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 74-97-5        | Bromochloromethane             | 1.50  | U    | 1  | 1.50 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 67-66-3        | Chloroform                     | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 71-55-6        | 1,1,1-Trichloroethane          | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 108-87-2       | Methylcyclohexane              | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 71-43-2        | Benzene                        | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 107-06-2       | 1,2-Dichloroethane             | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 79-01-6        | Trichloroethene                | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 78-87-5        | 1,2-Dichloropropane            | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-27-4        | Bromodichloromethane           | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 108-10-1       | 4-Methyl-2-Pentanone           | 4.60  | U    | 1  | 4.60 | 32.1       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 108-88-3       | Toluene                        | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 10061-02-6     | t-1,3-Dichloropropene          | 0.84  | U    | 1  | 0.84 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 10061-01-5     | cis-1,3-Dichloropropene        | 0.80  | U    | 1  | 0.80 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 79-00-5        | 1,1,2-Trichloroethane          | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 591-78-6       | 2-Hexanone                     | 4.70  | U    | 1  | 4.70 | 32.1       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 124-48-1       | Dibromochloromethane           | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 106-93-4       | 1,2-Dibromoethane              | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 127-18-4       | Tetrachloroethene              | 1.30  | U    | 1  | 1.30 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 108-90-7       | Chlorobenzene                  | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 100-41-4       | Ethyl Benzene                  | 0.86  | U    | 1  | 0.86 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 179601-23-1    | m/p-Xylenes                    | 1.60  | U    | 1  | 1.60 | 12.9       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 95-47-6        | o-Xylene                       | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 100-42-5       | Styrene                        | 0.91  | U    | 1  | 0.91 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |
| 75-25-2        | Bromoform                      | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/18/25 14:24 | VW111825 |

## Report of Analysis

Client: Sciacca General Contractors, LLC  
Project: 186 Arlington Blvd, North Arlington  
Client Sample ID: VOC  
Lab Sample ID: Q3661-02  
Analytical Method: 8260D  
Sample Wt/Vol: 5 g

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/17/25  
Date Received: 11/17/25  
SDG No.: Q3661  
Matrix: SOIL  
% Solid: 77.8  
Test: VOC-TCLVOA-10

| CAS Number                | Parameter                   | Conc.  | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|---------------------------|-----------------------------|--------|------|----|----------|------------|---------|----------------|----------|
| 98-82-8                   | Isopropylbenzene            | 1.00   | U    | 1  | 1.00     | 6.40       | ug/Kg   | 11/18/25 14:24 | VW111825 |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 1.60   | U    | 1  | 1.60     | 6.40       | ug/Kg   | 11/18/25 14:24 | VW111825 |
| 541-73-1                  | 1,3-Dichlorobenzene         | 2.20   | U    | 1  | 2.20     | 6.40       | ug/Kg   | 11/18/25 14:24 | VW111825 |
| 106-46-7                  | 1,4-Dichlorobenzene         | 2.00   | U    | 1  | 2.00     | 6.40       | ug/Kg   | 11/18/25 14:24 | VW111825 |
| 95-50-1                   | 1,2-Dichlorobenzene         | 1.90   | U    | 1  | 1.90     | 6.40       | ug/Kg   | 11/18/25 14:24 | VW111825 |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 2.40   | U    | 1  | 2.40     | 6.40       | ug/Kg   | 11/18/25 14:24 | VW111825 |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 3.80   | U    | 1  | 3.80     | 6.40       | ug/Kg   | 11/18/25 14:24 | VW111825 |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 4.10   | U    | 1  | 4.10     | 6.40       | ug/Kg   | 11/18/25 14:24 | VW111825 |
| <b>SURROGATES</b>         |                             |        |      |    |          |            |         |                |          |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 38.2   |      |    | 63 - 155 | 76%        | SPK: 50 |                |          |
| 1868-53-7                 | Dibromofluoromethane        | 36.8   |      |    | 70 - 134 | 74%        | SPK: 50 |                |          |
| 2037-26-5                 | Toluene-d8                  | 37.0   |      |    | 74 - 123 | 74%        | SPK: 50 |                |          |
| 460-00-4                  | 4-Bromofluorobenzene        | 50.6   |      |    | 52 - 138 | 101%       | SPK: 50 |                |          |
| <b>INTERNAL STANDARDS</b> |                             |        |      |    |          |            |         |                |          |
| 363-72-4                  | Pentafluorobenzene          | 144000 |      |    |          |            |         |                |          |
| 540-36-3                  | 1,4-Difluorobenzene         | 306000 |      |    |          |            |         |                |          |
| 3114-55-4                 | Chlorobenzene-d5            | 293000 |      |    |          |            |         |                |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 141000 |      |    |          |            |         |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

Client: Sciacca General Contractors, LLC  
Project: 186 Arlington Blvd, North Arlington  
Client Sample ID: VOCRE  
Lab Sample ID: Q3661-02RE  
Analytical Method: 8260D  
Sample Wt/Vol: 5 g

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/17/25  
Date Received: 11/17/25  
SDG No.: Q3661  
Matrix: SOIL  
% Solid: 77.8  
Test: VOC-TCLVOA-10

| CAS Number     | Parameter                      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Date Ana.      | BatchID  |
|----------------|--------------------------------|-------|------|----|------|------------|-------|----------------|----------|
| <b>TARGETS</b> |                                |       |      |    |      |            |       |                |          |
| 75-71-8        | Dichlorodifluoromethane        | 1.50  | U    | 1  | 1.50 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 74-87-3        | Chloromethane                  | 1.50  | U    | 1  | 1.50 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-01-4        | Vinyl Chloride                 | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 74-83-9        | Bromomethane                   | 1.40  | U    | 1  | 1.40 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-00-3        | Chloroethane                   | 1.60  | U    | 1  | 1.60 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-69-4        | Trichlorofluoromethane         | 1.60  | U    | 1  | 1.60 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 1.40  | U    | 1  | 1.40 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-35-4        | 1,1-Dichloroethene             | 1.30  | U    | 1  | 1.30 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 67-64-1        | Acetone                        | 6.10  | U    | 1  | 6.10 | 32.1       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-15-0        | Carbon Disulfide               | 1.40  | U    | 1  | 1.40 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.94  | U    | 1  | 0.94 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 79-20-9        | Methyl Acetate                 | 2.00  | U    | 1  | 2.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-09-2        | Methylene Chloride             | 4.50  | U    | 1  | 4.50 | 12.9       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 156-60-5       | trans-1,2-Dichloroethene       | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-34-3        | 1,1-Dichloroethane             | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 110-82-7       | Cyclohexane                    | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 78-93-3        | 2-Butanone                     | 8.40  | U    | 1  | 8.40 | 32.1       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 56-23-5        | Carbon Tetrachloride           | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.96  | U    | 1  | 0.96 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 74-97-5        | Bromochloromethane             | 1.50  | U    | 1  | 1.50 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 67-66-3        | Chloroform                     | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 71-55-6        | 1,1,1-Trichloroethane          | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 108-87-2       | Methylcyclohexane              | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 71-43-2        | Benzene                        | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 107-06-2       | 1,2-Dichloroethane             | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 79-01-6        | Trichloroethene                | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 78-87-5        | 1,2-Dichloropropane            | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-27-4        | Bromodichloromethane           | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 108-10-1       | 4-Methyl-2-Pentanone           | 4.60  | U    | 1  | 4.60 | 32.1       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 108-88-3       | Toluene                        | 1.00  | U    | 1  | 1.00 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 10061-02-6     | t-1,3-Dichloropropene          | 0.84  | U    | 1  | 0.84 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 10061-01-5     | cis-1,3-Dichloropropene        | 0.80  | U    | 1  | 0.80 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 79-00-5        | 1,1,2-Trichloroethane          | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 591-78-6       | 2-Hexanone                     | 4.70  | U    | 1  | 4.70 | 32.1       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 124-48-1       | Dibromochloromethane           | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 106-93-4       | 1,2-Dibromoethane              | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 127-18-4       | Tetrachloroethene              | 1.30  | U    | 1  | 1.30 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 108-90-7       | Chlorobenzene                  | 1.20  | U    | 1  | 1.20 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 100-41-4       | Ethyl Benzene                  | 0.86  | U    | 1  | 0.86 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 179601-23-1    | m/p-Xylenes                    | 1.60  | U    | 1  | 1.60 | 12.9       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 95-47-6        | o-Xylene                       | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 100-42-5       | Styrene                        | 0.91  | U    | 1  | 0.91 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |
| 75-25-2        | Bromoform                      | 1.10  | U    | 1  | 1.10 | 6.40       | ug/Kg | 11/19/25 13:36 | VW111925 |

## Report of Analysis

|                    |                                     |                 |               |
|--------------------|-------------------------------------|-----------------|---------------|
| Client:            | Sciaccia General Contractors, LLC   | Date Collected: | 11/17/25      |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25      |
| Client Sample ID:  | VOCRE                               | SDG No.:        | Q3661         |
| Lab Sample ID:     | Q3661-02RE                          | Matrix:         | SOIL          |
| Analytical Method: | 8260D                               | % Solid:        | 77.8          |
| Sample Wt/Vol:     | 5 g                                 | Test:           | VOC-TCLVOA-10 |
|                    | Level: LOW                          |                 |               |
|                    | Final Vol: 5000 uL                  |                 |               |

| CAS Number                | Parameter                   | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|---------------------------|-----------------------------|-------------------|------|----|----------|------------|---------|----------------|----------|
| 98-82-8                   | Isopropylbenzene            | 1.00              | U    | 1  | 1.00     | 6.40       | ug/Kg   | 11/19/25 13:36 | VW111925 |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 1.60              | U    | 1  | 1.60     | 6.40       | ug/Kg   | 11/19/25 13:36 | VW111925 |
| 541-73-1                  | 1,3-Dichlorobenzene         | 2.20              | U    | 1  | 2.20     | 6.40       | ug/Kg   | 11/19/25 13:36 | VW111925 |
| 106-46-7                  | 1,4-Dichlorobenzene         | 2.00              | U    | 1  | 2.00     | 6.40       | ug/Kg   | 11/19/25 13:36 | VW111925 |
| 95-50-1                   | 1,2-Dichlorobenzene         | 1.90              | U    | 1  | 1.90     | 6.40       | ug/Kg   | 11/19/25 13:36 | VW111925 |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 2.40              | U    | 1  | 2.40     | 6.40       | ug/Kg   | 11/19/25 13:36 | VW111925 |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 3.80              | U    | 1  | 3.80     | 6.40       | ug/Kg   | 11/19/25 13:36 | VW111925 |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 4.10              | U    | 1  | 4.10     | 6.40       | ug/Kg   | 11/19/25 13:36 | VW111925 |
| <b>SURROGATES</b>         |                             |                   |      |    |          |            |         |                |          |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 55.5              |      |    | 63 - 155 | 111%       | SPK: 50 |                |          |
| 1868-53-7                 | Dibromofluoromethane        | 48.5              |      |    | 70 - 134 | 97%        | SPK: 50 |                |          |
| 2037-26-5                 | Toluene-d8                  | 42.6              |      |    | 74 - 123 | 85%        | SPK: 50 |                |          |
| 460-00-4                  | 4-Bromofluorobenzene        | 48.8              |      |    | 52 - 138 | 98%        | SPK: 50 |                |          |
| <b>INTERNAL STANDARDS</b> |                             |                   |      |    |          |            |         |                |          |
|                           |                             | <b>Area Count</b> |      |    |          |            |         |                |          |
| 363-72-4                  | Pentafluorobenzene          | 150000            |      |    |          |            |         |                |          |
| 540-36-3                  | 1,4-Difluorobenzene         | 333000            |      |    |          |            |         |                |          |
| 3114-55-4                 | Chlorobenzene-d5            | 363000            |      |    |          |            |         |                |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 159000            |      |    |          |            |         |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## LAB CHRONICLE

|                 |                                  |                   |                                     |
|-----------------|----------------------------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | Q3661                            | <b>OrderDate:</b> | 11/17/2025 2:41:00 PM               |
| <b>Client:</b>  | Sciacca General Contractors, LLC | <b>Project:</b>   | 186 Arlington Blvd, North Arlington |
| <b>Contact:</b> | Rosanne Scirica                  | <b>Location:</b>  | A11,VOA Lab                         |

| LabID             | ClientID     | Matrix      | Test          | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-------------------|--------------|-------------|---------------|--------|-----------------|-----------|-----------|-----------------|
| <b>Q3661-02</b>   | <b>VOC</b>   | <b>SOIL</b> | VOC-TCLVOA-10 | 8260D  | <b>11/17/25</b> |           | 11/18/25  | <b>11/17/25</b> |
| <b>Q3661-02RE</b> | <b>VOCRE</b> | <b>SOIL</b> | VOC-TCLVOA-10 | 8260D  | <b>11/17/25</b> |           | 11/19/25  | <b>11/17/25</b> |



# SAMPLE DATA

A

B

C

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | WASTE                               | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-01                            | Matrix:         | SOIL     |
| Analytical Method: | 8015D TPH                           | % Solid:        | 80.7     |
| Sample Wt/Vol:     | 30.04 g                             | Final Vol:      | 1 mL     |
| Prep Method:       | SW3541                              | Test:           | TPH GC   |
|                    | Prep Date:                          |                 | 11/20/25 |

| CAS Number        | Parameter              | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|------------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                        |       |      |    |          |            |         |                |          |
| PHC               | Petroleum Hydrocarbons | 17800 |      | 1  | 475      | 3510       | ug/kg   | 11/20/25 20:12 | PB170659 |
| <b>SURROGATES</b> |                        |       |      |    |          |            |         |                |          |
| 16416-32-3        | TETRACOSANE-d50        | 12.6  |      |    | 37 - 130 | 63%        | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

|                 |                                  |                   |                                     |
|-----------------|----------------------------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | Q3661                            | <b>OrderDate:</b> | 11/17/2025 2:41:00 PM               |
| <b>Client:</b>  | Sciacca General Contractors, LLC | <b>Project:</b>   | 186 Arlington Blvd, North Arlington |
| <b>Contact:</b> | Rosanne Scirica                  | <b>Location:</b>  | A11,VOA Lab                         |

| LabID    | ClientID | Matrix | Test   | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|----------|--------|--------|--------|-------------|-----------|-----------|----------|
| Q3661-01 | WASTE    | SOIL   | TPH GC | 8015D  | 11/17/25    | 11/20/25  | 11/20/25  | 11/17/25 |



A

B

C

# SAMPLE DATA

## Report of Analysis

|                    |                                            |                 |          |
|--------------------|--------------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC           | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington        | Date Received:  | 11/17/25 |
| Client Sample ID:  | 1                                          | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-03                                   | Matrix:         | Solid    |
| Analytical Method: | NJEPH                                      | % Solid:        | 75.5     |
| Sample Wt/Vol:     | 30.06 g                                    | Test:           | EPH_F2   |
| Prep Method :      | Final Vol: 2000 uL<br>Prep Date : 11/25/25 |                 |          |

| CAS Number       | Parameter        | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Datafile   | Date Ana.     | Prep BatchID |
|------------------|------------------|-------|------|----|------|------------|-------|------------|---------------|--------------|
| <b>TARGETS</b>   |                  |       |      |    |      |            |       |            |               |              |
| Aliphatic C9-C28 | Aliphatic C9-C28 | 9.72  |      | 1  | 1.20 | 5.28       | mg/kg | FE057027.D | 11/26/25 1:48 | PB170727     |
| Total EPH        | Total EPH        | 9.72  |      |    | 1.20 | 5.28       | mg/kg |            |               |              |

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 1                                   | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-03                            | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 75.5     |
| Sample Wt/Vol:     | 30.06 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Test:           | EPH_F2   |
|                    | Prep Date                           | 11/25/25        |          |

| CAS Number        | Parameter                 | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana. | Prep BatchID |
|-------------------|---------------------------|-------|------|----|----------|------------|---------|-----------|--------------|
| <b>TARGETS</b>    |                           |       |      |    |          |            |         |           |              |
| Aliphatic C9-C28  | Aliphatic C9-C28          | 9.72  | 1    |    | 1.20     | 5.28       | mg/kg   | 11/26/25  | PB170727     |
| Aliphatic C28-C40 | Aliphatic C28-C40         | 8.66  | 1    |    | 1.56     | 2.64       | mg/kg   | 11/26/25  | PB170727     |
| <b>SURROGATES</b> |                           |       |      |    |          |            |         |           |              |
| 3383-33-2         | 1-chlorooctadecane (SURR) | 15.2  |      |    | 40 - 140 | 30%        | SPK: 50 |           |              |
| 84-15-1           | ortho-Terphenyl (SURR)    | 18.7  |      |    | 40 - 140 | 37%        | SPK: 50 |           |              |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-03   | Acq On:            | 26 Nov 2025 01:48 |
| Client Sample ID: | 1          | Operator:          | YP\AJ             |
| Data file:        | FE057027.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 18                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc   | highest_standard | Units |
|---------------------------|--------|--------|----------|--------|------------------|-------|
| Aliphatic C9-C12          | 3.205  | 6.828  | 366731   | 2.143  | 300              | ug/ml |
| Aliphatic C12-C16         | 6.829  | 10.273 | 1033434  | 5.781  | 200              | ug/ml |
| Aliphatic C16-C21         | 10.274 | 13.645 | 4516955  | 24.219 | 300              | ug/ml |
| Aliphatic C21-C28         | 13.646 | 17.314 | 15077517 | 78.217 | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 15652796 | 98.251 | 600              | ug/ml |
| Aliphatic EPH             | 3.205  | 22.241 | 36647433 | 208.61 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.942 | 11.942 | 3910426  | 18.72  |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.380 | 13.380 | 2445758  | 15.18  |                  | ug/ml |
| Aliphatic C9-C28          | 3.205  | 17.314 | 20994637 | 110.36 | 1200             | ug/ml |

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 1RE                                 | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-03RE                          | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 75.5     |
| Sample Wt/Vol:     | 30.06 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Prep Date       | 11/25/25 |
|                    |                                     | Test:           | EPH_F2   |

| CAS Number        | Parameter                 | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana. | Prep BatchID |
|-------------------|---------------------------|-------|------|----|----------|------------|---------|-----------|--------------|
| <b>TARGETS</b>    |                           |       |      |    |          |            |         |           |              |
| Aliphatic C9-C28  | Aliphatic C9-C28          | 8.58  | 1    |    | 1.20     | 5.28       | mg/kg   | 11/26/25  | PB170727     |
| Aliphatic C28-C40 | Aliphatic C28-C40         | 12.5  | 1    |    | 1.56     | 2.64       | mg/kg   | 11/26/25  | PB170727     |
| <b>SURROGATES</b> |                           |       |      |    |          |            |         |           |              |
| 3383-33-2         | 1-chlorooctadecane (SURR) | 15.3  |      |    | 40 - 140 | 31%        | SPK: 50 |           |              |
| 84-15-1           | ortho-Terphenyl (SURR)    | 18.6  |      |    | 40 - 140 | 37%        | SPK: 50 |           |              |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-03RE | Acq On:            | 26 Nov 2025 11:00 |
| Client Sample ID: | 1RE        | Operator:          | YP\AJ             |
| Data file:        | FE057040.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 12                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc    | highest_standard | Units |
|---------------------------|--------|--------|----------|---------|------------------|-------|
| Aliphatic C9-C12          | 3.202  | 6.826  | 230891   | 1.349   | 300              | ug/ml |
| Aliphatic C12-C16         | 6.827  | 10.271 | 845499   | 4.73    | 200              | ug/ml |
| Aliphatic C16-C21         | 10.272 | 13.644 | 4455578  | 23.89   | 300              | ug/ml |
| Aliphatic C21-C28         | 13.645 | 17.314 | 14147792 | 73.394  | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 22556537 | 141.585 | 600              | ug/ml |
| Aliphatic EPH             | 3.202  | 22.241 | 42236297 | 244.947 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.941 | 11.941 | 3891520  | 18.63   |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.378 | 13.378 | 2467590  | 15.32   |                  | ug/ml |
| Aliphatic C9-C28          | 3.202  | 17.314 | 19679760 | 103.363 | 1200             | ug/ml |

## Report of Analysis

|                    |                                            |                 |          |
|--------------------|--------------------------------------------|-----------------|----------|
| Client:            | Sciaccia General Contractors, LLC          | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington        | Date Received:  | 11/17/25 |
| Client Sample ID:  | 2                                          | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-04                                   | Matrix:         | Solid    |
| Analytical Method: | NJEPH                                      | % Solid:        | 78.9     |
| Sample Wt/Vol:     | 30.08 g                                    | Test:           | EPH_F2   |
| Prep Method :      | Final Vol: 2000 uL<br>Prep Date : 11/25/25 |                 |          |

| CAS Number       | Parameter        | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Datafile   | Date Ana.     | Prep BatchID |
|------------------|------------------|-------|------|----|------|------------|-------|------------|---------------|--------------|
| <b>TARGETS</b>   |                  |       |      |    |      |            |       |            |               |              |
| Aliphatic C9-C28 | Aliphatic C9-C28 | 6.52  |      | 1  | 1.15 | 5.05       | mg/kg | FE057028.D | 11/26/25 2:18 | PB170727     |
| Total EPH        | Total EPH        | 6.52  |      |    | 1.15 | 5.05       | mg/kg |            |               |              |

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 2                                   | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-04                            | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 78.9     |
| Sample Wt/Vol:     | 30.08 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Prep Date       | 11/25/25 |
|                    |                                     | Test:           | EPH_F2   |

| CAS Number | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Date Ana. | Prep BatchID |
|------------|-----------|-------|------|----|-----|------------|-------|-----------|--------------|
|------------|-----------|-------|------|----|-----|------------|-------|-----------|--------------|

### TARGETS

|                   |                   |      |   |      |      |       |          |          |
|-------------------|-------------------|------|---|------|------|-------|----------|----------|
| Aliphatic C9-C28  | Aliphatic C9-C28  | 6.52 | 1 | 1.15 | 5.05 | mg/kg | 11/26/25 | PB170727 |
| Aliphatic C28-C40 | Aliphatic C28-C40 | 9.23 | 1 | 1.49 | 2.53 | mg/kg | 11/26/25 | PB170727 |

### SURROGATES

|           |                            |      |  |          |     |         |
|-----------|----------------------------|------|--|----------|-----|---------|
| 3383-33-2 | 1-chlorooctadecane (SURRE) | 18.7 |  | 40 - 140 | 37% | SPK: 50 |
| 84-15-1   | ortho-Terphenyl (SURRE)    | 23.5 |  | 40 - 140 | 47% | SPK: 50 |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-04   | Acq On:            | 26 Nov 2025 02:18 |
| Client Sample ID: | 2          | Operator:          | YP\AJ             |
| Data file:        | FE057028.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 19                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc    | highest_standard | Units |
|---------------------------|--------|--------|----------|---------|------------------|-------|
| Aliphatic C9-C12          | 3.205  | 6.828  | 304746   | 1.78    | 300              | ug/ml |
| Aliphatic C12-C16         | 6.829  | 10.273 | 699705   | 3.914   | 200              | ug/ml |
| Aliphatic C16-C21         | 10.274 | 13.645 | 2837518  | 15.214  | 300              | ug/ml |
| Aliphatic C21-C28         | 13.646 | 17.314 | 11233222 | 58.274  | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 17458172 | 109.583 | 600              | ug/ml |
| Aliphatic EPH             | 3.205  | 22.241 | 32533363 | 188.766 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.942 | 11.942 | 4911914  | 23.51   |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.380 | 13.380 | 3015217  | 18.71   |                  | ug/ml |
| Aliphatic C9-C28          | 3.205  | 17.314 | 15075191 | 79.182  | 1200             | ug/ml |

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 2RE                                 | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-04RE                          | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 78.9     |
| Sample Wt/Vol:     | 30.08 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Prep Date       | 11/25/25 |
|                    |                                     | Test:           | EPH_F2   |

| CAS Number        | Parameter                 | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana. | Prep BatchID |
|-------------------|---------------------------|-------|------|----|----------|------------|---------|-----------|--------------|
| <b>TARGETS</b>    |                           |       |      |    |          |            |         |           |              |
| Aliphatic C9-C28  | Aliphatic C9-C28          | 8.20  | 1    |    | 1.15     | 5.05       | mg/kg   | 11/26/25  | PB170727     |
| Aliphatic C28-C40 | Aliphatic C28-C40         | 11.0  | 1    |    | 1.49     | 2.53       | mg/kg   | 11/26/25  | PB170727     |
| <b>SURROGATES</b> |                           |       |      |    |          |            |         |           |              |
| 3383-33-2         | 1-chlorooctadecane (SURR) | 18.6  |      |    | 40 - 140 | 37%        | SPK: 50 |           |              |
| 84-15-1           | ortho-Terphenyl (SURR)    | 23.3  |      |    | 40 - 140 | 47%        | SPK: 50 |           |              |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-04RE | Acq On:            | 26 Nov 2025 11:31 |
| Client Sample ID: | 2RE        | Operator:          | YP\AJ             |
| Data file:        | FE057041.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 13                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc    | highest_standard | Units |
|---------------------------|--------|--------|----------|---------|------------------|-------|
| Aliphatic C9-C12          | 3.202  | 6.826  | 332459   | 1.942   | 300              | ug/ml |
| Aliphatic C12-C16         | 6.827  | 10.271 | 776101   | 4.342   | 200              | ug/ml |
| Aliphatic C16-C21         | 10.272 | 13.644 | 8217856  | 44.062  | 300              | ug/ml |
| Aliphatic C21-C28         | 13.645 | 17.314 | 10273934 | 53.297  | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 20758855 | 130.301 | 600              | ug/ml |
| Aliphatic EPH             | 3.202  | 22.241 | 40359205 | 233.945 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.941 | 11.941 | 4874846  | 23.33   |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.378 | 13.378 | 2993827  | 18.58   |                  | ug/ml |
| Aliphatic C9-C28          | 3.202  | 17.314 | 19600350 | 103.643 | 1200             | ug/ml |

## Report of Analysis

|                    |                                            |                 |          |
|--------------------|--------------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC           | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington        | Date Received:  | 11/17/25 |
| Client Sample ID:  | 3                                          | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-05                                   | Matrix:         | Solid    |
| Analytical Method: | NJEPH                                      | % Solid:        | 78.4     |
| Sample Wt/Vol:     | 30.07 g                                    | Test:           | EPH_F2   |
| Prep Method :      | Final Vol: 2000 uL<br>Prep Date : 11/25/25 |                 |          |

| CAS Number       | Parameter        | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Datafile   | Date Ana.     | Prep BatchID |
|------------------|------------------|-------|------|----|------|------------|-------|------------|---------------|--------------|
| <b>TARGETS</b>   |                  |       |      |    |      |            |       |            |               |              |
| Aliphatic C9-C28 | Aliphatic C9-C28 | 4.95  | J    | 1  | 1.16 | 5.09       | mg/kg | FE057029.D | 11/26/25 2:48 | PB170727     |
| Total EPH        | Total EPH        | 4.95  | J    |    | 1.16 | 5.09       | mg/kg |            |               |              |

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 3                                   | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-05                            | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 78.4     |
| Sample Wt/Vol:     | 30.07 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Test:           | EPH_F2   |
|                    | Prep Date                           | 11/25/25        |          |

| CAS Number        | Parameter                 | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana. | Prep BatchID |
|-------------------|---------------------------|-------|------|----|----------|------------|---------|-----------|--------------|
| <b>TARGETS</b>    |                           |       |      |    |          |            |         |           |              |
| Aliphatic C9-C28  | Aliphatic C9-C28          | 4.95  | J    | 1  | 1.16     | 5.09       | mg/kg   | 11/26/25  | PB170727     |
| Aliphatic C28-C40 | Aliphatic C28-C40         | 8.38  |      | 1  | 1.50     | 2.55       | mg/kg   | 11/26/25  | PB170727     |
| <b>SURROGATES</b> |                           |       |      |    |          |            |         |           |              |
| 3383-33-2         | 1-chlorooctadecane (SURR) | 15.6  |      |    | 40 - 140 | 31%        | SPK: 50 |           |              |
| 84-15-1           | ortho-Terphenyl (SURR)    | 19.5  |      |    | 40 - 140 | 39%        | SPK: 50 |           |              |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-05   | Acq On:            | 26 Nov 2025 02:48 |
| Client Sample ID: | 3          | Operator:          | YP\AJ             |
| Data file:        | FE057029.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 20                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc    | highest_standard | Units |
|---------------------------|--------|--------|----------|---------|------------------|-------|
| Aliphatic C9-C12          | 3.205  | 6.828  | 255834   | 1.495   | 300              | ug/ml |
| Aliphatic C12-C16         | 6.829  | 10.273 | 701285   | 3.923   | 200              | ug/ml |
| Aliphatic C16-C21         | 10.274 | 13.645 | 2516690  | 13.494  | 300              | ug/ml |
| Aliphatic C21-C28         | 13.646 | 17.314 | 7917825  | 41.075  | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 15742184 | 98.812  | 600              | ug/ml |
| Aliphatic EPH             | 3.205  | 22.241 | 27133818 | 158.798 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.942 | 11.942 | 4066656  | 19.47   |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.379 | 13.379 | 2516147  | 15.62   |                  | ug/ml |
| Aliphatic C9-C28          | 3.205  | 17.314 | 11391634 | 59.987  | 1200             | ug/ml |

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 3RE                                 | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-05RE                          | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 78.4     |
| Sample Wt/Vol:     | 30.07 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Test:           | EPH_F2   |
|                    | Prep Date                           | 11/25/25        |          |

| CAS Number        | Parameter                  | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana. | Prep BatchID |
|-------------------|----------------------------|-------|------|----|----------|------------|---------|-----------|--------------|
| <b>TARGETS</b>    |                            |       |      |    |          |            |         |           |              |
| Aliphatic C9-C28  | Aliphatic C9-C28           | 4.65  | J    | 1  | 1.16     | 5.09       | mg/kg   | 11/26/25  | PB170727     |
| Aliphatic C28-C40 | Aliphatic C28-C40          | 8.88  |      | 1  | 1.50     | 2.55       | mg/kg   | 11/26/25  | PB170727     |
| <b>SURROGATES</b> |                            |       |      |    |          |            |         |           |              |
| 3383-33-2         | 1-chlorooctadecane (SURRE) | 15.3  |      |    | 40 - 140 | 31%        | SPK: 50 |           |              |
| 84-15-1           | ortho-Terphenyl (SURRE)    | 19.1  |      |    | 40 - 140 | 38%        | SPK: 50 |           |              |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-05RE | Acq On:            | 26 Nov 2025 12:01 |
| Client Sample ID: | 3RE        | Operator:          | YP\AJ             |
| Data file:        | FE057042.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 14                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc    | highest_standard | Units |
|---------------------------|--------|--------|----------|---------|------------------|-------|
| Aliphatic C9-C12          | 3.202  | 6.826  | 193545   | 1.131   | 300              | ug/ml |
| Aliphatic C12-C16         | 6.827  | 10.271 | 732684   | 4.099   | 200              | ug/ml |
| Aliphatic C16-C21         | 10.272 | 13.644 | 2818389  | 15.112  | 300              | ug/ml |
| Aliphatic C21-C28         | 13.645 | 17.314 | 7659623  | 39.735  | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 16674297 | 104.663 | 600              | ug/ml |
| Aliphatic EPH             | 3.202  | 22.241 | 28078538 | 164.739 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.941 | 11.941 | 3982074  | 19.06   |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.377 | 13.377 | 2473031  | 15.35   |                  | ug/ml |
| Aliphatic C9-C28          | 3.202  | 17.314 | 11404241 | 60.077  | 1200             | ug/ml |

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 4                                   | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-06                            | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 77.2     |
| Sample Wt/Vol:     | 30.05 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Prep Date :     | 11/25/25 |
|                    |                                     | Test:           | EPH_F2   |

| CAS Number | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Datafile | Date Ana. | Prep BatchID |
|------------|-----------|-------|------|----|-----|------------|-------|----------|-----------|--------------|
|------------|-----------|-------|------|----|-----|------------|-------|----------|-----------|--------------|

### TARGETS

|                  |                  |      |  |   |      |      |       |            |               |          |
|------------------|------------------|------|--|---|------|------|-------|------------|---------------|----------|
| Aliphatic C9-C28 | Aliphatic C9-C28 | 7.38 |  | 1 | 1.18 | 5.16 | mg/kg | FE057030.D | 11/26/25 3:18 | PB170727 |
| Total EPH        | Total EPH        | 7.38 |  |   | 1.18 | 5.16 | mg/kg |            |               |          |

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 4                                   | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-06                            | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 77.2     |
| Sample Wt/Vol:     | 30.05 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Test:           | EPH_F2   |
|                    | Prep Date                           | 11/25/25        |          |

| CAS Number | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Date Ana. | Prep BatchID |
|------------|-----------|-------|------|----|-----|------------|-------|-----------|--------------|
|------------|-----------|-------|------|----|-----|------------|-------|-----------|--------------|

### TARGETS

|                   |                   |      |   |      |      |       |          |          |
|-------------------|-------------------|------|---|------|------|-------|----------|----------|
| Aliphatic C9-C28  | Aliphatic C9-C28  | 7.38 | 1 | 1.18 | 5.16 | mg/kg | 11/26/25 | PB170727 |
| Aliphatic C28-C40 | Aliphatic C28-C40 | 8.40 | 1 | 1.53 | 2.59 | mg/kg | 11/26/25 | PB170727 |

### SURROGATES

|           |                           |      |  |          |     |         |
|-----------|---------------------------|------|--|----------|-----|---------|
| 3383-33-2 | 1-chlorooctadecane (SURR) | 17.3 |  | 40 - 140 | 35% | SPK: 50 |
| 84-15-1   | ortho-Terphenyl (SURR)    | 21.3 |  | 40 - 140 | 43% | SPK: 50 |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-06   | Acq On:            | 26 Nov 2025 03:18 |
| Client Sample ID: | 4          | Operator:          | YP\AJ             |
| Data file:        | FE057030.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 21                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc    | highest_standard | Units |
|---------------------------|--------|--------|----------|---------|------------------|-------|
| Aliphatic C9-C12          | 3.205  | 6.828  | 409813   | 2.394   | 300              | ug/ml |
| Aliphatic C12-C16         | 6.829  | 10.273 | 964916   | 5.398   | 200              | ug/ml |
| Aliphatic C16-C21         | 10.274 | 13.645 | 3611693  | 19.365  | 300              | ug/ml |
| Aliphatic C21-C28         | 13.646 | 17.314 | 11273833 | 58.485  | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 15530439 | 97.483  | 600              | ug/ml |
| Aliphatic EPH             | 3.205  | 22.241 | 31790694 | 183.125 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.942 | 11.942 | 4453578  | 21.32   |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.379 | 13.379 | 2787503  | 17.3    |                  | ug/ml |
| Aliphatic C9-C28          | 3.205  | 17.314 | 16260255 | 85.642  | 1200             | ug/ml |

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 4RE                                 | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-06RE                          | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 77.2     |
| Sample Wt/Vol:     | 30.05 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Prep Date       | 11/25/25 |
|                    |                                     | Test:           | EPH_F2   |

| CAS Number        | Parameter                 | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana. | Prep BatchID |
|-------------------|---------------------------|-------|------|----|----------|------------|---------|-----------|--------------|
| <b>TARGETS</b>    |                           |       |      |    |          |            |         |           |              |
| Aliphatic C9-C28  | Aliphatic C9-C28          | 6.58  | 1    |    | 1.18     | 5.16       | mg/kg   | 11/26/25  | PB170727     |
| Aliphatic C28-C40 | Aliphatic C28-C40         | 9.31  | 1    |    | 1.53     | 2.59       | mg/kg   | 11/26/25  | PB170727     |
| <b>SURROGATES</b> |                           |       |      |    |          |            |         |           |              |
| 3383-33-2         | 1-chlorooctadecane (SURR) | 17.3  |      |    | 40 - 140 | 35%        | SPK: 50 |           |              |
| 84-15-1           | ortho-Terphenyl (SURR)    | 21.1  |      |    | 40 - 140 | 42%        | SPK: 50 |           |              |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-06RE | Acq On:            | 26 Nov 2025 12:31 |
| Client Sample ID: | 4RE        | Operator:          | YP\AJ             |
| Data file:        | FE057043.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 15                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc    | highest_standard | Units |
|---------------------------|--------|--------|----------|---------|------------------|-------|
| Aliphatic C9-C12          | 3.202  | 6.826  | 447084   | 2.612   | 300              | ug/ml |
| Aliphatic C12-C16         | 6.827  | 10.271 | 1001259  | 5.601   | 200              | ug/ml |
| Aliphatic C16-C21         | 10.272 | 13.644 | 3578938  | 19.189  | 300              | ug/ml |
| Aliphatic C21-C28         | 13.645 | 17.314 | 11020630 | 57.171  | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 17210804 | 108.03  | 600              | ug/ml |
| Aliphatic EPH             | 3.202  | 22.241 | 33258715 | 192.604 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.940 | 11.940 | 4418459  | 21.15   |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.378 | 13.378 | 2783437  | 17.28   |                  | ug/ml |
| Aliphatic C9-C28          | 3.202  | 17.314 | 16047911 | 84.573  | 1200             | ug/ml |

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciaccia General Contractors, LLC   | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 5                                   | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-07                            | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 77.7     |
| Sample Wt/Vol:     | 30.02 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Prep Date :     | 11/25/25 |
|                    |                                     | Test:           | EPH_F2   |

| CAS Number | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Datafile | Date Ana. | Prep BatchID |
|------------|-----------|-------|------|----|-----|------------|-------|----------|-----------|--------------|
|------------|-----------|-------|------|----|-----|------------|-------|----------|-----------|--------------|

### TARGETS

|                  |                  |      |  |   |      |      |       |            |               |          |
|------------------|------------------|------|--|---|------|------|-------|------------|---------------|----------|
| Aliphatic C9-C28 | Aliphatic C9-C28 | 10.8 |  | 1 | 1.17 | 5.15 | mg/kg | FE057031.D | 11/26/25 3:48 | PB170727 |
| Total EPH        | Total EPH        | 10.8 |  |   | 1.17 | 5.15 | mg/kg |            |               |          |

\* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | Sciacca General Contractors, LLC    | Date Collected: | 11/17/25 |
| Project:           | 186 Arlington Blvd, North Arlington | Date Received:  | 11/17/25 |
| Client Sample ID:  | 5                                   | SDG No.:        | Q3661    |
| Lab Sample ID:     | Q3661-07                            | Matrix:         | Solid    |
| Analytical Method: | NJEPH                               | % Solid:        | 77.7     |
| Sample Wt/Vol:     | 30.02 g                             | Final Vol:      | 2000 uL  |
| Prep Method :      |                                     | Prep Date       | 11/25/25 |
|                    |                                     | Test:           | EPH_F2   |

| CAS Number        | Parameter                 | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana. | Prep BatchID |
|-------------------|---------------------------|-------|------|----|----------|------------|---------|-----------|--------------|
| <b>TARGETS</b>    |                           |       |      |    |          |            |         |           |              |
| Aliphatic C9-C28  | Aliphatic C9-C28          | 10.8  | 1    |    | 1.17     | 5.15       | mg/kg   | 11/26/25  | PB170727     |
| Aliphatic C28-C40 | Aliphatic C28-C40         | 7.85  | 1    |    | 1.52     | 2.57       | mg/kg   | 11/26/25  | PB170727     |
| <b>SURROGATES</b> |                           |       |      |    |          |            |         |           |              |
| 3383-33-2         | 1-chlorooctadecane (SURR) | 24.1  |      |    | 40 - 140 | 48%        | SPK: 50 |           |              |
| 84-15-1           | ortho-Terphenyl (SURR)    | 29.7  |      |    | 40 - 140 | 59%        | SPK: 50 |           |              |

## Quantitation Report For Aliphatic EPH Range.

|                   |            |                    |                   |
|-------------------|------------|--------------------|-------------------|
| Lab Sample ID:    | Q3661-07   | Acq On:            | 26 Nov 2025 03:48 |
| Client Sample ID: | 5          | Operator:          | YP\AJ             |
| Data file:        | FE057031.D | Misc:              |                   |
| Instrument:       | FID_E      | ALS Vial:          | 22                |
| Dilution Factor:  | 1          | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc    | highest_standard | Units |
|---------------------------|--------|--------|----------|---------|------------------|-------|
| Aliphatic C9-C12          | 3.205  | 6.828  | 326686   | 1.909   | 300              | ug/ml |
| Aliphatic C12-C16         | 6.829  | 10.273 | 934911   | 5.23    | 200              | ug/ml |
| Aliphatic C16-C21         | 10.274 | 13.645 | 14010883 | 75.123  | 300              | ug/ml |
| Aliphatic C21-C28         | 13.646 | 17.314 | 8895838  | 46.148  | 400              | ug/ml |
| Aliphatic C28-C40         | 17.315 | 22.241 | 14582150 | 91.531  | 600              | ug/ml |
| Aliphatic EPH             | 3.205  | 22.241 | 38750468 | 219.941 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 11.943 | 11.943 | 6211432  | 29.73   |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 13.380 | 13.380 | 3891744  | 24.15   |                  | ug/ml |
| Aliphatic C9-C28          | 3.205  | 17.314 | 24168318 | 128.41  | 1200             | ug/ml |

## LAB CHRONICLE

|                 |                                  |                   |                                     |
|-----------------|----------------------------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | Q3661                            | <b>OrderDate:</b> | 11/17/2025 2:41:00 PM               |
| <b>Client:</b>  | Sciacca General Contractors, LLC | <b>Project:</b>   | 186 Arlington Blvd, North Arlington |
| <b>Contact:</b> | Rosanne Scirica                  | <b>Location:</b>  | A11,VOA Lab                         |

| LabID             | ClientID     | Matrix       | Test   | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-------------------|--------------|--------------|--------|--------|-----------------|-----------|-----------|-----------------|
| <b>Q3661-01</b>   | <b>WASTE</b> | <b>SOIL</b>  | TPH GC | 8015D  | <b>11/17/25</b> | 11/20/25  | 11/20/25  | <b>11/17/25</b> |
| <b>Q3661-03</b>   | <b>1</b>     | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |
| <b>Q3661-03RE</b> | <b>1RE</b>   | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |
| <b>Q3661-04</b>   | <b>2</b>     | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |
| <b>Q3661-04RE</b> | <b>2RE</b>   | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |
| <b>Q3661-05</b>   | <b>3</b>     | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |
| <b>Q3661-05RE</b> | <b>3RE</b>   | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |
| <b>Q3661-06</b>   | <b>4</b>     | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |
| <b>Q3661-06RE</b> | <b>4RE</b>   | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |
| <b>Q3661-07</b>   | <b>5</b>     | <b>Solid</b> | EPH_F2 | NJEPH  | <b>11/17/25</b> | 11/25/25  | 11/26/25  | <b>11/17/25</b> |