

Cover Page

Order ID : Q3661

Project ID : 186 Arlington Blvd, North Arlington

Client : Sciacca General Contractors, LLC

Lab Sample Number

Q3661-01
Q3661-02
Q3661-03
Q3661-04
Q3661-05
Q3661-06
Q3661-07

Client Sample Number

WASTE
VOC
1
2
3
4
5

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/1/2025



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

CASE NARRATIVE

Sciacca General Contractors, LLC

Project Name: 186 Arlington Blvd, North Arlington

Project # N/A

Order ID # Q3661

Test Name: VOC-TCLVOA-10,EPH_F2,TPH GC

A. Number of Samples and Date of Receipt:

7 Solid samples were received on 11/17/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOC-TCLVOA-10,EPH_F2,TPH GC. This data package contains results for VOC-TCLVOA-10(8260D),EPH_F2(NJEPH),TPH GC(8015D).

C. Analytical Techniques:

VOC-TCLVOA-10 : The analysis performed on instrument MSVOA_W were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868.The analysis of VOC-TCLVOA-10 was based on method 8260D.

TPH GC : The analysis were performed on instrument FID_F. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 13302.The analysis of TPH GC was based on method 8015D and extraction was done based on method 3541.

EPH_F2 : The analysis were performed on instrument FID_E. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224.The analysis of EPH_F2s was based on method NJEPH and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except following EPH_F2 :

1 [1-chlorooctadecane (SURR)30% ,ortho-Terphenyl (SURR)37%],
1RE [1-chlorooctadecane (SURR)31%, ortho-Terphenyl (SURR)37%],
2 [1-chlorooctadecane (SURR)37%], 2RE [1-chlorooctadecane (SURR)37%],
3 [1-chlorooctadecane (SURR)31, ortho-Terphenyl (SURR)39%],
3RE [1-chlorooctadecane (SURR)31% ,ortho-Terphenyl (SURR)38%],
4 [1-chlorooctadecane (SURR)35%], 4RE [1-chlorooctadecane (SURR)35%] the failure samples in surrogates were reanalyzed to confirm the failure as per method and reported in the data.



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

The Internal Standards Areas were met for all analysis except following VOC-TCLVOA-10 : VOC, VOCRE. Affected sample reanalyzed to confirm results, Original and reanalysis both are reported.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds except following EPH_F2 : The MS {Q3661-07MS} with File ID: FE057032.D recoveries met the requirements for all compounds except for [n-Decane (C10)- 168%] due to matrix interference.

The MSD recoveries met the requirements for all compounds except following EPH_F2 : The MSD {Q3661-07MSD} with File ID: FE057033.D recoveries met the requirements for all compounds except for [n-Decane (C10)- 168%] due to matrix interference.

The RPD recoveries met criteria.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

The soil samples results are based on a dry weight basis.

VOC-TCLVOA-10 : Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3661

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/01/2025