



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q3661
Client: Sciacca General Contractors, LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:				0				
Total Voc :								
Total Concentration:								

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: Sciacca General Contractors, LLC
Project: 186 Arlington Blvd, North Arlington
Client Sample ID: VOC
Lab Sample ID: Q3661-02
Analytical Method: 8260D
Sample Wt/Vol: 5 g

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/17/25
Date Received: 11/17/25
SDG No.: Q3661
Matrix: SOIL
% Solid: 77.8
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	1.50	U	1	1.50	6.40	ug/Kg	11/18/25 14:24	VW111825
74-87-3	Chloromethane	1.50	U	1	1.50	6.40	ug/Kg	11/18/25 14:24	VW111825
75-01-4	Vinyl Chloride	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
74-83-9	Bromomethane	1.40	U	1	1.40	6.40	ug/Kg	11/18/25 14:24	VW111825
75-00-3	Chloroethane	1.60	U	1	1.60	6.40	ug/Kg	11/18/25 14:24	VW111825
75-69-4	Trichlorofluoromethane	1.60	U	1	1.60	6.40	ug/Kg	11/18/25 14:24	VW111825
76-13-1	1,1,2-Trichlorotrifluoroethane	1.40	U	1	1.40	6.40	ug/Kg	11/18/25 14:24	VW111825
75-35-4	1,1-Dichloroethene	1.30	U	1	1.30	6.40	ug/Kg	11/18/25 14:24	VW111825
67-64-1	Acetone	6.10	U	1	6.10	32.1	ug/Kg	11/18/25 14:24	VW111825
75-15-0	Carbon Disulfide	1.40	U	1	1.40	6.40	ug/Kg	11/18/25 14:24	VW111825
1634-04-4	Methyl tert-butyl Ether	0.94	U	1	0.94	6.40	ug/Kg	11/18/25 14:24	VW111825
79-20-9	Methyl Acetate	2.00	U	1	2.00	6.40	ug/Kg	11/18/25 14:24	VW111825
75-09-2	Methylene Chloride	4.50	U	1	4.50	12.9	ug/Kg	11/18/25 14:24	VW111825
156-60-5	trans-1,2-Dichloroethene	1.10	U	1	1.10	6.40	ug/Kg	11/18/25 14:24	VW111825
75-34-3	1,1-Dichloroethane	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
110-82-7	Cyclohexane	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
78-93-3	2-Butanone	8.40	U	1	8.40	32.1	ug/Kg	11/18/25 14:24	VW111825
56-23-5	Carbon Tetrachloride	1.20	U	1	1.20	6.40	ug/Kg	11/18/25 14:24	VW111825
156-59-2	cis-1,2-Dichloroethene	0.96	U	1	0.96	6.40	ug/Kg	11/18/25 14:24	VW111825
74-97-5	Bromochloromethane	1.50	U	1	1.50	6.40	ug/Kg	11/18/25 14:24	VW111825
67-66-3	Chloroform	1.10	U	1	1.10	6.40	ug/Kg	11/18/25 14:24	VW111825
71-55-6	1,1,1-Trichloroethane	1.20	U	1	1.20	6.40	ug/Kg	11/18/25 14:24	VW111825
108-87-2	Methylcyclohexane	1.20	U	1	1.20	6.40	ug/Kg	11/18/25 14:24	VW111825
71-43-2	Benzene	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
107-06-2	1,2-Dichloroethane	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
79-01-6	Trichloroethene	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
78-87-5	1,2-Dichloropropane	1.20	U	1	1.20	6.40	ug/Kg	11/18/25 14:24	VW111825
75-27-4	Bromodichloromethane	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
108-10-1	4-Methyl-2-Pentanone	4.60	U	1	4.60	32.1	ug/Kg	11/18/25 14:24	VW111825
108-88-3	Toluene	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
10061-02-6	t-1,3-Dichloropropene	0.84	U	1	0.84	6.40	ug/Kg	11/18/25 14:24	VW111825
10061-01-5	cis-1,3-Dichloropropene	0.80	U	1	0.80	6.40	ug/Kg	11/18/25 14:24	VW111825
79-00-5	1,1,2-Trichloroethane	1.20	U	1	1.20	6.40	ug/Kg	11/18/25 14:24	VW111825
591-78-6	2-Hexanone	4.70	U	1	4.70	32.1	ug/Kg	11/18/25 14:24	VW111825
124-48-1	Dibromochloromethane	1.10	U	1	1.10	6.40	ug/Kg	11/18/25 14:24	VW111825
106-93-4	1,2-Dibromoethane	1.10	U	1	1.10	6.40	ug/Kg	11/18/25 14:24	VW111825
127-18-4	Tetrachloroethene	1.30	U	1	1.30	6.40	ug/Kg	11/18/25 14:24	VW111825
108-90-7	Chlorobenzene	1.20	U	1	1.20	6.40	ug/Kg	11/18/25 14:24	VW111825
100-41-4	Ethyl Benzene	0.86	U	1	0.86	6.40	ug/Kg	11/18/25 14:24	VW111825
179601-23-1	m/p-Xylenes	1.60	U	1	1.60	12.9	ug/Kg	11/18/25 14:24	VW111825
95-47-6	o-Xylene	1.10	U	1	1.10	6.40	ug/Kg	11/18/25 14:24	VW111825
100-42-5	Styrene	0.91	U	1	0.91	6.40	ug/Kg	11/18/25 14:24	VW111825
75-25-2	Bromoform	1.10	U	1	1.10	6.40	ug/Kg	11/18/25 14:24	VW111825

Report of Analysis

Client: Sciacca General Contractors, LLC
Project: 186 Arlington Blvd, North Arlington
Client Sample ID: VOC
Lab Sample ID: Q3661-02
Analytical Method: 8260D
Sample Wt/Vol: 5 g

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/17/25
Date Received: 11/17/25
SDG No.: Q3661
Matrix: SOIL
% Solid: 77.8
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	1.00	U	1	1.00	6.40	ug/Kg	11/18/25 14:24	VW111825
79-34-5	1,1,2,2-Tetrachloroethane	1.60	U	1	1.60	6.40	ug/Kg	11/18/25 14:24	VW111825
541-73-1	1,3-Dichlorobenzene	2.20	U	1	2.20	6.40	ug/Kg	11/18/25 14:24	VW111825
106-46-7	1,4-Dichlorobenzene	2.00	U	1	2.00	6.40	ug/Kg	11/18/25 14:24	VW111825
95-50-1	1,2-Dichlorobenzene	1.90	U	1	1.90	6.40	ug/Kg	11/18/25 14:24	VW111825
96-12-8	1,2-Dibromo-3-Chloropropane	2.40	U	1	2.40	6.40	ug/Kg	11/18/25 14:24	VW111825
120-82-1	1,2,4-Trichlorobenzene	3.80	U	1	3.80	6.40	ug/Kg	11/18/25 14:24	VW111825
87-61-6	1,2,3-Trichlorobenzene	4.10	U	1	4.10	6.40	ug/Kg	11/18/25 14:24	VW111825
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	38.2			63 - 155	76%	SPK: 50		
1868-53-7	Dibromofluoromethane	36.8			70 - 134	74%	SPK: 50		
2037-26-5	Toluene-d8	37.0			74 - 123	74%	SPK: 50		
460-00-4	4-Bromofluorobenzene	50.6			52 - 138	101%	SPK: 50		
INTERNAL STANDARDS									
363-72-4	Pentafluorobenzene	144000							
540-36-3	1,4-Difluorobenzene	306000							
3114-55-4	Chlorobenzene-d5	293000							
3855-82-1	1,4-Dichlorobenzene-d4	141000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Sciacca General Contractors, LLC
Project: 186 Arlington Blvd, North Arlington
Client Sample ID: VOCRE
Lab Sample ID: Q3661-02RE
Analytical Method: 8260D
Sample Wt/Vol: 5 g

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/17/25
Date Received: 11/17/25
SDG No.: Q3661
Matrix: SOIL
% Solid: 77.8
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	1.50	U	1	1.50	6.40	ug/Kg	11/19/25 13:36	VW111925
74-87-3	Chloromethane	1.50	U	1	1.50	6.40	ug/Kg	11/19/25 13:36	VW111925
75-01-4	Vinyl Chloride	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
74-83-9	Bromomethane	1.40	U	1	1.40	6.40	ug/Kg	11/19/25 13:36	VW111925
75-00-3	Chloroethane	1.60	U	1	1.60	6.40	ug/Kg	11/19/25 13:36	VW111925
75-69-4	Trichlorofluoromethane	1.60	U	1	1.60	6.40	ug/Kg	11/19/25 13:36	VW111925
76-13-1	1,1,2-Trichlorotrifluoroethane	1.40	U	1	1.40	6.40	ug/Kg	11/19/25 13:36	VW111925
75-35-4	1,1-Dichloroethene	1.30	U	1	1.30	6.40	ug/Kg	11/19/25 13:36	VW111925
67-64-1	Acetone	6.10	U	1	6.10	32.1	ug/Kg	11/19/25 13:36	VW111925
75-15-0	Carbon Disulfide	1.40	U	1	1.40	6.40	ug/Kg	11/19/25 13:36	VW111925
1634-04-4	Methyl tert-butyl Ether	0.94	U	1	0.94	6.40	ug/Kg	11/19/25 13:36	VW111925
79-20-9	Methyl Acetate	2.00	U	1	2.00	6.40	ug/Kg	11/19/25 13:36	VW111925
75-09-2	Methylene Chloride	4.50	U	1	4.50	12.9	ug/Kg	11/19/25 13:36	VW111925
156-60-5	trans-1,2-Dichloroethene	1.10	U	1	1.10	6.40	ug/Kg	11/19/25 13:36	VW111925
75-34-3	1,1-Dichloroethane	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
110-82-7	Cyclohexane	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
78-93-3	2-Butanone	8.40	U	1	8.40	32.1	ug/Kg	11/19/25 13:36	VW111925
56-23-5	Carbon Tetrachloride	1.20	U	1	1.20	6.40	ug/Kg	11/19/25 13:36	VW111925
156-59-2	cis-1,2-Dichloroethene	0.96	U	1	0.96	6.40	ug/Kg	11/19/25 13:36	VW111925
74-97-5	Bromochloromethane	1.50	U	1	1.50	6.40	ug/Kg	11/19/25 13:36	VW111925
67-66-3	Chloroform	1.10	U	1	1.10	6.40	ug/Kg	11/19/25 13:36	VW111925
71-55-6	1,1,1-Trichloroethane	1.20	U	1	1.20	6.40	ug/Kg	11/19/25 13:36	VW111925
108-87-2	Methylcyclohexane	1.20	U	1	1.20	6.40	ug/Kg	11/19/25 13:36	VW111925
71-43-2	Benzene	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
107-06-2	1,2-Dichloroethane	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
79-01-6	Trichloroethene	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
78-87-5	1,2-Dichloropropane	1.20	U	1	1.20	6.40	ug/Kg	11/19/25 13:36	VW111925
75-27-4	Bromodichloromethane	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
108-10-1	4-Methyl-2-Pentanone	4.60	U	1	4.60	32.1	ug/Kg	11/19/25 13:36	VW111925
108-88-3	Toluene	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
10061-02-6	t-1,3-Dichloropropene	0.84	U	1	0.84	6.40	ug/Kg	11/19/25 13:36	VW111925
10061-01-5	cis-1,3-Dichloropropene	0.80	U	1	0.80	6.40	ug/Kg	11/19/25 13:36	VW111925
79-00-5	1,1,2-Trichloroethane	1.20	U	1	1.20	6.40	ug/Kg	11/19/25 13:36	VW111925
591-78-6	2-Hexanone	4.70	U	1	4.70	32.1	ug/Kg	11/19/25 13:36	VW111925
124-48-1	Dibromochloromethane	1.10	U	1	1.10	6.40	ug/Kg	11/19/25 13:36	VW111925
106-93-4	1,2-Dibromoethane	1.10	U	1	1.10	6.40	ug/Kg	11/19/25 13:36	VW111925
127-18-4	Tetrachloroethene	1.30	U	1	1.30	6.40	ug/Kg	11/19/25 13:36	VW111925
108-90-7	Chlorobenzene	1.20	U	1	1.20	6.40	ug/Kg	11/19/25 13:36	VW111925
100-41-4	Ethyl Benzene	0.86	U	1	0.86	6.40	ug/Kg	11/19/25 13:36	VW111925
179601-23-1	m/p-Xylenes	1.60	U	1	1.60	12.9	ug/Kg	11/19/25 13:36	VW111925
95-47-6	o-Xylene	1.10	U	1	1.10	6.40	ug/Kg	11/19/25 13:36	VW111925
100-42-5	Styrene	0.91	U	1	0.91	6.40	ug/Kg	11/19/25 13:36	VW111925
75-25-2	Bromoform	1.10	U	1	1.10	6.40	ug/Kg	11/19/25 13:36	VW111925

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	11/17/25
Project:	186 Arlington Blvd, North Arlington	Date Received:	11/17/25
Client Sample ID:	VOCRE	SDG No.:	Q3661
Lab Sample ID:	Q3661-02RE	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	77.8
Sample Wt/Vol:	5 g	Test:	VOC-TCLVOA-10
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	1.00	U	1	1.00	6.40	ug/Kg	11/19/25 13:36	VW111925
79-34-5	1,1,2,2-Tetrachloroethane	1.60	U	1	1.60	6.40	ug/Kg	11/19/25 13:36	VW111925
541-73-1	1,3-Dichlorobenzene	2.20	U	1	2.20	6.40	ug/Kg	11/19/25 13:36	VW111925
106-46-7	1,4-Dichlorobenzene	2.00	U	1	2.00	6.40	ug/Kg	11/19/25 13:36	VW111925
95-50-1	1,2-Dichlorobenzene	1.90	U	1	1.90	6.40	ug/Kg	11/19/25 13:36	VW111925
96-12-8	1,2-Dibromo-3-Chloropropane	2.40	U	1	2.40	6.40	ug/Kg	11/19/25 13:36	VW111925
120-82-1	1,2,4-Trichlorobenzene	3.80	U	1	3.80	6.40	ug/Kg	11/19/25 13:36	VW111925
87-61-6	1,2,3-Trichlorobenzene	4.10	U	1	4.10	6.40	ug/Kg	11/19/25 13:36	VW111925
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	55.5			63 - 155	111%	SPK: 50		
1868-53-7	Dibromofluoromethane	48.5			70 - 134	97%	SPK: 50		
2037-26-5	Toluene-d8	42.6			74 - 123	85%	SPK: 50		
460-00-4	4-Bromofluorobenzene	48.8			52 - 138	98%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	150000							
540-36-3	1,4-Difluorobenzene	333000							
3114-55-4	Chlorobenzene-d5	363000							
3855-82-1	1,4-Dichlorobenzene-d4	159000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3661	OrderDate:	11/17/2025 2:41:00 PM
Client:	Sciacca General Contractors, LLC	Project:	186 Arlington Blvd, North Arlington
Contact:	Rosanne Scirica	Location:	A11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3661-02	VOC	SOIL	VOC-TCLVOA-10	8260D	11/17/25		11/18/25	11/17/25
Q3661-02RE	VOCRE	SOIL	VOC-TCLVOA-10	8260D	11/17/25		11/19/25	11/17/25