

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 11/20/2025 Time : 12:15 Temp : N/A

Matrix : SOIL

End Digest Date: 11/20/2025 Time : 13:45 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1

Filter paper ID : N/A

Prep Technician Signature: RH

Welgh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/20/2025 14:00	RM CWG	RM CWG
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170641BL	PBS641	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3662-05DUP	B1-0.0-1.0-20251117DUP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3662-05	B1-0.0-1.0-20251117	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3678-02	COMPOSITE-STONE	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A