

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#2

Block ID : WC-DIST-BLOCK-1

Weigh By : IZ

Start Digest Date: 11/20/2025 Time : 12:00 Temp : N/A

End Digest Date: 11/20/2025 Time : 13:30 Temp : N/A

Digestion tube ID : M5595

Block Thermometer ID : N/A

Filter paper ID : N/A

Prep Technician Signature: RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP114311
FORMALDEHYDE	2.0ML	W3220
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

11/20/2025 RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170643BL	PBS643	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3662-05DUP	B1-0.0-1.0-20251117DUP	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3662-05	B1-0.0-1.0-20251117	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3678-02	COMPOSITE-STONE	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A