

**metals**  
**- 14 -**  
**ANALYSIS RUN LOG**

**Client:** HDR, Inc.

**Contract:** HDRI08

**Lab code:** ACE

**Sdg no.:** Q3662

**Instrument id number:** \_\_\_\_\_

**Method:** \_\_\_\_\_

**Run number:** LB137970

**Start date:** 11/19/2025

**End date:** 11/20/2025

| Lab sample id. | Client Sample Id    | d/f | Time | Parameter list |
|----------------|---------------------|-----|------|----------------|
| S0             | S0                  | 1   | 1402 | HG             |
| S0.2           | S0.2                | 1   | 1404 | HG             |
| S2.5           | S2.5                | 1   | 1407 | HG             |
| S5             | S5                  | 1   | 1409 | HG             |
| S7.5           | S7.5                | 1   | 1411 | HG             |
| S10            | S10                 | 1   | 1417 | HG             |
| ICV122         | ICV122              | 1   | 1423 | HG             |
| ICB122         | ICB122              | 1   | 1425 | HG             |
| CCV15          | CCV15               | 1   | 1428 | HG             |
| CCB15          | CCB15               | 1   | 1430 | HG             |
| CRA            | CRA                 | 1   | 1432 | HG             |
| PB170634BL     | PB170634BL          | 1   | 1439 | HG             |
| PB170634BS     | PB170634BS          | 1   | 1441 | HG             |
| Q3652-04DUP    | TP-1DUP             | 1   | 1446 | HG             |
| Q3652-04MS     | TP-1MS              | 1   | 1448 | HG             |
| Q3652-04MSD    | TP-1MSD             | 1   | 1450 | HG             |
| CCV16          | CCV16               | 1   | 1455 | HG             |
| CCB16          | CCB16               | 1   | 1457 | HG             |
| Q3662-05       | B1-0.0-1.0-20251117 | 1   | 1504 | HG             |
| CCV17          | CCV17               | 1   | 0742 | HG             |
| CCB17          | CCB17               | 1   | 0745 | HG             |
| PB170600TB     | PB170600TB          | 1   | 0747 | HG             |
| Q3652-04L      | TP-1L               | 5   | 0749 | HG             |
| CCV18          | CCV18               | 1   | 0802 | HG             |
| CCB18          | CCB18               | 1   | 0804 | HG             |

**metals**  
**- 14 -**  
**ANALYSIS RUN LOG**

**Client:** HDR, Inc.

**Contract:** HDRI08

**Lab code:** ACE

**Sdg no.:** Q3662

**Instrument id number:** \_\_\_\_\_

**Method:** \_\_\_\_\_

**Run number:** LB137974

**Start date:** 11/19/2025

**End date:** 11/19/2025

| Lab sample id. | Client Sample Id    | d/f | Time | Parameter list       |
|----------------|---------------------|-----|------|----------------------|
| S0             | S0                  | 1   | 1220 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S1             | S1                  | 1   | 1224 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S2             | S2                  | 1   | 1228 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S3             | S3                  | 1   | 1232 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S4             | S4                  | 1   | 1236 | Ag,As,Ba,Cd,Cr,Pb,Se |
| S5             | S5                  | 1   | 1241 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICV01          | ICV01               | 1   | 1245 | Ag,As,Ba,Cd,Cr,Pb,Se |
| LLICV01        | LLICV01             | 1   | 1249 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICB01          | ICB01               | 1   | 1253 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CRI01          | CRI01               | 1   | 1257 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICSA01         | ICSA01              | 1   | 1302 | Ag,As,Ba,Cd,Cr,Pb,Se |
| ICSAB01        | ICSAB01             | 1   | 1306 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV01          | CCV01               | 1   | 1319 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB01          | CCB01               | 1   | 1323 | Ag,As,Ba,Cd,Cr,Pb,Se |
| PB170626BL     | PB170626BL          | 1   | 1336 | Ag,As,Ba,Cd,Cr,Pb,Se |
| PB170626BS     | PB170626BS          | 1   | 1340 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV02          | CCV02               | 1   | 1456 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB02          | CCB02               | 1   | 1500 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV03          | CCV03               | 1   | 1614 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB03          | CCB03               | 1   | 1618 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q3652-04DUP    | TP-1DUP             | 1   | 1644 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q3652-04L      | TP-1L               | 5   | 1648 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q3652-04MS     | TP-1MS              | 1   | 1652 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q3652-04MSD    | TP-1MSD             | 1   | 1656 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q3652-04A      | TP-1A               | 1   | 1701 | Ba                   |
| CCV04          | CCV04               | 1   | 1705 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB04          | CCB04               | 1   | 1709 | Ag,As,Ba,Cd,Cr,Pb,Se |
| Q3662-05       | B1-0.0-1.0-20251117 | 1   | 1727 | Ag,As,Ba,Cd,Cr,Pb,Se |
| PB170600TB     | PB170600TB          | 1   | 1749 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV05          | CCV05               | 1   | 1807 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB05          | CCB05               | 1   | 1811 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCV06          | CCV06               | 1   | 1835 | Ag,As,Ba,Cd,Cr,Pb,Se |
| CCB06          | CCB06               | 1   | 1842 | Ag,As,Ba,Cd,Cr,Pb,Se |