

Report of Analysis

Client:	PSEG	Date Collected:	11/18/25
Project:	PSEG Camden Gas LPG Replacement	Date Received:	11/18/25
Client Sample ID:	ARS20-0001-E2	SDG No.:	Q3664
Lab Sample ID:	Q3664-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.07 g	Test:	EPH_NF
Prep Method :	Final Vol: 2000 uL Prep Date : 11/19/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	4.99		1	1.18	2.00	mg/kg	FE056939.D	11/19/25 16:40	PB170632
Aliphatic C9-C28	Aliphatic C9-C28	0.91	U	1	0.91	3.99	mg/kg	FE056939.D	11/19/25 16:40	PB170632
Total AliphaticEPH	Total AliphaticEPH	4.99	J		2.09	5.99	mg/kg			
Total EPH	Total EPH	4.99	J		2.09	5.99	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	11/18/25
Project:	PSEG Camden Gas LPG Replacement	Date Received:	11/18/25
Client Sample ID:	ARS20-0001-E2	SDG No.:	Q3664
Lab Sample ID:	Q3664-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.07 g	Final Vol:	2000 uL
Prep Method :		Test:	EPH_NF
		Prep Date	11/19/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	0.000	U	1	0.91	3.99	mg/kg	11/19/25	PB170632
Aliphatic C28-C40	Aliphatic C28-C40	4.99		1	1.18	2.00	mg/kg	11/19/25	PB170632
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	30.9			40 - 140	62%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	36.8			40 - 140	74%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3664-02	Acq On:	19 Nov 2025 16:40
Client Sample ID:	ARS20-0001-E2	Operator:	YP\AJ
Data file:	FE056939.D	Misc:	
Instrument:	FID_E	ALS Vial:	22
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.209	6.832	681638	3.982	300	ug/ml
Aliphatic C12-C16	6.833	10.276	503726	2.818	200	ug/ml
Aliphatic C16-C21	10.277	13.648	613056	3.287	300	ug/ml
Aliphatic C21-C28	13.649	17.318	960237	4.981	400	ug/ml
Aliphatic C28-C40	17.319	22.247	11964008	75.097	600	ug/ml
Aliphatic EPH	3.209	22.247	14722665	90.166		ug/ml
ortho-Terphenyl (SURR)	11.945	11.945	7682985	36.78		ug/ml
1-chlorooctadecane (SURR)	13.383	13.383	4980917	30.91		ug/ml
Aliphatic C9-C28	3.209	17.318	2758657	15.068	1200	ug/ml