

Report of Analysis

Client:	PSEG	Date Collected:	11/18/25
Project:	PSEG Camden Gas LPG Replacement	Date Received:	11/18/25
Client Sample ID:	ARS20-0013RE	SDG No.:	Q3664
Lab Sample ID:	Q3664-03RE	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	100
Sample Wt/Vol:	5.02 g	Test:	VOC-TCLVOA-10
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.0011	U	1	0.0011	0.0050	mg/Kg	11/20/25 11:31	VW112025
74-87-3	Chloromethane	0.0011	U	1	0.0011	0.0050	mg/Kg	11/20/25 11:31	VW112025
75-01-4	Vinyl Chloride	0.00079	U	1	0.00079	0.0050	mg/Kg	11/20/25 11:31	VW112025
74-83-9	Bromomethane	0.0011	U	1	0.0011	0.0050	mg/Kg	11/20/25 11:31	VW112025
75-00-3	Chloroethane	0.0013	U	1	0.0013	0.0050	mg/Kg	11/20/25 11:31	VW112025
75-69-4	Trichlorofluoromethane	0.0012	U	1	0.0012	0.0050	mg/Kg	11/20/25 11:31	VW112025
76-13-1	1,1,2-Trichlorotrifluoroethane	0.0011	U	1	0.0011	0.0050	mg/Kg	11/20/25 11:31	VW112025
75-35-4	1,1-Dichloroethene	0.0010	U	1	0.0010	0.0050	mg/Kg	11/20/25 11:31	VW112025
67-64-1	Acetone	0.0047	U	1	0.0047	0.025	mg/Kg	11/20/25 11:31	VW112025
75-15-0	Carbon Disulfide	0.0011	U	1	0.0011	0.0050	mg/Kg	11/20/25 11:31	VW112025
1634-04-4	Methyl tert-butyl Ether	0.00073	U	1	0.00073	0.0050	mg/Kg	11/20/25 11:31	VW112025
79-20-9	Methyl Acetate	0.0015	U	1	0.0015	0.0050	mg/Kg	11/20/25 11:31	VW112025
75-09-2	Methylene Chloride	0.0035	U	1	0.0035	0.010	mg/Kg	11/20/25 11:31	VW112025
156-60-5	trans-1,2-Dichloroethene	0.00086	U	1	0.00086	0.0050	mg/Kg	11/20/25 11:31	VW112025
75-34-3	1,1-Dichloroethane	0.00080	U	1	0.00080	0.0050	mg/Kg	11/20/25 11:31	VW112025
110-82-7	Cyclohexane	0.00079	U	1	0.00079	0.0050	mg/Kg	11/20/25 11:31	VW112025
78-93-3	2-Butanone	0.0065	U	1	0.0065	0.025	mg/Kg	11/20/25 11:31	VW112025
56-23-5	Carbon Tetrachloride	0.00097	U	1	0.00097	0.0050	mg/Kg	11/20/25 11:31	VW112025
156-59-2	cis-1,2-Dichloroethene	0.00075	U	1	0.00075	0.0050	mg/Kg	11/20/25 11:31	VW112025
74-97-5	Bromochloromethane	0.0011	U	1	0.0011	0.0050	mg/Kg	11/20/25 11:31	VW112025
67-66-3	Chloroform	0.00084	U	1	0.00084	0.0050	mg/Kg	11/20/25 11:31	VW112025
71-55-6	1,1,1-Trichloroethane	0.00093	U	1	0.00093	0.0050	mg/Kg	11/20/25 11:31	VW112025
108-87-2	Methylcyclohexane	0.00091	U	1	0.00091	0.0050	mg/Kg	11/20/25 11:31	VW112025
71-43-2	Benzene	0.00079	U	1	0.00079	0.0050	mg/Kg	11/20/25 11:31	VW112025
107-06-2	1,2-Dichloroethane	0.00079	U	1	0.00079	0.0050	mg/Kg	11/20/25 11:31	VW112025
79-01-6	Trichloroethene	0.00081	U	1	0.00081	0.0050	mg/Kg	11/20/25 11:31	VW112025
78-87-5	1,2-Dichloropropane	0.00091	U	1	0.00091	0.0050	mg/Kg	11/20/25 11:31	VW112025
75-27-4	Bromodichloromethane	0.00078	U	1	0.00078	0.0050	mg/Kg	11/20/25 11:31	VW112025
108-10-1	4-Methyl-2-Pentanone	0.0036	U	1	0.0036	0.025	mg/Kg	11/20/25 11:31	VW112025
108-88-3	Toluene	0.00078	U	1	0.00078	0.0050	mg/Kg	11/20/25 11:31	VW112025
10061-02-6	t-1,3-Dichloropropene	0.00065	U	1	0.00065	0.0050	mg/Kg	11/20/25 11:31	VW112025
10061-01-5	cis-1,3-Dichloropropene	0.00062	U	1	0.00062	0.0050	mg/Kg	11/20/25 11:31	VW112025
79-00-5	1,1,2-Trichloroethane	0.00092	U	1	0.00092	0.0050	mg/Kg	11/20/25 11:31	VW112025
591-78-6	2-Hexanone	0.0037	U	1	0.0037	0.025	mg/Kg	11/20/25 11:31	VW112025
124-48-1	Dibromochloromethane	0.00087	U	1	0.00087	0.0050	mg/Kg	11/20/25 11:31	VW112025
106-93-4	1,2-Dibromoethane	0.00088	U	1	0.00088	0.0050	mg/Kg	11/20/25 11:31	VW112025
127-18-4	Tetrachloroethene	0.0010	U	1	0.0010	0.0050	mg/Kg	11/20/25 11:31	VW112025
108-90-7	Chlorobenzene	0.00091	U	1	0.00091	0.0050	mg/Kg	11/20/25 11:31	VW112025
100-41-4	Ethyl Benzene	0.00067	U	1	0.00067	0.0050	mg/Kg	11/20/25 11:31	VW112025
179601-23-1	m/p-Xylenes	0.0012	U	1	0.0012	0.010	mg/Kg	11/20/25 11:31	VW112025
95-47-6	o-Xylene	0.00082	U	1	0.00082	0.0050	mg/Kg	11/20/25 11:31	VW112025
100-42-5	Styrene	0.00071	U	1	0.00071	0.0050	mg/Kg	11/20/25 11:31	VW112025
75-25-2	Bromoform	0.00086	U	1	0.00086	0.0050	mg/Kg	11/20/25 11:31	VW112025

Report of Analysis

Client:	PSEG	Date Collected:	11/18/25
Project:	PSEG Camden Gas LPG Replacement	Date Received:	11/18/25
Client Sample ID:	ARS20-0013RE	SDG No.:	Q3664
Lab Sample ID:	Q3664-03RE	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	100
Sample Wt/Vol:	5.02 g	Test:	VOC-TCLVOA-10
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	0.00078	U	1	0.00078	0.0050	mg/Kg	11/20/25 11:31	VW112025
79-34-5	1,1,2,2-Tetrachloroethane	0.0012	U	1	0.0012	0.0050	mg/Kg	11/20/25 11:31	VW112025
541-73-1	1,3-Dichlorobenzene	0.0017	U	1	0.0017	0.0050	mg/Kg	11/20/25 11:31	VW112025
106-46-7	1,4-Dichlorobenzene	0.0016	U	1	0.0016	0.0050	mg/Kg	11/20/25 11:31	VW112025
95-50-1	1,2-Dichlorobenzene	0.0014	U	1	0.0014	0.0050	mg/Kg	11/20/25 11:31	VW112025
96-12-8	1,2-Dibromo-3-Chloropropane	0.0018	U	1	0.0018	0.0050	mg/Kg	11/20/25 11:31	VW112025
120-82-1	1,2,4-Trichlorobenzene	0.0030	U	1	0.0030	0.0050	mg/Kg	11/20/25 11:31	VW112025
87-61-6	1,2,3-Trichlorobenzene	0.0032	U	1	0.0032	0.0050	mg/Kg	11/20/25 11:31	VW112025

SURROGATES

17060-07-0	1,2-Dichloroethane-d4	58.7			63 - 155	117%	SPK: 50
1868-53-7	Dibromofluoromethane	26.7	*		70 - 134	53%	SPK: 50
2037-26-5	Toluene-d8	47.1			74 - 123	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.1			52 - 138	106%	SPK: 50

INTERNAL STANDARDS

363-72-4	Pentafluorobenzene	210000
540-36-3	1,4-Difluorobenzene	499000
3114-55-4	Chlorobenzene-d5	536000
3855-82-1	1,4-Dichlorobenzene-d4	252000

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products