

Report of Analysis

Client:	Tetra Tech, EMI		Date Collected:	11/17/25
Project:	R37108		Date Received:	11/19/25
Client Sample ID:	C0AH1DL		SDG No.:	Q3673
Lab Sample ID:	Q3673-06DL		Matrix:	SOIL
Analytical Method:	8082A		% Solid:	84.3
Sample Wt/Vol:	30.02 g	Final Vol: 10000 uL	Test:	PCB
Prep Method:	SW3541B	Prep Date: 11/20/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	202	UD	10	46.8	202	ug/kg	11/21/25 11:47	PB170650
11104-28-2	Aroclor-1221	202	UD	10	47.8	202	ug/kg	11/21/25 11:47	PB170650
11141-16-5	Aroclor-1232	202	UD	10	44.1	202	ug/kg	11/21/25 11:47	PB170650
53469-21-9	Aroclor-1242	202	UD	10	47.5	202	ug/kg	11/21/25 11:47	PB170650
12672-29-6	Aroclor-1248	202	UD	10	70.2	202	ug/kg	11/21/25 11:47	PB170650
11097-69-1	Aroclor-1254	1800	D	10	38.1	202	ug/kg	11/21/25 11:47	PB170650
37324-23-5	Aroclor-1262	202	UD	10	59.5	202	ug/kg	11/21/25 11:47	PB170650
11100-14-4	Aroclor-1268	202	UD	10	42.7	202	ug/kg	11/21/25 11:47	PB170650
11096-82-5	Aroclor-1260	845	D	10	38.3	202	ug/kg	11/21/25 11:47	PB170650
SURROGATES									
877-09-8	Tetrachloro-m-xylene	22.8			21 - 165	114%	SPK: 20		
2051-24-3	Decachlorobiphenyl	39.8	*		10 - 170	199%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit