

Hit Summary Sheet
SW-846

SDG No.: Q3676
Client: Tris Pharma, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	OUTFALL-DSN-001							
Q3676-01	OUTFALL-DSN-00	Water	Acetone	280		4.60	25.0	ug/L
			Total Voc :	280				
			Total Concentration:	280				
Client ID:	OUTFALL-DSN-002							
Q3676-04	OUTFALL-DSN-00	Water	Ethyl Acetate	14.0		1.30	5.00	ug/L
Q3676-04	OUTFALL-DSN-00	Water	Isopropyl Acetate	6.90		1.00	5.00	ug/L
Q3676-04	OUTFALL-DSN-00	Water	Acetone	8100	E	4.60	25.0	ug/L
Q3676-04	OUTFALL-DSN-00	Water	Methylene Chloride	40.2		0.86	5.00	ug/L
			Total Voc :	8160				
			Total Concentration:	8160				
Client ID:	OUTFALL-DSN-002DL							
Q3676-04DL	OUTFALL-DSN-00	Water	Acetone	2800	D	91.8	500	ug/L
			Total Voc :	2800				
			Total Concentration:	2800				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: Tris Pharma, Inc.
Project: Quarterly
Client Sample ID: OUTFALL-DSN-001
Lab Sample ID: Q3676-01
Analytical Method: E624.1
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/18/25
Date Received: 11/19/25
SDG No.: Q3676
Matrix: Water
% Solid: 0
Test: VOCMS Group1

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
141-78-6	Ethyl Acetate	1.30	U	1	1.30	5.00	ug/L	11/20/25 11:42	VN112025
108-21-4	Isopropyl Acetate	1.00	U	1	1.00	5.00	ug/L	11/20/25 11:42	VN112025
67-64-1	Acetone	280		1	4.60	25.0	ug/L	11/20/25 11:42	VN112025
75-09-2	Methylene Chloride	0.86	U	1	0.86	5.00	ug/L	11/20/25 11:42	VN112025
628-63-7	n-amyl Acetate	0.81	U	1	0.81	5.00	ug/L	11/20/25 11:42	VN112025
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	28.9			91 - 110	96%	SPK: 30		
2037-26-5	Toluene-d8	29.7			91 - 112	99%	SPK: 30		
460-00-4	4-Bromofluorobenzene	24.3			63 - 112	81%	SPK: 30		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	41400							
540-36-3	1,4-Difluorobenzene	201000							
3114-55-4	Chlorobenzene-d5	178000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Tris Pharma, Inc.
Project: Quarterly
Client Sample ID: OUTFALL-DSN-002
Lab Sample ID: Q3676-04
Analytical Method: E624.1
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/18/25
Date Received: 11/19/25
SDG No.: Q3676
Matrix: Water
% Solid: 0
Test: VOCMS Group1

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
141-78-6	Ethyl Acetate	14.0		1	1.30	5.00	ug/L	11/20/25 12:02	VN112025
108-21-4	Isopropyl Acetate	6.90		1	1.00	5.00	ug/L	11/20/25 12:02	VN112025
67-64-1	Acetone	8100	E	1	4.60	25.0	ug/L	11/20/25 12:02	VN112025
75-09-2	Methylene Chloride	40.2		1	0.86	5.00	ug/L	11/20/25 12:02	VN112025
628-63-7	n-amyl Acetate	0.81	U	1	0.81	5.00	ug/L	11/20/25 12:02	VN112025
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	32.0			91 - 110	107%	SPK: 30		
2037-26-5	Toluene-d8	29.4			91 - 112	98%	SPK: 30		
460-00-4	4-Bromofluorobenzene	24.6			63 - 112	82%	SPK: 30		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	19000							
540-36-3	1,4-Difluorobenzene	97700							
3114-55-4	Chlorobenzene-d5	86300							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Tris Pharma, Inc.
Project: Quarterly
Client Sample ID: OUTFALL-DSN-002DL
Lab Sample ID: Q3676-04DL
Analytical Method: E624.1
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/18/25
Date Received: 11/19/25
SDG No.: Q3676
Matrix: Water
% Solid: 0
Test: VOCMS Group1

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
141-78-6	Ethyl Acetate	26.6	UD	20	26.6	100	ug/L	11/20/25 14:28	VN112025
108-21-4	Isopropyl Acetate	20.4	UD	20	20.4	100	ug/L	11/20/25 14:28	VN112025
67-64-1	Acetone	2800	D	20	91.8	500	ug/L	11/20/25 14:28	VN112025
75-09-2	Methylene Chloride	17.2	UD	20	17.2	100	ug/L	11/20/25 14:28	VN112025
628-63-7	n-amyl Acetate	16.2	UD	20	16.2	100	ug/L	11/20/25 14:28	VN112025
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	28.7			91 - 110	96%	SPK: 30		
2037-26-5	Toluene-d8	29.8			91 - 112	99%	SPK: 30		
460-00-4	4-Bromofluorobenzene	26.4			63 - 112	88%	SPK: 30		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	49700							
540-36-3	1,4-Difluorobenzene	256000							
3114-55-4	Chlorobenzene-d5	221000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3676	OrderDate:	11/19/2025 11:31:00 AM
Client:	Tris Pharma, Inc.	Project:	Quarterly
Contact:	Nichole Nikki Ferrari	Location:	E11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3676-01	OUTFALL-DSN-001	Water	VOCMS Group1	624.1	11/18/25		11/20/25	11/19/25
Q3676-04	OUTFALL-DSN-002	Water	VOCMS Group1	624.1	11/18/25		11/20/25	11/19/25
Q3676-04DL	OUTFALL-DSN-002DL	Water	VOCMS Group1	624.1	11/18/25		11/20/25	11/19/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.:	Q3676	Order ID:	Q3676
Client:	Tris Pharma, Inc.	Project ID:	Quarterly

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : OUTFALL-DSN-001								
Q3676-01	OUTFALL-DSN-001	Water	Copper	84.5		1.89	10.0	ug/L
Q3676-01	OUTFALL-DSN-001	Water	Zinc	27.4		2.00	20.0	ug/L
Client ID : OUTFALL-DSN-002								
Q3676-04	OUTFALL-DSN-002	Water	Copper	491		1.89	10.0	ug/L
Q3676-04	OUTFALL-DSN-002	Water	Zinc	858		2.00	20.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Tris Pharma, Inc.	Date Collected:	11/18/25
Project:	Quarterly	Date Received:	11/19/25
Client Sample ID:	OUTFALL-DSN-001	SDG No.:	Q3676
Lab Sample ID:	Q3676-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	84.5		1	1.89	10.0	ug/L	11/20/25 10:20	11/21/25 15:09	EPA 200.7	M200.7
7440-66-6	Zinc	27.4	*	1	2.00	20.0	ug/L	11/20/25 10:20	11/21/25 15:09	EPA 200.7	M200.7

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tris Pharma, Inc.	Date Collected:	11/18/25
Project:	Quarterly	Date Received:	11/19/25
Client Sample ID:	OUTFALL-DSN-002	SDG No.:	Q3676
Lab Sample ID:	Q3676-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	491		1	1.89	10.0	ug/L	11/20/25 10:20	11/21/25 15:34	EPA 200.7	M200.7
7440-66-6	Zinc	858	*	1	2.00	20.0	ug/L	11/20/25 10:20	11/21/25 15:34	EPA 200.7	M200.7

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3676	OrderDate:	11/19/2025 11:31:00 AM
Client:	Tris Pharma, Inc.	Project:	Quarterly
Contact:	Nichole Nikki Ferrari	Location:	E11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3676-01	OUTFALL-DSN-001	Water	Metals Group3	200.7	11/18/25	11/20/25	11/21/25	11/19/25
Q3676-04	OUTFALL-DSN-002	Water	Metals Group3	200.7	11/18/25	11/20/25	11/21/25	11/19/25



SAMPLE DATA

A

B

C

Report of Analysis

Client:	Tris Pharma, Inc.	Date Collected:	11/18/25 09:36
Project:	Quarterly	Date Received:	11/19/25
Client Sample ID:	OUTFALL-DSN-001	SDG No.:	Q3676
Lab Sample ID:	Q3676-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	98.3		1	0.20	2.00	mg/L		11/19/25 15:45	SM 5210 B-16
COD	26.9		1	1.50	10.0	mg/L		11/25/25 13:47	SM 5220 D-11
Non-Polar Material	3.00	J	1	0.29	5.00	mg/L		11/20/25 11:35	1664A
TSS	110		1	1.00	4.00	mg/L		11/21/25 15:30	SM 2540 D-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client: Tris Pharma, Inc.
Project: Quarterly
Client Sample ID: OUTFALL-DSN-002
Lab Sample ID: Q3676-04

Date Collected: 11/18/25 11:04
Date Received: 11/19/25
SDG No.: Q3676
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	1520		1	0.20	2.00	mg/L		11/19/25 15:45	SM 5210 B-16
COD	24000	D	200	300	2000	mg/L		11/25/25 13:49	SM 5220 D-11
Non-Polar Material	8.80		1	0.29	5.00	mg/L		11/20/25 11:35	1664A
TSS	2890		1	1.00	4.00	mg/L		11/21/25 15:30	SM 2540 D-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3676	OrderDate:	11/19/2025 11:31:00 AM
Client:	Tris Pharma, Inc.	Project:	Quarterly
Contact:	Nichole Nikki Ferrari	Location:	E11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3676-01	OUTFALL-DSN-001	WATER			11/18/25 09:36			11/19/25
			BOD5	SM5210 B			11/19/25 15:45	
			COD	SM5220 D			11/25/25 13:47	
			Non-Polar Material	1664A			11/20/25 11:35	
			TSS	SM2540 D			11/21/25 15:30	
Q3676-04	OUTFALL-DSN-002	WATER			11/18/25 11:04			11/19/25
			BOD5	SM5210 B			11/19/25 15:45	
			COD	SM5220 D			11/25/25 13:49	
			TSS	SM2540 D			11/21/25 15:30	
			Non-Polar Material	1664A			11/20/25 11:35	