

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
 Data File : VU063781.D
 Acq On : 24 Nov 2025 16:39
 Operator : MD/SY
 Sample : Q3688-16
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 WS-14

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M

Title : VOC Analysis

Signal : TIC: VU063781.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.586	85	92	105	rBV	172533	180267	13.91%	1.883%
2	1.894	180	188	205	rVB	134269	171560	13.24%	1.792%
3	2.541	378	389	404	rBV	264084	436841	33.72%	4.563%
4	2.743	445	452	470	rVB4	7612	16907	1.30%	0.177%
5	3.013	531	536	548	rVB4	1929	3024	0.23%	0.032%
6	3.161	566	582	600	rBV2	21250	49439	3.82%	0.516%
7	3.338	630	637	649	rVB7	1483	2555	0.20%	0.027%
8	3.390	649	653	658	rBV2	362	357	0.03%	0.004%
9	3.422	658	663	669	rBV2	225	297	0.02%	0.003%
10	3.505	686	689	691	rBV2	258	177	0.01%	0.002%
11	3.672	737	741	745	rBV2	151	168	0.01%	0.002%
12	3.811	783	784	785	rBV2	87	26	0.00%	0.000%
13	3.830	785	790	792	rVV2	382	277	0.02%	0.003%
14	3.843	792	794	796	rVV2	286	163	0.01%	0.002%
15	3.936	820	823	825	rBV	160	100	0.01%	0.001%
16	4.033	850	853	859	rBV	213	244	0.02%	0.003%
17	4.071	863	865	867	rVB2	209	78	0.01%	0.001%
18	4.087	867	870	873	rBV	236	149	0.01%	0.002%
19	4.303	934	937	942	rBV	296	250	0.02%	0.003%
20	4.357	950	954	957	rBV2	165	133	0.01%	0.001%
21	4.377	957	960	968	rVB2	237	301	0.02%	0.003%
22	4.412	969	971	972	rBV2	250	87	0.01%	0.001%
23	4.467	981	988	993	rBV2	434	562	0.04%	0.006%
24	4.541	1008	1011	1014	rBV2	186	132	0.01%	0.001%
25	4.599	1019	1029	1065	rBV	85379	255116	19.69%	2.665%
26	5.029	1147	1163	1197	rBV	222442	519988	40.13%	5.432%
27	5.434	1280	1289	1297	rBV4	468	783	0.06%	0.008%
28	5.467	1297	1299	1300	rBV	264	110	0.01%	0.001%
29	5.508	1307	1312	1314	rBV	452	416	0.03%	0.004%
30	5.602	1338	1341	1343	rBV2	155	122	0.01%	0.001%
31	5.627	1347	1349	1350	rBV	244	81	0.01%	0.001%
32	5.695	1350	1370	1428	rVV2	434659	1295658	100.00%	13.534%
33	6.016	1466	1470	1471	rBV2	836	482	0.04%	0.005%
34	6.113	1498	1500	1505	rVB2	473	338	0.03%	0.004%
35	6.135	1505	1507	1508	rBV	304	110	0.01%	0.001%
36	6.219	1520	1533	1570	rBV	349769	731874	56.49%	7.645%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
 Data File : VU063781.D
 Acq On : 24 Nov 2025 16:39
 Operator : MD/SY
 Sample : Q3688-16
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 WS-14

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
 Title : VOC Analysis

37	6.508	1614	1623	1640	rVB6	6261	14555	1.12%	0.152%
38	6.663	1656	1671	1701	rBV	269751	568484	43.88%	5.938%
39	6.872	1734	1736	1739	rBV3	368	242	0.02%	0.003%
40	6.910	1744	1748	1755	rVB4	425	566	0.04%	0.006%
41	6.946	1755	1759	1764	rBV2	358	414	0.03%	0.004%
42	7.007	1776	1778	1781	rVB2	280	120	0.01%	0.001%
43	7.042	1787	1789	1791	rBV	210	72	0.01%	0.001%
44	7.097	1804	1806	1807	rBV	137	46	0.00%	0.000%
45	7.177	1828	1831	1833	rBV2	299	182	0.01%	0.002%
46	7.229	1845	1847	1852	rBV2	445	304	0.02%	0.003%
47	7.312	1868	1873	1877	rBV2	378	399	0.03%	0.004%
48	7.360	1884	1888	1889	rBV	229	147	0.01%	0.002%
49	7.483	1923	1926	1927	rBV2	225	125	0.01%	0.001%
50	7.537	1931	1943	1966	rBV	124459	239187	18.46%	2.498%
51	7.872	2034	2047	2074	rBV	553855	1028911	79.41%	10.748%
52	8.155	2125	2135	2157	rBV	76734	142381	10.99%	1.487%
53	8.344	2190	2194	2195	rBV	161	113	0.01%	0.001%
54	8.360	2196	2199	2201	rVV	303	196	0.02%	0.002%
55	8.409	2210	2214	2216	rBV2	304	218	0.02%	0.002%
56	8.431	2219	2221	2224	rVV2	235	107	0.01%	0.001%
57	8.454	2224	2228	2231	rVV	231	201	0.02%	0.002%
58	8.528	2244	2251	2258	rBV4	1454	1902	0.15%	0.020%
59	8.614	2267	2278	2322	rBV2	199187	551751	42.58%	5.763%
60	8.942	2378	2380	2381	rBV	281	118	0.01%	0.001%
61	9.055	2413	2415	2417	rBV	296	161	0.01%	0.002%
62	9.093	2425	2427	2430	rVB2	263	87	0.01%	0.001%
63	9.196	2457	2459	2461	rBV2	150	85	0.01%	0.001%
64	9.302	2490	2492	2497	rBB	154	99	0.01%	0.001%
65	9.393	2507	2520	2561	rBV	514470	934562	72.13%	9.762%
66	9.614	2586	2589	2594	rBV2	412	412	0.03%	0.004%
67	9.724	2619	2623	2625	rBV	318	212	0.02%	0.002%
68	9.769	2633	2637	2638	rBV	280	175	0.01%	0.002%
69	9.827	2653	2655	2658	rBV	189	67	0.01%	0.001%
70	10.013	2709	2713	2716	rBV2	258	249	0.02%	0.003%
71	10.254	2784	2788	2792	rBV2	338	318	0.02%	0.003%
72	10.598	2888	2895	2898	rBV2	379	537	0.04%	0.006%
73	10.730	2922	2936	2956	rBV	384102	632414	48.81%	6.606%
74	10.936	2998	3000	3003	rVB	325	147	0.01%	0.002%
75	11.418	3146	3150	3153	rBV2	295	281	0.02%	0.003%
76	11.454	3154	3161	3170	rVB5	1484	2524	0.19%	0.026%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063781.D
Acq On : 24 Nov 2025 16:39
Operator : MD/SY
Sample : Q3688-16
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
WS-14

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Title : VOC Analysis

77	11.489	3170	3172	3174	rBV	196	123	0.01%	0.001%
78	11.727	3240	3246	3253	rBV4	1661	2502	0.19%	0.026%
79	11.788	3253	3265	3292	rBV	520385	884793	68.29%	9.242%
80	12.167	3370	3383	3406	rBV	521972	889139	68.62%	9.288%
81	13.267	3721	3725	3728	rBV2	456	472	0.04%	0.005%
82	13.460	3781	3785	3788	rBV3	352	359	0.03%	0.004%
83	13.830	3894	3900	3911	rVB5	2150	3776	0.29%	0.039%




Sum of corrected areas: 9573407

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063781.D
Acq On : 24 Nov 2025 16:39
Operator : MD/SY
Sample : Q3688-16
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
WS-14

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063781.D
Acq On : 24 Nov 2025 16:39
Operator : MD/SY
Sample : Q3688-16
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
WS-14

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112425\
Data File : VU063781.D
Acq On : 24 Nov 2025 16:39
Operator : MD/SY
Sample : Q3688-16
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
WS-14

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM111725WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
