

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120125\
 Data File : BN038247.D
 Acq On : 02 Dec 2025 04:08
 Operator : RC/JU
 Sample : Q3692-03
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RW5-SP303-20251118

Quant Time: Dec 02 04:35:14 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 28 21:04:10 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.768	152	8471	0.400	ng	0.00
7) Naphthalene-d8	10.562	136	24467	0.400	ng	#-0.01
13) Acenaphthene-d10	14.430	164	11133	0.400	ng	0.00
19) Phenanthrene-d10	17.173	188	17137	0.400	ng	#-0.01
29) Chrysene-d12	21.366	240	13919	0.400	ng	0.00
35) Perylene-d12	23.671	264	14663	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.341	112	3110	0.157	ng	0.00
5) Phenol-d6	6.930	99	2084	0.084	ng	0.00
8) Nitrobenzene-d5	8.918	82	6829	0.349	ng	0.00
11) 2-Methylnaphthalene-d10	12.162	152	10619	0.306	ng	0.00
14) 2,4,6-Tribromophenol	15.920	330	1388	0.396	ng	-0.01
15) 2-Fluorobiphenyl	13.040	172	16634	0.387	ng	-0.01
27) Fluoranthene-d10	19.215	212	16582	0.446	ng	0.00
31) Terphenyl-d14	19.815	244	12878	0.401	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.286	149	3405	0.132	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120125\
Data File : BN038247.D
Acq On : 02 Dec 2025 04:08
Operator : RC/JU
Sample : Q3692-03
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RW5-SP303-20251118


Quant Time: Dec 02 04:35:14 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 28 21:04:10 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.768 min Scan# 649
Delta R.T. -0.000 min
Lab File: BN038247.D
Acq: 02 Dec 2025 04:08

Instrument :
BNA_N
ClientSampleId :
RW5-SP303-20251118







Tgt Ion:152 Resp: 8471
Ion Ratio Lower Upper
152 100
150 151.4 125.3 187.9
115 58.6 49.0 73.4



#4
2-Fluorophenol
Concen: 0.157 ng
RT: 5.341 min Scan# 313
Delta R.T. 0.000 min
Lab File: BN038247.D
Acq: 02 Dec 2025 04:08

Tgt Ion:112 Resp: 3110
Ion Ratio Lower Upper
112 100
64 56.3 45.0 67.4
63 29.3 23.2 34.8









#5
Phenol-d6
Concen: 0.084 ng
RT: 6.930 min Scan# 531
Delta R.T. -0.007 min
Lab File: BN038247.D
Acq: 02 Dec 2025 04:08




Instrument :
BNA_N
ClientSampleId :
RW5-SP303-20251118


Tgt Ion: 99 Resp: 2084
Ion Ratio Lower Upper
99 100
42 29.8 17.0 25.6#
71 38.5 25.4 38.2#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.562 min Scan# 935
Delta R.T. -0.011 min
Lab File: BN038247.D
Acq: 02 Dec 2025 04:08

Tgt Ion: 136 Resp: 24467
Ion Ratio Lower Upper
136 100
137 11.5 8.9 13.3
54 9.5 5.4 8.0#
68 7.0 4.1 6.1#









#8
 Nitrobenzene-d5
 Concen: 0.349 ng
 RT: 8.918 min Scan# 781
 Delta R.T. 0.000 min
 Lab File: BN038247.D
 Acq: 02 Dec 2025 04:08




Instrument :
 BNA_N
 ClientSampleId :
 RW5-SP303-20251118


Tgt Ion:	82	Resp:	6829
Ion	Ratio	Lower	Upper
82	100		
128	44.4	32.6	48.8
54	54.2	45.4	68.0



#11
 2-Methylnaphthalene-d10
 Concen: 0.306 ng
 RT: 12.162 min Scan# 1152
 Delta R.T. -0.005 min
 Lab File: BN038247.D
 Acq: 02 Dec 2025 04:08

Tgt Ion:	152	Resp:	10619
Ion	Ratio	Lower	Upper
152	100		
151	20.9	16.7	25.1





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.430 min Scan# 14

Delta R.T. 0.000 min

Lab File: BN038247.D

Acq: 02 Dec 2025 04:08

Instrument :

BNA_N

ClientSampleId :

RW5-SP303-20251118





Tgt Ion:164 Resp: 11133

Ion Ratio Lower Upper

164 100

162 101.8 83.8 125.8

160 50.4 41.6 62.4



#14

2,4,6-Tribromophenol

Concen: 0.396 ng

RT: 15.920 min Scan# 1586

Delta R.T. -0.012 min

Lab File: BN038247.D

Acq: 02 Dec 2025 04:08




Tgt Ion:330 Resp: 1388


Ion Ratio Lower Upper

330 100

332 94.3 77.8 116.6

141 41.5 33.0 49.4





#15

2-Fluorobiphenyl

Concen: 0.387 ng

RT: 13.040 min Scan# 1323

Delta R.T. -0.011 min

Lab File: BN038247.D

Acq: 02 Dec 2025 04:08

Instrument :

BNA_N

ClientSampleId :

RW5-SP303-20251118





Tgt Ion:172 Resp: 16634

Ion Ratio Lower Upper

172 100

171 36.2 28.1 42.1

170 24.5 19.1 28.7



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.173 min Scan# 1687

Delta R.T. -0.012 min

Lab File: BN038247.D

Acq: 02 Dec 2025 04:08




Tgt Ion:188 Resp: 17137


Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 15.0 7.7 11.5#









#27
Fluoranthene-d10
Concen: 0.446 ng
RT: 19.215 min Scan# 1946
Delta R.T. 0.000 min
Lab File: BN038247.D
Acq: 02 Dec 2025 04:08




Instrument :
BNA_N
ClientSampleId :
RW5-SP303-20251118


Tgt Ion:	212	Resp:	16582
Ion Ratio	Lower	Upper	
212	100		
106	16.4	12.7	19.1
104	9.4	7.3	10.9



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.366 min Scan# 2268
Delta R.T. 0.000 min
Lab File: BN038247.D
Acq: 02 Dec 2025 04:08

Tgt Ion:	240	Resp:	13919
Ion Ratio	Lower	Upper	
240	100		
120	19.7	18.1	27.1
236	29.6	24.2	36.4









#31
 Terphenyl-d14
 Concen: 0.401 ng
 RT: 19.815 min Scan# 2076
 Delta R.T. -0.005 min
 Lab File: BN038247.D
 Acq: 02 Dec 2025 04:08




Instrument :
 BNA_N
 ClientSampleId :
 RW5-SP303-20251118


Tgt Ion:244 Resp: 12878
 Ion Ratio Lower Upper
 244 100
 212 9.6 7.7 11.5
 122 18.6 13.6 20.4



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.132 ng
 RT: 21.286 min Scan# 2259
 Delta R.T. 0.000 min
 Lab File: BN038247.D
 Acq: 02 Dec 2025 04:08

Tgt Ion:149 Resp: 3405
 Ion Ratio Lower Upper
 149 100
 167 24.6 20.7 31.1
 279 3.6 2.5 3.7





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.671 min Scan# 2820
Delta R.T. -0.009 min
Lab File: BN038247.D
Acq: 02 Dec 2025 04:08

Instrument :
BNA_N
ClientSampleId :
RW5-SP303-20251118

Tgt Ion:264 Resp: 14663

Ion	Ratio	Lower	Upper
264	100		
260	27.5	21.7	32.5
265	97.3	98.0	147.0#

