

Client Contact Information				Bottle Order ID : B2511028				Courier : F Galdun				<u>1</u> of <u>7</u> COCs			
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
Site Details: 90-73 SURPHIN BLVD, JAMAICA, NY															
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10 business days OR				EDD Type : PDF							
Zip Code : 07034				Rush (Specify): 7 Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SVI	11/19/25	10:19	12:19	21.5	3.5	55	55	-30	-4.7	10617	10329	6 L	50	VL043135.D	1		1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15)

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings 0.0

Sampling site (State):

Quick Connector required : No

Canisters Shipped by:	Date/Time: 11/14/25	Canisters Received by: CR	Date/Time: 11/20/25 12:07
Samples Relinquished by:	Date/Time: 11/20/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2511028 - 4

Client Contact Information				Bottle Order ID : B2511028				Courier : <u>FGaldun</u>				<u>2</u> of <u>7</u> COCs			
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : <u>Frank Galdun</u>				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: <u>90-73 SURPAINO BLVD JAMAICA, NY</u>											
				Analysis Turnaround Time : <u>7</u>				Data Package Type : <u>RESULTS ONLY</u>							
				Standard : <u>10 business days</u> OR				EDD Type : <u>PDF</u>							
Rush (Specify): <u>7</u> Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IA1	11/14/25	10:20	12:20	30	5.5	55	55	-29	-4.3	10479	10598	6 L	50	VL043135.D	1	1	

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15) SJD
	Ambient	Maximum	Minimum		
Start					
Stop					

Pressure (Inches of Hg)					** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings 0.0

Sampling site (State):

Quick Connector required : <u>No</u>			
Canisters Shipped by: <u>SJD</u>	Date/Time: <u>11/14/25</u>	Canisters Received by: <u>cl</u>	Date/Time: <u>11/20/25 1207</u>
Samples Relinquished by: <u>FGaldun</u>	Date/Time: <u>11/20/25</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2511028 - 8

Client Contact Information				Bottle Order ID : B2511028				Courier : <u>FGALDUN</u>				<u>3</u> of <u>7</u> COCs																			
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis				Matrix																			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 646-542-3465																											
				Fax Number : 973-334-1692																											
City : Lake Hiawatha				Site Details: <u>90-73 SUTHERLAND BLD.</u> <u>JAMAICA, NJ</u>																											
State : NJ				Analysis Turnaround Time <u>7</u>																											
Zip Code : 07034				Standard : 10 business days OR				Data Package Type : <u>RESULTS ONLY</u>																							
Country :				Rush (Specify): <u>7</u> Days				EDD Type : <u>PDE</u>																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID																	
<u>SU2</u>	<u>11/18/25</u>	<u>10:44</u>	<u>12:44</u>	<u>OVER 30</u>	<u>9.9</u>	<u>55</u>	<u>55</u>	<u>-29</u>	<u>-5.5</u>	<u>10226</u>	<u>10439</u>	<u>6 L</u>	<u>50</u>	<u>VL043135.D</u>	<u>TO-15</u>				<u>Indoor/Ambient Air</u> <u>Soil Gas</u>												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <u>Sgt</u>									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY THOSE ANALYTICS ON THE ATTACHED LIST</u> Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																															
Sampling site (State):																															
Quick Connector required : <u>No</u>																															
Canisters Shipped by: <u>SGM</u>				Date/Time: <u>11/14/25</u>				Canisters Received by: <u>ch</u>				Date/Time: <u>11/20/25 12:07</u>																			
Samples Relinquished by: <u>FRANK</u>				Date/Time: <u>11/20/25</u>				Received by:				Date/Time:																			
Relinquished by:				Date/Time:				Received by:				Date/Time:																			

Client Contact Information				Bottle Order ID : B2511028				Courier : <u>FGALDUN</u>				<u>4</u> of <u>7</u> COCs					
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: <u>90-73 SUTPHAIN BVD. JAMAICA, NY</u>													
City : Lake Hiawatha				Analysis Turnaround Time <u>7 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>									
State : NJ				Standard : 10 business days OR													
Zip Code : 07034				Rush (Specify): <u>7</u> Days				EDD Type : <u>PDF</u>									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	<u>TO-15</u>	<u>Indoor/Ambient Air</u>	<u>Soil Gas</u>
<u>IAZ</u>	<u>11/19/25</u>	<u>10:42</u>	<u>12:42</u>	<u>6</u>	<u>55</u>	<u>55</u>	<u>-30</u>	<u>-5.1</u>	<u>10218</u>	<u>10445</u>	<u>6 L</u>	<u>50</u>	<u>VL043135.D</u>				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>[Signature]</u>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</u> Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <u>No</u>																	
Canisters Shipped by: <u>[Signature]</u>				Date/Time: <u>11/14/25</u>				Canisters Received by: <u>CR</u>				Date/Time: <u>11/20/25 12:07</u>				B2511028 - 7	
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>11/20/25</u>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				5 of 7 COCs				
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix		
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
				Site Details: 90-73 SUTPHIN BLVD JAMAICA NY												
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY								
State : NJ				Standard : 10 Business days OR												
Zip Code : 07034				Rush (Specify): 7 Days				EDD Type : PDF								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air Soil Gas
SV3	11/18/25	10:57	12:57	30	5.5	5.5	5.5	-29.5	-5.5	10585	10334	6 L	50	VL043135.D		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings:																
Sampling site (State):																
Quick Connector required : No																
Canisters Shipped by: FRANK				Date/Time: 11/14/25				Canisters Received by: CP				Date/Time: 11/20/25 1207				B2511028 - 5
Samples Relinquished by: FRANK				Date/Time: 11/20/25				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information				Bottle Order ID : B2511028				Courier : F Galdun				<u>6</u> of <u>7</u> COCs																	
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 90-73 SUTRAIN BLVD Jamaica, NY																									
Analysis Turnaround Time 7 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY																					
Rush (Specify): <u>7</u> Days				EDD Type : PDE																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas												
IA3	11/19/25							-30	-2.2	10547	10053	6 L	50	VL043135.D	1	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : No																													
Canisters Shipped by: Sam				Date/Time: 11/14/24				Canisters Received by: CR				Date/Time: 11/20/25 1207				B2511028 - 1													
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2511028				Courier : F Galdun				<u>2</u> of <u>7</u> COCs																
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK Galdun				Analysis		Matrix														
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: 90-73 Sutphin Blvd. Jamaica, NY																								
Analysis Turnaround Time 7 DAY				Standard : 10-business days OR				Data Package Type : RESULTS ONLY																				
Rush (Specify): 7 Days				EDD Type : PDE																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
OA1	11/19/25	10:25	12:25	30	0	55	55	-30	-2.2	10625	10602	6 L	50	VL043135.D	1	1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium Low PID Readings:																												
Sampling site (State):																												
Quick Connector required : No																												
Canisters Shipped by: Sam				Date/Time: 11/19/25				Canisters Received by: ck				Date/Time: 11/20/25 1207																
Samples Relinquished by: Frank				Date/Time: 11/20/27				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech Location: 284 Sheffield Street, Mountinside, NJ 7092
~~QA/QC~~ Title: Sample Custodian
 Field Sample Seal No. Q3696 Date Broken 11/13/2025 Military Time Seal Broken: 12:07:00
 Case No.: 90-73 Sutphin Blvd Jamaica Analytical Parameter/Fraction MOCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3696-01	SV1		
Q3696-02	IA1		
Q3696-03	SV2		
Q3696-04	IA2		
Q3696-05	SV3		
Q3696-06	IA3		
Q3696-07	OA1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
11/20	1410	Signature  Printed Name <u>PAIGE W.</u>	Signature  Printed Name <u>Seamus M. Gustafson</u>	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A7 55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
11/11/05	Q3650-04	10275	13.0	-3.5				sq
11/14/05	Q3650-05	10198	12.2	-5.1				
	Q3650-06	10197	12.8	-3.9				
	Q3651-01	10281	12.0	-5.5				
	Q3651-02	10606	12.8	-3.9				
	Q3651-03	10331	12.6	-4.3				
	Q3651-04	10320	12.4	-4.7				
	Q3651-05	10315	12.8	-3.9				
	Q3651-06	10280	12.8	-3.9				
11/11/05	Q3655-01	10669	9.8	-10.0				sq
	Q3655-02	10795	9.2	-11.2				
	Q3655-03	10800	10.0	-9.6				
	Q3655-04	10656	9.4	-10.8				
	Q3655-05	10120	9.6	-10.4				
	Q3655-06	10679	9.8	-10.0				
11/20/05	Q3626-12	10473	1.0		30.0		30x	sq
11/20/05	Q3696-01	10329	12.4	-4.7				sq
	Q3696-02	10598	12.6	-4.3				
	Q3696-03	10439	12.0	-5.5				
	Q3696-04	10445	12.2	-5.1				
	Q3696-05	10334	12.0	-5.5				↑

Analyst Signature: [Signature]

Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A255971

Page 42

Order ID : Q3696

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
11/21/2025	B2511028	Q3696-01	-4.7	10329	6 L	10617		C2510004	VL043135.D Seq :VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
11/21/2025	B2511028	Q3696-05	-5.5	10334	6 L	10585		C2510004	VL043135.D Seq :VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
11/21/2025	B2511028	Q3696-04	-5.1	10445	6 L	10218		C2510004	VL043135.D Seq :VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
11/21/2025	B2511028	Q3696-07	-2.2	10602	6 L	10625		C2510004	VL043135.D Seq :VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
11/21/2025	B2511028	Q3696-02	-4.3	10598	6 L	10479		C2510004	VL043135.D Seq :VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D
11/21/2025	B2511028	Q3696-03	-5.5	10439	6 L	10226		C2510004	VL043135.D Seq :VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D

Order ID : Q3696

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
11/21/2025	B2511028	Q3696-06	-2.2	10053	6 L	10547		C2510004	VL043135.D Seq : VL101725 TUNE : VL043130.D ICAL : VL043110.D CCAL : VL043131.D MB : VL043132.D

10334

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV3

Client Name: GFE

Project Name: SUTPHIN

Date: 11/19

Analysis: TO-15

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____

Expiration Date: _____

Time: _____

Storage Location: VOA Lab

Sample: Q3696-05

Cust #: SV3

22811025

0445

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: IA2

Client Name: GFE

Project Name: SUTPHIN

Date: 11/19

Analysis: TO-15

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____

Expiration Date: _____

Time: _____

Storage Location: VOA Lab

Sample: Q3696-04

Cust #: IA2

22811028

222

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: IA3

Client Name: GFE

Project Name: SUTPHIN

Date: 11/19

Analysis: TO-15

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____

Expiration Date: _____

Time: _____

Storage Location: VOA Lab

Sample: Q3696-06

Cust #: IA3

22811028

25001

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P. (908) 789-81

Client Sample ID #:

OA1

Client Name:

CPE

Project Name:

SUTRAIN

Date:

11/19

Time:

Analysis:

10-15

Comments:

CHEMTECH'S SAMPLE ID:

Date Received: Expiration Date: Date

Storage Location: VOA Lab

Sample: Q3696-07

Cust #: OA1

B2511028

922