



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2511028				Courier : F Galdun				1 of 7 COCs					
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
Site Details: 90-73 SURPHIN BLVD. JAMAICA, NY																	
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY									
State : NJ				Standard : 10 business days OR				EDD Type : PDF									
Zip Code : 07034				Rush (Specify): 7 Days													
Country :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SVI	11/19/25	10:19	12:19	0.5830	3.5	55	55	-30	-4.7	10617	10329	6 L	50	VL043135.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																	
Sampling site (State):																	
Quick Connector required : <u>No</u>																	
Canisters Shipped by:				Date/Time: <u>11/14/15</u>				Canisters Received by: <u>CR</u>				Date/Time: <u>11/20/25 12:07</u>				B2511028 - 4	
Samples Relinquished by:				Date/Time: <u>11/20/25</u>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511028				Courier : <u>FGALDUN</u>				<u>2</u> of <u>7</u> COCs			
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
Site Details: <u>90-73 SURPHIN BLVD</u> <u>JAMAICA, NY</u>															
City : Lake Hiawatha				Analysis Turnaround Time <u>7</u>											
State : NJ				Standard : <u>10 business days</u> OR				Data Package Type : <u>RESULTS ONLY</u>							
Zip Code : 07034				Rush (Specify): <u>7</u> Days				EDD Type : <u>PDF</u>							
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
IA1	11/14/25	12:20	30	5.5	5.5	5.5		-29	-4.3	10479	10598	6 L	50	VL043135.D	1			1	

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start			
Stop			

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY. THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings 0.0

Sampling site (State):

Quick Connector required : <u>See No</u>			
Canisters Shipped by: <u>See No</u>	Date/Time: <u>11/14/25</u>	Canisters Received by: <u>CL</u>	Date/Time: <u>11/20/25 1207</u>
Samples Relinquished by: <u>See No</u>	Date/Time: <u>11/20/25</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				3 of 7 COCs							
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix							
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 646-542-3465															
				Fax Number : 973-334-1692															
Site Details: 90-73 SURPHIN BLD. JAMAICA, NJ																			
City : Lake Hiawatha				Analysis Turnaround Time 7															
State : NJ				Standard : 10-business days OR				Data Package Type : RESULTS ONLY											
Zip Code : 07034				Rush (Specify): 7 Days				EDD Type : PDE											
Country :																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas		
SU2	11/19/25	10:44	12:44	9.5	5.5	55	55	-29	-5.5	10226	10439	6 L	50	VL043135.D					
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sgt									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTICS ON THE ATTACHED LIST Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: 0.0																			
Sampling site (State):																			
Quick Connector required : No																			
Canisters Shipped by: FGM				Date/Time: 11/14/25				Canisters Received by: ch				Date/Time: 11/20/25 12:07				B2511028 - 6			
Samples Relinquished by: FGM				Date/Time: 11/20/25				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				4 of 7 COCs			
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 90-73 Sutphin Blvd. JAMAICA, NY											
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10 business days OR				EDD Type : PDF							
Zip Code : 07034				Rush (Specify): 7 Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IAZ	11/19/25	10:42	12:42	over 30	6	55	55	-30	-5.1	10218	10445	6 L	50	VL043135.D			

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **No**

Canisters Shipped by: [Signature]	Date/Time: 11/14/25	Canisters Received by: [Signature]	Date/Time: 11/20/25 (2:07)
Samples Relinquished by: [Signature]	Date/Time: 11/20/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2511028 - 7

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				5 of 7 COCs					
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix					
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 90-73 SUTPH IN BLD JAMAICA, NY													
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY									
State : NJ				Standard : 10 Business days OR													
Zip Code : 07034				Rush (Specify): 7 Days				EDD Type : PDF									
Country :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SU3	11/19/25	10:57	12:57	30	5.5	55	55	-29.5	-5.5	10585	10334	6 L	50	VL043135.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : No																	
Canisters Shipped by: FRANK				Date/Time: 11/14/25				Canisters Received by: CP				Date/Time: 11/20/25 ROF				B2511028 - 5	
Samples Relinquished by: FRANK				Date/Time: 11/20/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				6 of 7 COCs					
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 90-73 SUTRAIN BLVD Jamaica, NY													
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY									
				Standard : 10 business days OR				EDD Type : PDE									
Country :				Rush (Specify): 7 Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IA3	11/19/25	11:30	1:30	OVER 30		55	55	-30	-2.2	10547	10053	6 L	50	VL043135.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : No																	
Canisters Shipped by: Sam				Date/Time: 11/14/24				Canisters Received by: [Signature]				Date/Time: 11/20/25 1207				B2511028 - 1	
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511028				Courier : F Galdun				2 of 7 COCs																
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix																
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: 90-73 Sutphin Blvd. JAMAICA, NY																								
Analysis Turnaround Time 7 DAY				Standard : 10-business days OR				Data Package Type : RESULTS ONLY																				
Rush (Specify): 7 Days				EDD Type : FDE																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
DA1	11/19/25	10:25	12:25	30	0	55	55	-30	-2.2	10625	10602	6 L	50	VL043135.D	1	1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium Low PID Readings:																												
Sampling site (State):																												
Quick Connector required : NO																												
Canisters Shipped by: [Signature]				Date/Time: 11/14/25				Canisters Received by: [Signature]				Date/Time: 11/20/25 1207																
Samples Relinquished by: [Signature]				Date/Time: 11/20/25				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~NABE~~:

Title: Sample Custodian

Field Sample Seal No. Q3696



Date Broken: 11/13/2025

Military Time Seal Broken: 12:07:00

Case No.: 90-73 Sutphin Blvd Jamaica

Analytical Parameter/Fraction: OCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3696-01	SV1		
Q3696-02	IA1		
Q3696-03	SV2		
Q3696-04	IA2		
Q3696-05	SV3		
Q3696-06	IA3		
Q3696-07	OA1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
11/20	1410	Signature 	Signature 	
		Printed Name <u>George N.</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy