

Client Contact Information				Bottle Order ID : B2511028				Courier : F Galdun				1 of 7 COCs					
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
City : Lake Hiawatha				Site Details: 90-73 SURPHIN BLVD. JAMAICA, NY													
State : NJ				Analysis Turnaround Time 7 DAY													
Zip Code : 07034				Standard : 10 business days OR				Data Package Type : RESULTS ONLY									
Country :				Rush (Specify): 7 Days				EDD Type : PDF									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SVI	11/19/25	10:19	12:19	0.5830	3.5	55	55	-30	-4.7	10617	10329	6 L	50	VL043135.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																	
Sampling site (State):																	
Quick Connector required : <u>No</u>																	
Canisters Shipped by:				Date/Time: <u>11/14/15</u>				Canisters Received by: <u>CR</u>				Date/Time: <u>11/20/25 12:07</u>				B2511028 - 4	
Samples Relinquished by:				Date/Time: <u>11/20/25</u>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511028				Courier : <u>FGALDUN</u>				<u>2</u> of <u>7</u> COCs						
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis				Matrix						
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified										
				Phone Number : 646-542-3465														
				Fax Number : 973-334-1692														
				Site Details: <u>90-73 SURPHIN BLVD JAMAICA, NY</u>														
City : Lake Hiawatha				Analysis Turnaround Time <u>7</u>				TO-15 Indoor/Ambient Air Soil Gas										
State : NJ				Standard : 10 business days OR														
Zip Code : 07034				Data Package Type : <u>RESULTS ONLY</u>														
Country :				Rush (Specify): <u>7</u> Days				EDD Type : <u>PDF</u>										
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID				
IA1	11/14/25	12:20	30	5.5	5.5	5.5		-29	-4.3	10479	10598	6 L	50	VL043135.D	1		1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sgt								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY. THOSE ANALYTES ON THE ATTACHED LIST</u> Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium <u>Low</u> PID Readings <u>0.0</u>																		
Sampling site (State):																		
Quick Connector required : <u>Yes</u>																		
Canisters Shipped by: <u>Sgt</u>					Date/Time: <u>11/14/25</u>					Canisters Received by: <u>cl</u>					Date/Time: <u>11/20/25 1207</u>			
Samples Relinquished by: <u>Frank</u>					Date/Time: <u>11/20/25</u>					Received by:					Date/Time:			
Relinquished by:					Date/Time:					Received by:					Date/Time:			

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				3 of 7 COCs					
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 90-73 SURPHIN BLD. JAMAICA, NJ													
Analysis Turnaround Time 7				Standard : 10-business days OR				Data Package Type : RESULTS ONLY									
Rush (Specify): 7 Days				EDD Type : PDE													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SU2	11/19/25	10:44	12:44	9.5	5.5	55	55	-29	-5.5	10226	10439	6 L	50	VL043135.D			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTICS ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.0 Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: FGM				Date/Time: 11/14/25				Canisters Received by: ch				Date/Time: 11/20/25 12:07				B2511028 - 6	
Samples Relinquished by: FGM				Date/Time: 11/20/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				4 of 7 COCs			
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 90-73 Sutphin Blvd. JAMAICA, NY											
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10 business days OR				EDD Type : PDF							
Zip Code : 07034				Rush (Specify): 7 Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IAZ	11/19/25	10:42	12:42	over 30	6	55	55	-30	-5.1	10218	10445	6 L	50	VL043135.D			

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: [Signature]	Date/Time: 11/14/25	Canisters Received by: [Signature]	Date/Time: 11/20/25 (2:07)
Samples Relinquished by: [Signature]	Date/Time: 11/20/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2511028 - 7

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				5 of 7 COCs					
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix					
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 90-73 SUTPH IN BLD JAMAICA, NY													
City : Lake Hiawatha				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY									
State : NJ				Standard : 10 Business days OR													
Zip Code : 07034				Rush (Specify): 7 Days				EDD Type : PDF									
Country :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SU3	11/19/25	10:57	12:57	30	5.5	55	55	-29.5	-5.5	10585	10334	6 L	50	VL043135.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : No																	
Canisters Shipped by: FRANK				Date/Time: 11/14/25				Canisters Received by: CP				Date/Time: 11/20/25 Rof				B2511028 - 5	
Samples Relinquished by: FRANK				Date/Time: 11/20/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511028				Courier : FGALDUN				6 of 7 COCs					
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 90-73 SUTRAIN BLVD Jamaica, NY													
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY									
				Standard : 10 business days OR				EDD Type : PDE									
Rush (Specify): 2 Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IA3	11/19/25	11:30	1:30	OVER 30		55	55	-30	-2.2	10547	10053	6 L	50	VL043135.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : No																	
Canisters Shipped by: Sam				Date/Time: 11/14/21				Canisters Received by: [Signature]				Date/Time: 11/20/25 1207				B2511028 - 1	
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2511028				Courier : F Galdun				2 of 7 COCs																
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix																
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: 90-73 Sutphin Blvd. JAMAICA, NY																								
Analysis Turnaround Time 7 DAY				Standard : 10-business days OR				Data Package Type : RESULTS ONLY																				
Rush (Specify): 7 Days				EDD Type : FDE																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
DA1	11/19/25	10:25	12:25	30	0	55	55	-30	-2.2	10625	10602	6 L	50	VL043135.D	1	1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium Low PID Readings:																												
Sampling site (State):																												
Quick Connector required : NO																												
Canisters Shipped by:				Date/Time: 11/14/25				Canisters Received by:				Date/Time: 11/20/25 1207																
Samples Relinquished by:				Date/Time: 11/20/25				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane