

Hit Summary Sheet
SW-846

SDG No.: Q3696
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1							
Q3696-01	SV1	Air	Cyclohexane	10.3		3.03	6.88	ug/m3
Q3696-01	SV1	Air	Trichloroethene	0.75		0.54	0.64	ug/m3
Q3696-01	SV1	Air	Toluene	52.4		2.41	7.54	ug/m3
Q3696-01	SV1	Air	Tetrachloroethene	156		0.41	0.81	ug/m3
Q3696-01	SV1	Air	m/p-Xylene	7.82	J	6.95	17.4	ug/m3
Q3696-01	SV1	Air	o-Xylene	4.78	J	3.65	8.69	ug/m3
Q3696-01	SV1	Air	1,2,4-Trimethylbenzene	4.62	J	3.54	9.83	ug/m3
Q3696-01	SV1	Air	Hexane	3.52	J	2.26	7.05	ug/m3
Total Voc :				240				
Total Concentration:				240				
Client ID:	IA1							
Q3696-02	IA1	Air	2,2,4-Trimethylpentane	1.26	J	0.65	2.34	ug/m3
Q3696-02	IA1	Air	Benzene	1.21	J	0.26	1.60	ug/m3
Q3696-02	IA1	Air	Toluene	1.85	J	0.60	1.88	ug/m3
Q3696-02	IA1	Air	Tetrachloroethene	0.88		0.14	0.20	ug/m3
Q3696-02	IA1	Air	m/p-Xylene	2.74	J	1.78	4.34	ug/m3
Q3696-02	IA1	Air	o-Xylene	0.91	J	0.91	2.17	ug/m3
Q3696-02	IA1	Air	Hexane	2.40		0.56	1.76	ug/m3
Total Voc :				11.3				
Total Concentration:				11.3				
Client ID:	SV2							
Q3696-03	SV2	Air	1,1,1-Trichloroethane	1.36		0.33	0.65	ug/m3
Q3696-03	SV2	Air	Trichloroethene	1.29		0.54	0.64	ug/m3
Q3696-03	SV2	Air	Toluene	3.58	J	2.41	7.54	ug/m3
Q3696-03	SV2	Air	Tetrachloroethene	21.0		0.41	0.81	ug/m3
Total Voc :				27.3				
Total Concentration:				27.3				
Client ID:	IA2							
Q3696-04	IA2	Air	2,2,4-Trimethylpentane	1.17	J	0.65	2.34	ug/m3
Q3696-04	IA2	Air	Benzene	1.09	J	0.26	1.60	ug/m3
Q3696-04	IA2	Air	Trichloroethene	0.21		0.11	0.16	ug/m3
Q3696-04	IA2	Air	Toluene	1.58	J	0.60	1.88	ug/m3
Q3696-04	IA2	Air	Tetrachloroethene	1.08		0.14	0.20	ug/m3
Q3696-04	IA2	Air	Hexane	1.80		0.56	1.76	ug/m3
Total Voc :				6.93				
Total Concentration:				6.93				
Client ID:	SV3							

Hit Summary Sheet
SW-846

SDG No.: Q3696

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3696-05	SV3	Air	Benzene	2.59	J	1.02	6.39	ug/m3
Q3696-05	SV3	Air	Trichloroethene	79.0		0.54	0.64	ug/m3
Q3696-05	SV3	Air	Bromodichloromethane	9.38	J	1.67	13.4	ug/m3
Q3696-05	SV3	Air	Toluene	4.52	J	2.41	7.54	ug/m3
Q3696-05	SV3	Air	Tetrachloroethene	231		0.41	0.81	ug/m3
Q3696-05	SV3	Air	Hexane	4.93	J	2.26	7.05	ug/m3
Total Voc :				332				
Total Concentration:				332				
Client ID:	IA3							
Q3696-06	IA3	Air	Benzene	0.67	J	0.26	1.60	ug/m3
Q3696-06	IA3	Air	Trichloroethene	0.27		0.11	0.16	ug/m3
Q3696-06	IA3	Air	Tetrachloroethene	0.54		0.14	0.20	ug/m3
Q3696-06	IA3	Air	Hexane	1.76		0.56	1.76	ug/m3
Total Voc :				3.24				
Total Concentration:				3.24				
Client ID:	OA1							
Q3696-07	OA1	Air	2,2,4-Trimethylpentane	0.89	J	0.65	2.34	ug/m3
Q3696-07	OA1	Air	Benzene	0.70	J	0.26	1.60	ug/m3
Q3696-07	OA1	Air	Toluene	1.02	J	0.60	1.88	ug/m3
Q3696-07	OA1	Air	Tetrachloroethene	0.47		0.14	0.20	ug/m3
Q3696-07	OA1	Air	Hexane	4.58		0.56	1.76	ug/m3
Total Voc :				7.66				
Total Concentration:				7.66				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: GFE LLC
Project: 90-73 Sutphin Blvd Jamaica, NY
Client Sample ID: SV1
Lab Sample ID: Q3696-01
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/19/25
Date Received: 11/20/25
SDG No.: Q3696
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/24/25 17:15	VL112425
142-82-5	Heptane	0.68	2.79	U	4	2.79	8.20	11/24/25 17:15	VL112425
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/24/25 17:15	VL112425
110-82-7	Cyclohexane	3.00	10.3		4	3.03	6.88	11/24/25 17:15	VL112425
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/24/25 17:15	VL112425
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	4	0.33	0.65	11/24/25 17:15	VL112425
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	11/24/25 17:15	VL112425
71-43-2	Benzene	0.32	1.02	U	4	1.02	6.39	11/24/25 17:15	VL112425
79-01-6	Trichloroethene	0.14	0.75		4	0.54	0.64	11/24/25 17:15	VL112425
75-27-4	Bromodichloromethane	0.25	1.67	U	4	1.67	13.4	11/24/25 17:15	VL112425
108-88-3	Toluene	13.9	52.4		4	2.41	7.54	11/24/25 17:15	VL112425
127-18-4	Tetrachloroethene	23.0	156		4	0.41	0.81	11/24/25 17:15	VL112425
179601-23-1	m/p-Xylene	1.80	7.82	J	4	6.95	17.4	11/24/25 17:15	VL112425
95-47-6	o-Xylene	1.10	4.78	J	4	3.65	8.69	11/24/25 17:15	VL112425
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/24/25 17:15	VL112425
95-63-6	1,2,4-Trimethylbenzene	0.94	4.62	J	4	3.54	9.83	11/24/25 17:15	VL112425
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/24/25 17:15	VL112425
110-54-3	Hexane	1.00	3.52	J	4	2.26	7.05	11/24/25 17:15	VL112425

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	9.90				65 - 135	99% SPK: 10
----------	-------------------------	------	--	--	--	----------	-------------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	108000
540-36-3	1,4-Difluorobenzene	274000
3114-55-4	Chlorobenzene-d5	214000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 90-73 Sutphin Blvd Jamaica, NY
Client Sample ID: IA1
Lab Sample ID: Q3696-02
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/19/25
Date Received: 11/20/25
SDG No.: Q3696
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/24/25 14:26	VL112425
142-82-5	Heptane	0.17	0.70	U	1	0.70	2.05	11/24/25 14:26	VL112425
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/24/25 14:26	VL112425
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	11/24/25 14:26	VL112425
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/24/25 14:26	VL112425
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/24/25 14:26	VL112425
540-84-1	2,2,4-Trimethylpentane	0.27	1.26	J	1	0.65	2.34	11/24/25 14:26	VL112425
71-43-2	Benzene	0.38	1.21	J	1	0.26	1.60	11/24/25 14:26	VL112425
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/24/25 14:26	VL112425
75-27-4	Bromodichloromethane	0.060	0.40	U	1	0.40	3.35	11/24/25 14:26	VL112425
108-88-3	Toluene	0.49	1.85	J	1	0.60	1.88	11/24/25 14:26	VL112425
127-18-4	Tetrachloroethene	0.13	0.88		1	0.14	0.20	11/24/25 14:26	VL112425
179601-23-1	m/p-Xylene	0.63	2.74	J	1	1.78	4.34	11/24/25 14:26	VL112425
95-47-6	o-Xylene	0.21	0.91	J	1	0.91	2.17	11/24/25 14:26	VL112425
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 14:26	VL112425
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 14:26	VL112425
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	11/24/25 14:26	VL112425
110-54-3	Hexane	0.68	2.40		1	0.56	1.76	11/24/25 14:26	VL112425

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.0				65 - 135	100% SPK: 10
----------	-------------------------	------	--	--	--	----------	--------------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	107000
540-36-3	1,4-Difluorobenzene	286000
3114-55-4	Chlorobenzene-d5	214000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 90-73 Sutphin Blvd Jamaica, NY
Client Sample ID: SV2
Lab Sample ID: Q3696-03
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/19/25
Date Received: 11/20/25
SDG No.: Q3696
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/24/25 17:47	VL112425
142-82-5	Heptane	0.68	2.79	U	4	2.79	8.20	11/24/25 17:47	VL112425
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/24/25 17:47	VL112425
110-82-7	Cyclohexane	0.88	3.03	U	4	3.03	6.88	11/24/25 17:47	VL112425
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/24/25 17:47	VL112425
71-55-6	1,1,1-Trichloroethane	0.25	1.36		4	0.33	0.65	11/24/25 17:47	VL112425
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	11/24/25 17:47	VL112425
71-43-2	Benzene	0.32	1.02	U	4	1.02	6.39	11/24/25 17:47	VL112425
79-01-6	Trichloroethene	0.24	1.29		4	0.54	0.64	11/24/25 17:47	VL112425
75-27-4	Bromodichloromethane	0.25	1.67	U	4	1.67	13.4	11/24/25 17:47	VL112425
108-88-3	Toluene	0.95	3.58	J	4	2.41	7.54	11/24/25 17:47	VL112425
127-18-4	Tetrachloroethene	3.10	21.0		4	0.41	0.81	11/24/25 17:47	VL112425
179601-23-1	m/p-Xylene	1.60	6.95	U	4	6.95	17.4	11/24/25 17:47	VL112425
95-47-6	o-Xylene	0.84	3.65	U	4	3.65	8.69	11/24/25 17:47	VL112425
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/24/25 17:47	VL112425
95-63-6	1,2,4-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/24/25 17:47	VL112425
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/24/25 17:47	VL112425
110-54-3	Hexane	0.64	2.26	U	4	2.26	7.05	11/24/25 17:47	VL112425

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	9.70				65 - 135	97% SPK: 10
----------	-------------------------	------	--	--	--	----------	-------------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	110000
540-36-3	1,4-Difluorobenzene	286000
3114-55-4	Chlorobenzene-d5	215000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 90-73 Sutphin Blvd Jamaica, NY
Client Sample ID: IA2
Lab Sample ID: Q3696-04
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/19/25
Date Received: 11/20/25
SDG No.: Q3696
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/24/25 15:35	VL112425
142-82-5	Heptane	0.17	0.70	U	1	0.70	2.05	11/24/25 15:35	VL112425
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/24/25 15:35	VL112425
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	11/24/25 15:35	VL112425
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/24/25 15:35	VL112425
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/24/25 15:35	VL112425
540-84-1	2,2,4-Trimethylpentane	0.25	1.17	J	1	0.65	2.34	11/24/25 15:35	VL112425
71-43-2	Benzene	0.34	1.09	J	1	0.26	1.60	11/24/25 15:35	VL112425
79-01-6	Trichloroethene	0.040	0.21		1	0.11	0.16	11/24/25 15:35	VL112425
75-27-4	Bromodichloromethane	0.060	0.40	U	1	0.40	3.35	11/24/25 15:35	VL112425
108-88-3	Toluene	0.42	1.58	J	1	0.60	1.88	11/24/25 15:35	VL112425
127-18-4	Tetrachloroethene	0.16	1.08		1	0.14	0.20	11/24/25 15:35	VL112425
179601-23-1	m/p-Xylene	0.41	1.78	U	1	1.78	4.34	11/24/25 15:35	VL112425
95-47-6	o-Xylene	0.21	0.91	U	1	0.91	2.17	11/24/25 15:35	VL112425
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 15:35	VL112425
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 15:35	VL112425
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	11/24/25 15:35	VL112425
110-54-3	Hexane	0.51	1.80		1	0.56	1.76	11/24/25 15:35	VL112425
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	9.70				65 - 135	97% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	106000							
540-36-3	1,4-Difluorobenzene	275000							
3114-55-4	Chlorobenzene-d5	211000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 90-73 Sutphin Blvd Jamaica, NY
Client Sample ID: SV3
Lab Sample ID: Q3696-05
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/19/25
Date Received: 11/20/25
SDG No.: Q3696
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.10	0.26	U	4	0.26	0.31	11/24/25 18:20	VL112425
142-82-5	Heptane	0.68	2.79	U	4	2.79	8.20	11/24/25 18:20	VL112425
75-34-3	1,1-Dichloroethane	0.52	2.10	U	4	2.10	8.09	11/24/25 18:20	VL112425
110-82-7	Cyclohexane	0.88	3.03	U	4	3.03	6.88	11/24/25 18:20	VL112425
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	4	1.59	7.93	11/24/25 18:20	VL112425
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	4	0.33	0.65	11/24/25 18:20	VL112425
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	4	2.62	9.34	11/24/25 18:20	VL112425
71-43-2	Benzene	0.81	2.59	J	4	1.02	6.39	11/24/25 18:20	VL112425
79-01-6	Trichloroethene	14.7	79.0		4	0.54	0.64	11/24/25 18:20	VL112425
75-27-4	Bromodichloromethane	1.40	9.38	J	4	1.67	13.4	11/24/25 18:20	VL112425
108-88-3	Toluene	1.20	4.52	J	4	2.41	7.54	11/24/25 18:20	VL112425
127-18-4	Tetrachloroethene	34.1	231		4	0.41	0.81	11/24/25 18:20	VL112425
179601-23-1	m/p-Xylene	1.60	6.95	U	4	6.95	17.4	11/24/25 18:20	VL112425
95-47-6	o-Xylene	0.84	3.65	U	4	3.65	8.69	11/24/25 18:20	VL112425
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/24/25 18:20	VL112425
95-63-6	1,2,4-Trimethylbenzene	0.72	3.54	U	4	3.54	9.83	11/24/25 18:20	VL112425
91-20-3	Naphthalene	0.050	0.26	U	4	0.26	2.10	11/24/25 18:20	VL112425
110-54-3	Hexane	1.40	4.93	J	4	2.26	7.05	11/24/25 18:20	VL112425
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	9.80				65 - 135	98% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	116000							
540-36-3	1,4-Difluorobenzene	303000							
3114-55-4	Chlorobenzene-d5	230000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 90-73 Sutphin Blvd Jamaica, NY
Client Sample ID: IA3
Lab Sample ID: Q3696-06
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/19/25
Date Received: 11/20/25
SDG No.: Q3696
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/24/25 16:09	VL112425
142-82-5	Heptane	0.17	0.70	U	1	0.70	2.05	11/24/25 16:09	VL112425
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/24/25 16:09	VL112425
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	11/24/25 16:09	VL112425
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/24/25 16:09	VL112425
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/24/25 16:09	VL112425
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	11/24/25 16:09	VL112425
71-43-2	Benzene	0.21	0.67	J	1	0.26	1.60	11/24/25 16:09	VL112425
79-01-6	Trichloroethene	0.050	0.27		1	0.11	0.16	11/24/25 16:09	VL112425
75-27-4	Bromodichloromethane	0.060	0.40	U	1	0.40	3.35	11/24/25 16:09	VL112425
108-88-3	Toluene	0.16	0.60	U	1	0.60	1.88	11/24/25 16:09	VL112425
127-18-4	Tetrachloroethene	0.080	0.54		1	0.14	0.20	11/24/25 16:09	VL112425
179601-23-1	m/p-Xylene	0.41	1.78	U	1	1.78	4.34	11/24/25 16:09	VL112425
95-47-6	o-Xylene	0.21	0.91	U	1	0.91	2.17	11/24/25 16:09	VL112425
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 16:09	VL112425
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 16:09	VL112425
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	11/24/25 16:09	VL112425
110-54-3	Hexane	0.50	1.76		1	0.56	1.76	11/24/25 16:09	VL112425
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	9.40				65 - 135	94% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	109000							
540-36-3	1,4-Difluorobenzene	279000							
3114-55-4	Chlorobenzene-d5	212000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 90-73 Sutphin Blvd Jamaica, NY
Client Sample ID: OA1
Lab Sample ID: Q3696-07
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/19/25
Date Received: 11/20/25
SDG No.: Q3696
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/24/25 16:43	VL112425
142-82-5	Heptane	0.17	0.70	U	1	0.70	2.05	11/24/25 16:43	VL112425
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/24/25 16:43	VL112425
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	11/24/25 16:43	VL112425
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/24/25 16:43	VL112425
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/24/25 16:43	VL112425
540-84-1	2,2,4-Trimethylpentane	0.19	0.89	J	1	0.65	2.34	11/24/25 16:43	VL112425
71-43-2	Benzene	0.22	0.70	J	1	0.26	1.60	11/24/25 16:43	VL112425
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/24/25 16:43	VL112425
75-27-4	Bromodichloromethane	0.060	0.40	U	1	0.40	3.35	11/24/25 16:43	VL112425
108-88-3	Toluene	0.27	1.02	J	1	0.60	1.88	11/24/25 16:43	VL112425
127-18-4	Tetrachloroethene	0.070	0.47		1	0.14	0.20	11/24/25 16:43	VL112425
179601-23-1	m/p-Xylene	0.41	1.78	U	1	1.78	4.34	11/24/25 16:43	VL112425
95-47-6	o-Xylene	0.21	0.91	U	1	0.91	2.17	11/24/25 16:43	VL112425
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 16:43	VL112425
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 16:43	VL112425
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	11/24/25 16:43	VL112425
110-54-3	Hexane	1.30	4.58		1	0.56	1.76	11/24/25 16:43	VL112425
SURROGATES									
460-00-4	1-Bromo-4-Fluorobenzene	9.70				65 - 135	97% SPK: 10		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	107000							
540-36-3	1,4-Difluorobenzene	272000							
3114-55-4	Chlorobenzene-d5	212000							

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client: GFE LLC
Project: 90-73 Sutphin Blvd Jamaica, NY
Client Sample ID: IA1DUP
Lab Sample ID: Q3696-02DUP
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected:
Date Received:
SDG No.: Q3696
Matrix: Air
Test: VOCMS Group2

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
------------	-----------	---------------	----------------	------	----	--------------	---------------------	-----------	---------

TARGETS

75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/24/25 15:00	VL112425
142-82-5	Heptane	0.17	0.70	U	1	0.70	2.05	11/24/25 15:00	VL112425
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/24/25 15:00	VL112425
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	11/24/25 15:00	VL112425
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/24/25 15:00	VL112425
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/24/25 15:00	VL112425
540-84-1	2,2,4-Trimethylpentane	0.25	1.17	J	1	0.65	2.34	11/24/25 15:00	VL112425
71-43-2	Benzene	0.35	1.12	J	1	0.26	1.60	11/24/25 15:00	VL112425
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/24/25 15:00	VL112425
75-27-4	Bromodichloromethane	0.060	0.40	U	1	0.40	3.35	11/24/25 15:00	VL112425
108-88-3	Toluene	0.47	1.77	J	1	0.60	1.88	11/24/25 15:00	VL112425
127-18-4	Tetrachloroethene	0.13	0.88		1	0.14	0.20	11/24/25 15:00	VL112425
179601-23-1	m/p-Xylene	0.58	2.52	J	1	1.78	4.34	11/24/25 15:00	VL112425
95-47-6	o-Xylene	0.21	0.91	U	1	0.91	2.17	11/24/25 15:00	VL112425
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 15:00	VL112425
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/24/25 15:00	VL112425
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	11/24/25 15:00	VL112425
110-54-3	Hexane	0.72	2.54		1	0.56	1.76	11/24/25 15:00	VL112425

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.1				65 - 135	101% SPK: 10
----------	-------------------------	------	--	--	--	----------	--------------

INTERNAL STANDARDS

INTERNAL STANDARDS		Area Count
74-97-5	Bromochloromethane	106000
540-36-3	1,4-Difluorobenzene	280000
3114-55-4	Chlorobenzene-d5	214000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

LAB CHRONICLE

OrderID: Q3696	OrderDate: 11/20/2025 1:36:00 PM
Client: GFE LLC	Project: 90-73 Sutphin Blvd Jamaica, NY
Contact: Frank Galdun	Location: Air Lab, VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3696-01	SV1	Air	VOCMS Group2	TO-15	11/19/25		11/24/25	11/20/25
Q3696-02	IA1	Air	VOCMS Group2	TO-15	11/19/25		11/24/25	11/20/25
Q3696-03	SV2	Air	VOCMS Group2	TO-15	11/19/25		11/24/25	11/20/25
Q3696-04	IA2	Air	VOCMS Group2	TO-15	11/19/25		11/24/25	11/20/25
Q3696-05	SV3	Air	VOCMS Group2	TO-15	11/19/25		11/24/25	11/20/25
Q3696-06	IA3	Air	VOCMS Group2	TO-15	11/19/25		11/24/25	11/20/25
Q3696-07	OA1	Air	VOCMS Group2	TO-15	11/19/25		11/24/25	11/20/25