

Report of Analysis

Client: PSEG
Project: PSEG - Moorestown HQ
Client Sample ID: MOO-25-0329
Lab Sample ID: Q3697-04

Date Collected: 11/20/25 10:14
Date Received: 11/20/25
SDG No.: Q3697
Matrix: Water
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Flash Point	>212		1	0	0	o F		11/21/25 12:30	1010B
pH	7.92	H	1	0	0	pH		11/21/25 10:50	9040C
Reactive Cyanide	0.0050	U	1	0.00096	0.0050	mg/L	11/24/25 12:10	11/24/25 14:24	9012B
Reactive Sulfide	1.00	U	1	0.43	1.00	mg/L	11/24/25 10:50	11/24/25 14:03	9034

Comments: Other method reference for flash point : Pensky-Martens Closed Cup Flash Point ASTM D 93 - IP 34, pH result reported at temperature

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits