

Report of Analysis

Client:	PSEG	Date Collected:	11/20/25
Project:	Trenton Gas and Appliance Service (TR)	Date Received:	11/20/25
Client Sample ID:	TR-06-112025-E2	SDG No.:	Q3699
Lab Sample ID:	Q3699-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	89.5
Sample Wt/Vol:	30.06 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	11/21/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	27.5		1	1.32	2.23	mg/kg	FE056992.D	11/21/25 20:35	PB170681
Aliphatic C9-C28	Aliphatic C9-C28	1.71	J	1	1.01	4.47	mg/kg	FE056992.D	11/21/25 20:35	PB170681
Total AliphaticEPH	Total AliphaticEPH	29.2			2.34	6.70	mg/kg			
Total EPH	Total EPH	29.2			2.34	6.70	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	11/20/25
Project:	Trenton Gas and Appliance Service (TR)	Date Received:	11/20/25
Client Sample ID:	TR-06-112025-E2	SDG No.:	Q3699
Lab Sample ID:	Q3699-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	89.5
Sample Wt/Vol:	30.06 g	Final Vol:	2000 uL
Prep Method :		Test:	EPH_NF
		Prep Date	11/21/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	1.71	J	1	1.01	4.47	mg/kg	11/21/25	PB170681
Aliphatic C28-C40	Aliphatic C28-C40	27.5		1	1.32	2.23	mg/kg	11/21/25	PB170681
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	26.4			40 - 140	53%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	31.9			40 - 140	64%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3699-04	Acq On:	21 Nov 2025 20:35
Client Sample ID:	TR-06-112025-E2	Operator:	YP\AJ
Data file:	FE056992.D	Misc:	
Instrument:	FID_E	ALS Vial:	25
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.206	6.830	573142	3.349	300	ug/ml
Aliphatic C12-C16	6.831	10.275	1005348	5.624	200	ug/ml
Aliphatic C16-C21	10.276	13.648	922146	4.944	300	ug/ml
Aliphatic C21-C28	13.649	17.317	1749834	9.077	400	ug/ml
Aliphatic C28-C40	17.318	22.248	58857871	369.444	600	ug/ml
Aliphatic EPH	3.206	22.248	63108341	392.439		ug/ml
ortho-Terphenyl (SURR)	11.946	11.946	6659670	31.88		ug/ml
1-chlorooctadecane (SURR)	13.383	13.383	4248910	26.37		ug/ml
Aliphatic C9-C28	3.206	17.317	4250470	22.994	1200	ug/ml