

## **DATA PACKAGE**

VOLATILE ORGANICS

**PROJECT NAME : WEEKLY STORAGE BLANKS**

**CHEMTECH CONSULTING GROUP**

**284 Sheffield St,**

**Mountainside, NJ - 07092**

**Phone No: 908-789-8900**

**ORDER ID : Q3702**

**ATTENTION : QA Officer**



**Laboratory Certification ID # 20012**



|                            |    |
|----------------------------|----|
| 1) Signature Page          | 3  |
| 2) Qualifier Page          | 4  |
| 3) QA Checklist            | 5  |
| 4) VOC- Chemtech Full Data | 6  |
| 5) Shipping Document       | 21 |
| 5.1) CHAIN OF CUSTODY      | 22 |
| 5.2) Lab Certificate       | 23 |

|   |
|---|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |

## Cover Page

**Order ID :** Q3702

**Project ID :** Weekly Storage Blanks

**Client :** Chemtech Consulting Group

**Lab Sample Number**

Q3702-01  
Q3702-02  
Q3702-03  
Q3702-04

**Client Sample Number**

STORAGE-BLANK-SOIL-REF-6  
STORAGE-BLANK-WATER-REF-5  
STORAGE-BLANK-WATER-REF-4  
STORAGE-BLANK-SAMPLE-MANAC

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 2:07 pm, Dec 04, 2025*

Date: 12/4/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Value | If the result is a value greater than or equal to the detection limit, report the value                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.                                                                                                                                                                                                                                 |
| ND    | Indicates the analyte was analyzed for, but not detected                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| J     | Indicates an estimated value. This flag is used:<br>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)<br>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B     | Indicates the analyte was found in the blank as well as the sample report as “12 B”.                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| E     | Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| P     | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.                                                                                                                                                                                                                                                                                                                        |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.                                                                                                                                                                                                                  |
| A     | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Q     | Indicates the LCS did not meet the control limits requirements                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q3702

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/04/2025

**Hit Summary Sheet**  
SW-846

SDG No.: Q3702

Client: Chemtech Consulting Group

A

B

C

D

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|

Client ID:

0

Total Voc :

Total Concentration:



# SAMPLE DATA

## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-SOIL-1  
Lab Sample ID: Q3702-01  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number     | Parameter                      | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Date Ana.      | BatchID  |
|----------------|--------------------------------|-------|------|----|-------|------------|-------|----------------|----------|
| <b>TARGETS</b> |                                |       |      |    |       |            |       |                |          |
| 75-71-8        | Dichlorodifluoromethane        | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 74-87-3        | Chloromethane                  | 0.32  | U    | 1  | 0.32  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-01-4        | Vinyl Chloride                 | 0.26  | U    | 1  | 0.26  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 141-78-6       | Ethyl Acetate                  | 0.31  | U    | 1  | 0.31  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 74-83-9        | Bromomethane                   | 1.40  | U    | 1  | 1.40  | 5.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-00-3        | Chloroethane                   | 0.47  | U    | 1  | 0.47  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-69-4        | Trichlorofluoromethane         | 0.33  | U    | 1  | 0.33  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-65-0        | Tert butyl alcohol             | 5.50  | U    | 1  | 5.50  | 25.0       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-35-4        | 1,1-Dichloroethene             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 107-02-8       | Acrolein                       | 7.10  | U    | 1  | 7.10  | 25.0       | ug/L  | 11/21/25 13:04 | VX112125 |
| 107-13-1       | Acrylonitrile                  | 0.83  | U    | 1  | 0.83  | 5.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 67-64-1        | Acetone                        | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-15-0        | Carbon Disulfide               | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 79-20-9        | Methyl Acetate                 | 0.27  | U    | 1  | 0.27  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-09-2        | Methylene Chloride             | 0.28  | U    | 1  | 0.28  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 108-05-4       | Vinyl Acetate                  | 0.66  | U    | 1  | 0.66  | 5.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-34-3        | 1,1-Dichloroethane             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 110-82-7       | Cyclohexane                    | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 78-93-3        | 2-Butanone                     | 0.98  | U    | 1  | 0.98  | 5.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 56-23-5        | Carbon Tetrachloride           | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 594-20-7       | 2,2-Dichloropropane            | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 74-97-5        | Bromochloromethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 67-66-3        | Chloroform                     | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 108-87-2       | Methylcyclohexane              | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 563-58-6       | 1,1-Dichloropropene            | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 71-43-2        | Benzene                        | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 107-06-2       | 1,2-Dichloroethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 79-01-6        | Trichloroethene                | 0.090 | U    | 1  | 0.090 | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 78-87-5        | 1,2-Dichloropropane            | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 74-95-3        | Dibromomethane                 | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 75-27-4        | Bromodichloromethane           | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 108-10-1       | 4-Methyl-2-Pentanone           | 0.68  | U    | 1  | 0.68  | 5.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 108-88-3       | Toluene                        | 0.14  | U    | 1  | 0.14  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 10061-02-6     | t-1,3-Dichloropropene          | 0.17  | U    | 1  | 0.17  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 10061-01-5     | cis-1,3-Dichloropropene        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 79-00-5        | 1,1,2-Trichloroethane          | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 142-28-9       | 1,3-Dichloropropane            | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/21/25 13:04 | VX112125 |
| 110-75-8       | 2-Chloroethyl Vinyl ether      | 0.30  | U    | 1  | 0.30  | 5.00       | ug/L  | 11/21/25 13:04 | VX112125 |



## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-SOIL-1  
Lab Sample ID: Q3702-01  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number                | Parameter                   | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|---------------------------|-----------------------------|-------------------|------|----|----------|------------|---------|----------------|----------|
| 591-78-6                  | 2-Hexanone                  | 0.89              | U    | 1  | 0.89     | 5.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 124-48-1                  | Dibromochloromethane        | 0.18              | U    | 1  | 0.18     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 106-93-4                  | 1,2-Dibromoethane           | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 127-18-4                  | Tetrachloroethene           | 0.23              | U    | 1  | 0.23     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 108-90-7                  | Chlorobenzene               | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 630-20-6                  | 1,1,1,2-Tetrachloroethane   | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 67-72-1                   | Hexachloroethane            | 0.32              | U    | 1  | 0.32     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 100-41-4                  | Ethyl Benzene               | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 179601-23-1               | m/p-Xylenes                 | 0.24              | U    | 1  | 0.24     | 2.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 95-47-6                   | o-Xylene                    | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 100-42-5                  | Styrene                     | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 75-25-2                   | Bromoform                   | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 98-82-8                   | Isopropylbenzene            | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.26              | U    | 1  | 0.26     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.35              | U    | 1  | 0.35     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 108-86-1                  | Bromobenzene                | 0.24              | U    | 1  | 0.24     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 103-65-1                  | n-propylbenzene             | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 95-49-8                   | 2-Chlorotoluene             | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 108-67-8                  | 1,3,5-Trimethylbenzene      | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 106-43-4                  | 4-Chlorotoluene             | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 98-06-6                   | tert-Butylbenzene           | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 95-63-6                   | 1,2,4-Trimethylbenzene      | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 135-98-8                  | sec-Butylbenzene            | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 99-87-6                   | p-Isopropyltoluene          | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.16              | U    | 1  | 0.16     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 104-51-8                  | n-Butylbenzene              | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.16              | U    | 1  | 0.16     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.53              | U    | 1  | 0.53     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 87-68-3                   | Hexachlorobutadiene         | 0.30              | U    | 1  | 0.30     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 91-20-3                   | Naphthalene                 | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 13:04 | VX112125 |
| <b>SURROGATES</b>         |                             |                   |      |    |          |            |         |                |          |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 62.2              |      |    | 74 - 125 | 124%       | SPK: 50 |                |          |
| 1868-53-7                 | Dibromofluoromethane        | 44.9              |      |    | 75 - 124 | 90%        | SPK: 50 |                |          |
| 2037-26-5                 | Toluene-d8                  | 49.0              |      |    | 86 - 113 | 98%        | SPK: 50 |                |          |
| 460-00-4                  | 4-Bromofluorobenzene        | 58.3              |      |    | 77 - 121 | 117%       | SPK: 50 |                |          |
| <b>INTERNAL STANDARDS</b> |                             |                   |      |    |          |            |         |                |          |
|                           |                             | <b>Area Count</b> |      |    |          |            |         |                |          |
| 363-72-4                  | Pentafluorobenzene          | 161000            |      |    |          |            |         |                |          |
| 540-36-3                  | 1,4-Difluorobenzene         | 334000            |      |    |          |            |         |                |          |
| 3114-55-4                 | Chlorobenzene-d5            | 358000            |      |    |          |            |         |                |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 192000            |      |    |          |            |         |                |          |

## Report of Analysis

|                    |                           |                 |                    |
|--------------------|---------------------------|-----------------|--------------------|
| Client:            | Chemtech Consulting Group | Date Collected: | 11/14/25           |
| Project:           | Weekly Storage Blanks     | Date Received:  | 11/21/25           |
| Client Sample ID:  | STORAGE-BLANK-SOIL-]      | SDG No.:        | Q3702              |
| Lab Sample ID:     | Q3702-01                  | Matrix:         | Water              |
| Analytical Method: | 8260D                     | % Solid:        | 0                  |
| Sample Wt/Vol:     | 5 mL                      | Test:           | VOC- Chemtech Full |
|                    | Level: LOW                |                 |                    |
|                    | Final Vol: 5000 uL        |                 |                    |

| CAS Number | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Date Ana. | BatchID |
|------------|-----------|-------|------|----|-----|------------|-------|-----------|---------|
|------------|-----------|-------|------|----|-----|------------|-------|-----------|---------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-WATE  
Lab Sample ID: Q3702-02  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number     | Parameter                      | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Date Ana.      | BatchID  |
|----------------|--------------------------------|-------|------|----|-------|------------|-------|----------------|----------|
| <b>TARGETS</b> |                                |       |      |    |       |            |       |                |          |
| 75-71-8        | Dichlorodifluoromethane        | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 74-87-3        | Chloromethane                  | 0.32  | U    | 1  | 0.32  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-01-4        | Vinyl Chloride                 | 0.26  | U    | 1  | 0.26  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 141-78-6       | Ethyl Acetate                  | 0.31  | U    | 1  | 0.31  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 74-83-9        | Bromomethane                   | 1.40  | U    | 1  | 1.40  | 5.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-00-3        | Chloroethane                   | 0.47  | U    | 1  | 0.47  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-69-4        | Trichlorofluoromethane         | 0.33  | U    | 1  | 0.33  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-65-0        | Tert butyl alcohol             | 5.50  | U    | 1  | 5.50  | 25.0       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-35-4        | 1,1-Dichloroethene             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 107-02-8       | Acrolein                       | 7.10  | U    | 1  | 7.10  | 25.0       | ug/L  | 11/21/25 13:25 | VX112125 |
| 107-13-1       | Acrylonitrile                  | 0.83  | U    | 1  | 0.83  | 5.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 67-64-1        | Acetone                        | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-15-0        | Carbon Disulfide               | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 79-20-9        | Methyl Acetate                 | 0.27  | U    | 1  | 0.27  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-09-2        | Methylene Chloride             | 0.28  | U    | 1  | 0.28  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 108-05-4       | Vinyl Acetate                  | 0.66  | U    | 1  | 0.66  | 5.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-34-3        | 1,1-Dichloroethane             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 110-82-7       | Cyclohexane                    | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 78-93-3        | 2-Butanone                     | 0.98  | U    | 1  | 0.98  | 5.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 56-23-5        | Carbon Tetrachloride           | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 594-20-7       | 2,2-Dichloropropane            | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 74-97-5        | Bromochloromethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 67-66-3        | Chloroform                     | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 108-87-2       | Methylcyclohexane              | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 563-58-6       | 1,1-Dichloropropene            | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 71-43-2        | Benzene                        | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 107-06-2       | 1,2-Dichloroethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 79-01-6        | Trichloroethene                | 0.090 | U    | 1  | 0.090 | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 78-87-5        | 1,2-Dichloropropane            | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 74-95-3        | Dibromomethane                 | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 75-27-4        | Bromodichloromethane           | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 108-10-1       | 4-Methyl-2-Pentanone           | 0.68  | U    | 1  | 0.68  | 5.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 108-88-3       | Toluene                        | 0.14  | U    | 1  | 0.14  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 10061-02-6     | t-1,3-Dichloropropene          | 0.17  | U    | 1  | 0.17  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 10061-01-5     | cis-1,3-Dichloropropene        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 79-00-5        | 1,1,2-Trichloroethane          | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 142-28-9       | 1,3-Dichloropropane            | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/21/25 13:25 | VX112125 |
| 110-75-8       | 2-Chloroethyl Vinyl ether      | 0.30  | U    | 1  | 0.30  | 5.00       | ug/L  | 11/21/25 13:25 | VX112125 |

## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-WATE  
Lab Sample ID: Q3702-02  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number                | Parameter                   | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|---------------------------|-----------------------------|-------------------|------|----|----------|------------|---------|----------------|----------|
| 591-78-6                  | 2-Hexanone                  | 0.89              | U    | 1  | 0.89     | 5.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 124-48-1                  | Dibromochloromethane        | 0.18              | U    | 1  | 0.18     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 106-93-4                  | 1,2-Dibromoethane           | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 127-18-4                  | Tetrachloroethene           | 0.23              | U    | 1  | 0.23     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 108-90-7                  | Chlorobenzene               | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 630-20-6                  | 1,1,1,2-Tetrachloroethane   | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 67-72-1                   | Hexachloroethane            | 0.32              | U    | 1  | 0.32     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 100-41-4                  | Ethyl Benzene               | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 179601-23-1               | m/p-Xylenes                 | 0.24              | U    | 1  | 0.24     | 2.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 95-47-6                   | o-Xylene                    | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 100-42-5                  | Styrene                     | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 75-25-2                   | Bromoform                   | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 98-82-8                   | Isopropylbenzene            | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.26              | U    | 1  | 0.26     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.35              | U    | 1  | 0.35     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 108-86-1                  | Bromobenzene                | 0.24              | U    | 1  | 0.24     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 103-65-1                  | n-propylbenzene             | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 95-49-8                   | 2-Chlorotoluene             | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 108-67-8                  | 1,3,5-Trimethylbenzene      | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 106-43-4                  | 4-Chlorotoluene             | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 98-06-6                   | tert-Butylbenzene           | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 95-63-6                   | 1,2,4-Trimethylbenzene      | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 135-98-8                  | sec-Butylbenzene            | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 99-87-6                   | p-Isopropyltoluene          | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.16              | U    | 1  | 0.16     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 104-51-8                  | n-Butylbenzene              | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.16              | U    | 1  | 0.16     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.53              | U    | 1  | 0.53     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 87-68-3                   | Hexachlorobutadiene         | 0.30              | U    | 1  | 0.30     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 91-20-3                   | Naphthalene                 | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 13:25 | VX112125 |
| <b>SURROGATES</b>         |                             |                   |      |    |          |            |         |                |          |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 50.3              |      |    | 74 - 125 | 101%       | SPK: 50 |                |          |
| 1868-53-7                 | Dibromofluoromethane        | 42.7              |      |    | 75 - 124 | 85%        | SPK: 50 |                |          |
| 2037-26-5                 | Toluene-d8                  | 49.0              |      |    | 86 - 113 | 98%        | SPK: 50 |                |          |
| 460-00-4                  | 4-Bromofluorobenzene        | 55.2              |      |    | 77 - 121 | 110%       | SPK: 50 |                |          |
| <b>INTERNAL STANDARDS</b> |                             |                   |      |    |          |            |         |                |          |
|                           |                             | <b>Area Count</b> |      |    |          |            |         |                |          |
| 363-72-4                  | Pentafluorobenzene          | 170000            |      |    |          |            |         |                |          |
| 540-36-3                  | 1,4-Difluorobenzene         | 333000            |      |    |          |            |         |                |          |
| 3114-55-4                 | Chlorobenzene-d5            | 361000            |      |    |          |            |         |                |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 189000            |      |    |          |            |         |                |          |

## Report of Analysis

|                    |                           |                 |                    |
|--------------------|---------------------------|-----------------|--------------------|
| Client:            | Chemtech Consulting Group | Date Collected: | 11/14/25           |
| Project:           | Weekly Storage Blanks     | Date Received:  | 11/21/25           |
| Client Sample ID:  | STORAGE-BLANK-WATE        | SDG No.:        | Q3702              |
| Lab Sample ID:     | Q3702-02                  | Matrix:         | Water              |
| Analytical Method: | 8260D                     | % Solid:        | 0                  |
| Sample Wt/Vol:     | 5 mL                      | Test:           | VOC- Chemtech Full |
|                    | Level: LOW                |                 |                    |
|                    | Final Vol: 5000 uL        |                 |                    |

| CAS Number | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Date Ana. | BatchID |
|------------|-----------|-------|------|----|-----|------------|-------|-----------|---------|
|------------|-----------|-------|------|----|-----|------------|-------|-----------|---------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-WATE  
Lab Sample ID: Q3702-03  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number     | Parameter                      | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Date Ana.      | BatchID  |
|----------------|--------------------------------|-------|------|----|-------|------------|-------|----------------|----------|
| <b>TARGETS</b> |                                |       |      |    |       |            |       |                |          |
| 75-71-8        | Dichlorodifluoromethane        | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 74-87-3        | Chloromethane                  | 0.32  | U    | 1  | 0.32  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-01-4        | Vinyl Chloride                 | 0.26  | U    | 1  | 0.26  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 141-78-6       | Ethyl Acetate                  | 0.31  | U    | 1  | 0.31  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 74-83-9        | Bromomethane                   | 1.40  | U    | 1  | 1.40  | 5.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-00-3        | Chloroethane                   | 0.47  | U    | 1  | 0.47  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-69-4        | Trichlorofluoromethane         | 0.33  | U    | 1  | 0.33  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-65-0        | Tert butyl alcohol             | 5.50  | U    | 1  | 5.50  | 25.0       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-35-4        | 1,1-Dichloroethene             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 107-02-8       | Acrolein                       | 7.10  | U    | 1  | 7.10  | 25.0       | ug/L  | 11/21/25 14:44 | VX112125 |
| 107-13-1       | Acrylonitrile                  | 0.83  | U    | 1  | 0.83  | 5.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 67-64-1        | Acetone                        | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-15-0        | Carbon Disulfide               | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 79-20-9        | Methyl Acetate                 | 0.27  | U    | 1  | 0.27  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-09-2        | Methylene Chloride             | 0.28  | U    | 1  | 0.28  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 108-05-4       | Vinyl Acetate                  | 0.66  | U    | 1  | 0.66  | 5.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-34-3        | 1,1-Dichloroethane             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 110-82-7       | Cyclohexane                    | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 78-93-3        | 2-Butanone                     | 0.98  | U    | 1  | 0.98  | 5.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 56-23-5        | Carbon Tetrachloride           | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 594-20-7       | 2,2-Dichloropropane            | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 74-97-5        | Bromochloromethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 67-66-3        | Chloroform                     | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 108-87-2       | Methylcyclohexane              | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 563-58-6       | 1,1-Dichloropropene            | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 71-43-2        | Benzene                        | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 107-06-2       | 1,2-Dichloroethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 79-01-6        | Trichloroethene                | 0.090 | U    | 1  | 0.090 | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 78-87-5        | 1,2-Dichloropropane            | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 74-95-3        | Dibromomethane                 | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 75-27-4        | Bromodichloromethane           | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 108-10-1       | 4-Methyl-2-Pentanone           | 0.68  | U    | 1  | 0.68  | 5.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 108-88-3       | Toluene                        | 0.14  | U    | 1  | 0.14  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 10061-02-6     | t-1,3-Dichloropropene          | 0.17  | U    | 1  | 0.17  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 10061-01-5     | cis-1,3-Dichloropropene        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 79-00-5        | 1,1,2-Trichloroethane          | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 142-28-9       | 1,3-Dichloropropane            | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/21/25 14:44 | VX112125 |
| 110-75-8       | 2-Chloroethyl Vinyl ether      | 0.30  | U    | 1  | 0.30  | 5.00       | ug/L  | 11/21/25 14:44 | VX112125 |

## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-WATE  
Lab Sample ID: Q3702-03  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number                | Parameter                   | Conc.             | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|---------------------------|-----------------------------|-------------------|------|----|----------|------------|---------|----------------|----------|
| 591-78-6                  | 2-Hexanone                  | 0.89              | U    | 1  | 0.89     | 5.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 124-48-1                  | Dibromochloromethane        | 0.18              | U    | 1  | 0.18     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 106-93-4                  | 1,2-Dibromoethane           | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 127-18-4                  | Tetrachloroethene           | 0.23              | U    | 1  | 0.23     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 108-90-7                  | Chlorobenzene               | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 630-20-6                  | 1,1,1,2-Tetrachloroethane   | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 67-72-1                   | Hexachloroethane            | 0.32              | U    | 1  | 0.32     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 100-41-4                  | Ethyl Benzene               | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 179601-23-1               | m/p-Xylenes                 | 0.24              | U    | 1  | 0.24     | 2.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 95-47-6                   | o-Xylene                    | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 100-42-5                  | Styrene                     | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 75-25-2                   | Bromoform                   | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 98-82-8                   | Isopropylbenzene            | 0.12              | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.26              | U    | 1  | 0.26     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.35              | U    | 1  | 0.35     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 108-86-1                  | Bromobenzene                | 0.24              | U    | 1  | 0.24     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 103-65-1                  | n-propylbenzene             | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 95-49-8                   | 2-Chlorotoluene             | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 108-67-8                  | 1,3,5-Trimethylbenzene      | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 106-43-4                  | 4-Chlorotoluene             | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 98-06-6                   | tert-Butylbenzene           | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 95-63-6                   | 1,2,4-Trimethylbenzene      | 0.14              | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 135-98-8                  | sec-Butylbenzene            | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 99-87-6                   | p-Isopropyltoluene          | 0.13              | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.16              | U    | 1  | 0.16     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.19              | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 104-51-8                  | n-Butylbenzene              | 0.15              | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.16              | U    | 1  | 0.16     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.53              | U    | 1  | 0.53     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 87-68-3                   | Hexachlorobutadiene         | 0.30              | U    | 1  | 0.30     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 91-20-3                   | Naphthalene                 | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.20              | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 14:44 | VX112125 |
| <b>SURROGATES</b>         |                             |                   |      |    |          |            |         |                |          |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 54.7              |      |    | 74 - 125 | 109%       | SPK: 50 |                |          |
| 1868-53-7                 | Dibromofluoromethane        | 43.3              |      |    | 75 - 124 | 87%        | SPK: 50 |                |          |
| 2037-26-5                 | Toluene-d8                  | 47.0              |      |    | 86 - 113 | 94%        | SPK: 50 |                |          |
| 460-00-4                  | 4-Bromofluorobenzene        | 54.9              |      |    | 77 - 121 | 110%       | SPK: 50 |                |          |
| <b>INTERNAL STANDARDS</b> |                             |                   |      |    |          |            |         |                |          |
|                           |                             | <b>Area Count</b> |      |    |          |            |         |                |          |
| 363-72-4                  | Pentafluorobenzene          | 160000            |      |    |          |            |         |                |          |
| 540-36-3                  | 1,4-Difluorobenzene         | 322000            |      |    |          |            |         |                |          |
| 3114-55-4                 | Chlorobenzene-d5            | 341000            |      |    |          |            |         |                |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 184000            |      |    |          |            |         |                |          |

## Report of Analysis

|                    |                           |                 |                    |
|--------------------|---------------------------|-----------------|--------------------|
| Client:            | Chemtech Consulting Group | Date Collected: | 11/14/25           |
| Project:           | Weekly Storage Blanks     | Date Received:  | 11/21/25           |
| Client Sample ID:  | STORAGE-BLANK-WATE        | SDG No.:        | Q3702              |
| Lab Sample ID:     | Q3702-03                  | Matrix:         | Water              |
| Analytical Method: | 8260D                     | % Solid:        | 0                  |
| Sample Wt/Vol:     | 5 mL                      | Test:           | VOC- Chemtech Full |
|                    | Level: LOW                |                 |                    |
|                    | Final Vol: 5000 uL        |                 |                    |

| CAS Number | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Date Ana. | BatchID |
|------------|-----------|-------|------|----|-----|------------|-------|-----------|---------|
|------------|-----------|-------|------|----|-----|------------|-------|-----------|---------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products



## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-SAMP  
Lab Sample ID: Q3702-04  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number     | Parameter                      | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Date Ana.      | BatchID  |
|----------------|--------------------------------|-------|------|----|-------|------------|-------|----------------|----------|
| <b>TARGETS</b> |                                |       |      |    |       |            |       |                |          |
| 75-71-8        | Dichlorodifluoromethane        | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 74-87-3        | Chloromethane                  | 0.32  | U    | 1  | 0.32  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-01-4        | Vinyl Chloride                 | 0.26  | U    | 1  | 0.26  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 141-78-6       | Ethyl Acetate                  | 0.31  | U    | 1  | 0.31  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 74-83-9        | Bromomethane                   | 1.40  | U    | 1  | 1.40  | 5.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-00-3        | Chloroethane                   | 0.47  | U    | 1  | 0.47  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-69-4        | Trichlorofluoromethane         | 0.33  | U    | 1  | 0.33  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-65-0        | Tert butyl alcohol             | 5.50  | U    | 1  | 5.50  | 25.0       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-35-4        | 1,1-Dichloroethene             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 107-02-8       | Acrolein                       | 7.10  | U    | 1  | 7.10  | 25.0       | ug/L  | 11/21/25 14:07 | VX112125 |
| 107-13-1       | Acrylonitrile                  | 0.83  | U    | 1  | 0.83  | 5.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 67-64-1        | Acetone                        | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-15-0        | Carbon Disulfide               | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 79-20-9        | Methyl Acetate                 | 0.27  | U    | 1  | 0.27  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-09-2        | Methylene Chloride             | 0.28  | U    | 1  | 0.28  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 108-05-4       | Vinyl Acetate                  | 0.66  | U    | 1  | 0.66  | 5.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-34-3        | 1,1-Dichloroethane             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 110-82-7       | Cyclohexane                    | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 78-93-3        | 2-Butanone                     | 0.98  | U    | 1  | 0.98  | 5.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 56-23-5        | Carbon Tetrachloride           | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 594-20-7       | 2,2-Dichloropropane            | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 74-97-5        | Bromochloromethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 67-66-3        | Chloroform                     | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 108-87-2       | Methylcyclohexane              | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 563-58-6       | 1,1-Dichloropropene            | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 71-43-2        | Benzene                        | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 107-06-2       | 1,2-Dichloroethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 79-01-6        | Trichloroethene                | 0.090 | U    | 1  | 0.090 | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 78-87-5        | 1,2-Dichloropropane            | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 74-95-3        | Dibromomethane                 | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 75-27-4        | Bromodichloromethane           | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 108-10-1       | 4-Methyl-2-Pentanone           | 0.68  | U    | 1  | 0.68  | 5.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 108-88-3       | Toluene                        | 0.14  | U    | 1  | 0.14  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 10061-02-6     | t-1,3-Dichloropropene          | 0.17  | U    | 1  | 0.17  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 10061-01-5     | cis-1,3-Dichloropropene        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 79-00-5        | 1,1,2-Trichloroethane          | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 142-28-9       | 1,3-Dichloropropane            | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/21/25 14:07 | VX112125 |
| 110-75-8       | 2-Chloroethyl Vinyl ether      | 0.30  | U    | 1  | 0.30  | 5.00       | ug/L  | 11/21/25 14:07 | VX112125 |

## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-SAMP  
Lab Sample ID: Q3702-04  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number                | Parameter                   | Conc.  | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|---------------------------|-----------------------------|--------|------|----|----------|------------|---------|----------------|----------|
| 591-78-6                  | 2-Hexanone                  | 0.89   | U    | 1  | 0.89     | 5.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 124-48-1                  | Dibromochloromethane        | 0.18   | U    | 1  | 0.18     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 106-93-4                  | 1,2-Dibromoethane           | 0.15   | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 127-18-4                  | Tetrachloroethene           | 0.23   | U    | 1  | 0.23     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 108-90-7                  | Chlorobenzene               | 0.12   | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 630-20-6                  | 1,1,1,2-Tetrachloroethane   | 0.19   | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 67-72-1                   | Hexachloroethane            | 0.32   | U    | 1  | 0.32     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 100-41-4                  | Ethyl Benzene               | 0.13   | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 179601-23-1               | m/p-Xylenes                 | 0.24   | U    | 1  | 0.24     | 2.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 95-47-6                   | o-Xylene                    | 0.12   | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 100-42-5                  | Styrene                     | 0.15   | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 75-25-2                   | Bromoform                   | 0.19   | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 98-82-8                   | Isopropylbenzene            | 0.12   | U    | 1  | 0.12     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.26   | U    | 1  | 0.26     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 96-18-4                   | 1,2,3-Trichloropropane      | 0.35   | U    | 1  | 0.35     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 108-86-1                  | Bromobenzene                | 0.24   | U    | 1  | 0.24     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 103-65-1                  | n-propylbenzene             | 0.13   | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 95-49-8                   | 2-Chlorotoluene             | 0.14   | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 108-67-8                  | 1,3,5-Trimethylbenzene      | 0.15   | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 106-43-4                  | 4-Chlorotoluene             | 0.13   | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 98-06-6                   | tert-Butylbenzene           | 0.14   | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 95-63-6                   | 1,2,4-Trimethylbenzene      | 0.14   | U    | 1  | 0.14     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 135-98-8                  | sec-Butylbenzene            | 0.13   | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 99-87-6                   | p-Isopropyltoluene          | 0.13   | U    | 1  | 0.13     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.16   | U    | 1  | 0.16     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.19   | U    | 1  | 0.19     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 104-51-8                  | n-Butylbenzene              | 0.15   | U    | 1  | 0.15     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.16   | U    | 1  | 0.16     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.53   | U    | 1  | 0.53     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.20   | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 87-68-3                   | Hexachlorobutadiene         | 0.30   | U    | 1  | 0.30     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 91-20-3                   | Naphthalene                 | 0.20   | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.20   | U    | 1  | 0.20     | 1.00       | ug/L    | 11/21/25 14:07 | VX112125 |
| <b>SURROGATES</b>         |                             |        |      |    |          |            |         |                |          |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 51.7   |      |    | 74 - 125 | 103%       | SPK: 50 |                |          |
| 1868-53-7                 | Dibromofluoromethane        | 42.5   |      |    | 75 - 124 | 85%        | SPK: 50 |                |          |
| 2037-26-5                 | Toluene-d8                  | 47.8   |      |    | 86 - 113 | 96%        | SPK: 50 |                |          |
| 460-00-4                  | 4-Bromofluorobenzene        | 54.8   |      |    | 77 - 121 | 110%       | SPK: 50 |                |          |
| <b>INTERNAL STANDARDS</b> |                             |        |      |    |          |            |         |                |          |
| 363-72-4                  | Pentafluorobenzene          | 157000 |      |    |          |            |         |                |          |
| 540-36-3                  | 1,4-Difluorobenzene         | 308000 |      |    |          |            |         |                |          |
| 3114-55-4                 | Chlorobenzene-d5            | 329000 |      |    |          |            |         |                |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 176000 |      |    |          |            |         |                |          |

## Report of Analysis

Client: Chemtech Consulting Group  
Project: Weekly Storage Blanks  
Client Sample ID: STORAGE-BLANK-SAMP  
Lab Sample ID: Q3702-04  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected: 11/14/25  
Date Received: 11/21/25  
SDG No.: Q3702  
Matrix: Water  
% Solid: 0  
Test: VOC- Chemtech Full

| CAS Number | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Date Ana. | BatchID |
|------------|-----------|-------|------|----|-----|------------|-------|-----------|---------|
|------------|-----------|-------|------|----|-----|------------|-------|-----------|---------|

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
E = Value Exceeds Calibration Range  
Q = indicates LCS control criteria did not meet requirements  
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
N = Presumptive Evidence of a Compound  
\* = Values outside of QC limits  
D = Dilution  
( ) = Laboratory InHouse Limit  
A = Aldol-Condensation Reaction Products

## LAB CHRONICLE

|                 |                           |                   |                        |
|-----------------|---------------------------|-------------------|------------------------|
| <b>OrderID:</b> | Q3702                     | <b>OrderDate:</b> | 11/21/2025 11:05:00 AM |
| <b>Client:</b>  | Chemtech Consulting Group | <b>Project:</b>   | Weekly Storage Blanks  |
| <b>Contact:</b> | QA Officer                | <b>Location:</b>  | D41,VOA Ref. #3 Water  |

| LabID           | ClientID                                    | Matrix       | Test               | Method   | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|---------------------------------------------|--------------|--------------------|----------|-----------------|-----------|-----------|-----------------|
| <b>Q3702-01</b> | <b>STORAGE-BLANK-SOI<br/>L-REF-6</b>        | <b>Water</b> |                    |          | <b>11/14/25</b> |           |           | <b>11/21/25</b> |
|                 |                                             |              | VOC- Chemtech Full | 8260-Low |                 |           | 11/21/25  |                 |
| <b>Q3702-02</b> | <b>STORAGE-BLANK-WAT<br/>ER-REF-5</b>       | <b>Water</b> |                    |          | <b>11/14/25</b> |           |           | <b>11/21/25</b> |
|                 |                                             |              | VOC- Chemtech Full | 8260-Low |                 |           | 11/21/25  |                 |
| <b>Q3702-03</b> | <b>STORAGE-BLANK-WAT<br/>ER-REF-4</b>       | <b>Water</b> |                    |          | <b>11/14/25</b> |           |           | <b>11/21/25</b> |
|                 |                                             |              | VOC- Chemtech Full | 8260-Low |                 |           | 11/21/25  |                 |
| <b>Q3702-04</b> | <b>STORAGE-BLANK-SAM<br/>PLE-MANAGEMENT</b> | <b>Water</b> |                    |          | <b>11/14/25</b> |           |           | <b>11/21/25</b> |
|                 |                                             |              | VOC- Chemtech Full | 8260-Low |                 |           | 11/21/25  |                 |



# SHIPPING DOCUMENTS

|                                                                                                                                                           |                                  |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                         |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|----------------------------------------------------------------------------|------|------------|-------------------------------------------------------------------------------|--|--|--|--|--|--|---|---|---|---|---|----------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|--|--|
| <br><b>Alliance</b><br>TECHNICAL GROUP                                                                                                                    |                                  | 284 Sheffield Street, Mountainside, NJ 07092<br>(908) 789-8900 Fax: (908) 788-9222<br>www.chemtech.net |                                                                                                                                                                                                                                                                                                                                                                                         | <b>CHAIN OF CUSTODY RECORD</b>    |                                                                                                                                                                                                                                                                                                    | Alliance Project Number: <span style="font-size: 1.5em; margin-left: 20px;">Q3702</span>                                                                                                                                                                                                                                                                                                                                                                                                                                          |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
|                                                                                                                                                           |                                  |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                         | COC Number:                       |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| CLIENT INFORMATION                                                                                                                                        |                                  |                                                                                                        | PROJECT INFORMATION                                                                                                                                                                                                                                                                                                                                                                     |                                   |                                                                                                                                                                                                                                                                                                    | BILLING INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| COMPANY: Alliance Technical Group, LLC - Newark                                                                                                           |                                  |                                                                                                        | PROJECT NAME: Weekly Storage Blanks                                                                                                                                                                                                                                                                                                                                                     |                                   |                                                                                                                                                                                                                                                                                                    | BILL TO: _____ PO# _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| ADDRESS: 284 Sheffield Street                                                                                                                             |                                  |                                                                                                        | PROJECT #: _____ LOCATION: _____                                                                                                                                                                                                                                                                                                                                                        |                                   |                                                                                                                                                                                                                                                                                                    | ADDRESS: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| CITY Mountainside STATE: NJ ZIP: 07092                                                                                                                    |                                  |                                                                                                        | PROJECT MANAGER: _____                                                                                                                                                                                                                                                                                                                                                                  |                                   |                                                                                                                                                                                                                                                                                                    | CITY: _____ STATE: _____ ZIP: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| ATTENTION: _____                                                                                                                                          |                                  |                                                                                                        | E-MAIL: _____                                                                                                                                                                                                                                                                                                                                                                           |                                   |                                                                                                                                                                                                                                                                                                    | ATTENTION: _____ PHONE: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| PHONE: _____ FAX: _____                                                                                                                                   |                                  |                                                                                                        | PHONE: _____ FAX: _____                                                                                                                                                                                                                                                                                                                                                                 |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| DATA TURNAROUND INFORMATION                                                                                                                               |                                  |                                                                                                        | DATA DELIVERABLE INFORMATION                                                                                                                                                                                                                                                                                                                                                            |                                   |                                                                                                                                                                                                                                                                                                    | ANALYSIS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| FAX: <u>NA</u> DAYS*<br>HARD COPY: <u>10</u> DAYS*<br>EDD <u>NA</u> DAYS*<br>* TO BE APPROVED BY ALLIANCE<br>STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS |                                  |                                                                                                        | <input type="checkbox"/> RESULTS ONLY <input type="checkbox"/> USEPA CLP<br><input type="checkbox"/> RESULTS + QC <input type="checkbox"/> New York State ASP "B"<br><input type="checkbox"/> New Jersey REDUCED <input type="checkbox"/> New York State ASP "A"<br><input type="checkbox"/> New Jersey CLP <input type="checkbox"/> Other _____<br><input type="checkbox"/> EDD Format |                                   |                                                                                                                                                                                                                                                                                                    | <table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <tr> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">VOC</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">SVOC</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">PESTICIDES</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td></td> </tr> </table> |   |   | VOC                                                                        | SVOC | PESTICIDES |                                                                               |  |  |  |  |  |  | 1 | 2 | 3 | 4 | 5 | 6                                                                          | 7 | 8 | 9 |   |   |   |   |   |   |   |  |  |
| VOC                                                                                                                                                       | SVOC                             | PESTICIDES                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                         |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 1                                                                                                                                                         | 2                                | 3                                                                                                      | 4                                                                                                                                                                                                                                                                                                                                                                                       | 5                                 | 6                                                                                                                                                                                                                                                                                                  | 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 8 | 9 |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
|                                                                                                                                                           |                                  |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                         |                                   |                                                                                                                                                                                                                                                                                                    | PRESERVATIVES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
|                                                                                                                                                           |                                  |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                         |                                   |                                                                                                                                                                                                                                                                                                    | COMMENTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| CHEMTECH<br>SAMPLE<br>ID                                                                                                                                  | PROJECT<br>SAMPLE IDENTIFICATION | SAMPLE<br>MATRIX                                                                                       | SAMPLE<br>TYPE<br>COMP GRAB                                                                                                                                                                                                                                                                                                                                                             | SAMPLE<br>COLLECTION<br>DATE TIME | # of Bottles                                                                                                                                                                                                                                                                                       | <table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <tr> <td colspan="9"></td> <td colspan="2" style="text-align: left; font-size: 0.8em;">           ← Specify Preservatives<br/>           A-HCl B-HNO3<br/>           C-H2SO4 D-NaOH<br/>           E-ICE F-Other         </td> </tr> <tr> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td colspan="2"></td> </tr> </table>                                                                    |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   | ← Specify Preservatives<br>A-HCl B-HNO3<br>C-H2SO4 D-NaOH<br>E-ICE F-Other |   | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |  |  |
|                                                                                                                                                           |                                  |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                         |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   | ← Specify Preservatives<br>A-HCl B-HNO3<br>C-H2SO4 D-NaOH<br>E-ICE F-Other |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 1                                                                                                                                                         | 2                                | 3                                                                                                      | 4                                                                                                                                                                                                                                                                                                                                                                                       | 5                                 | 6                                                                                                                                                                                                                                                                                                  | 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 8 | 9 |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 1.                                                                                                                                                        | STORAGE-BLANK-SOIL-REF-6         | AQ                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | X |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 2.                                                                                                                                                        | STORAGE-BLANK-WATER-REF-5        | AQ                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | X |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 3.                                                                                                                                                        | STORAGE-BLANK-WATER-REF-4        | AQ                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | X |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 4.                                                                                                                                                        | STORAGE-BLANK-SAMPLE-MANAGEMENT  | AQ                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | X |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 5.                                                                                                                                                        | SVOC-GPC-BLANK                   | SO                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   | X |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 6.                                                                                                                                                        | PEST-GPC-BLANK                   | SO                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |   | X                                                                          |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 7.                                                                                                                                                        | PEST-GPC-BLANK-SPIKE             | SO                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |   | X                                                                          |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 8.                                                                                                                                                        | SVOC-GPC2-BLANK                  | SO                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   | X |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 9.                                                                                                                                                        | PEST-GPC2-BLANK                  | SO                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |   | X                                                                          |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 10.                                                                                                                                                       | PEST -GPC2-BLANK-SPIKE           | SO                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                         | X                                 |                                                                                                                                                                                                                                                                                                    | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |   | X                                                                          |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY                                                    |                                  |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                         |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| RELINQUISHED BY SAMPLER                                                                                                                                   |                                  | DATE/TIME                                                                                              | RECEIVED BY                                                                                                                                                                                                                                                                                                                                                                             |                                   | Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp _____<br>MeOH extraction requires an additional 4oz. Jar for percent solid <input type="checkbox"/> Ice in Cooler?: _____<br>Comments: |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 1. <u>Sam</u>                                                                                                                                             |                                  | 1/21/25                                                                                                | 1. <u>9:00</u>                                                                                                                                                                                                                                                                                                                                                                          |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| RELINQUISHED BY                                                                                                                                           |                                  | DATE/TIME                                                                                              | RECEIVED BY                                                                                                                                                                                                                                                                                                                                                                             |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 2.                                                                                                                                                        |                                  |                                                                                                        | 2.                                                                                                                                                                                                                                                                                                                                                                                      |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| RELINQUISHED BY                                                                                                                                           |                                  | DATE/TIME                                                                                              | RECEIVED FOR LAB BY                                                                                                                                                                                                                                                                                                                                                                     |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| 3.                                                                                                                                                        |                                  |                                                                                                        | 3.                                                                                                                                                                                                                                                                                                                                                                                      |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
|                                                                                                                                                           |                                  |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                         |                                   | Page _____ of _____                                                                                                                                                                                                                                                                                | SHIPPED VIA: CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Overnight<br>ALLIANCE: <input type="checkbox"/> Picked Up <input type="checkbox"/> Overnight                                                                                                                                                                                                                                                                                                                                                |   |   |                                                                            |      |            | Shipment Complete<br><input type="checkbox"/> YES <input type="checkbox"/> NO |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |
| WHITE - ALLIANCE COPY FOR RETURN TO CLIENT    YELLOW - ALLIANCE COPY    PINK - SAMPLER COPY                                                               |                                  |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                         |                                   |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |   |   |                                                                            |      |            |                                                                               |  |  |  |  |  |  |   |   |   |   |   |                                                                            |   |   |   |   |   |   |   |   |   |   |  |  |

### Laboratory Certification

| Certified By    | License No.      |
|-----------------|------------------|
|                 |                  |
| Connecticut     | PH-0830          |
|                 |                  |
| DOD ELAP (ANAB) | L2219            |
|                 |                  |
| Maine           | 2024021          |
|                 |                  |
| Maryland        | 296              |
|                 |                  |
| New Hampshire   | 255425           |
|                 |                  |
| New Jersey      | 20012            |
|                 |                  |
| New York        | 11376            |
|                 |                  |
| Pennsylvania    | 68-00548         |
|                 |                  |
| Soil Permit     | 525-24-234-08441 |
|                 |                  |
| Texas           | TX-C25-00189     |
|                 |                  |
| Virginia        | 460312           |