

Report of Analysis

Client:	PSEG	Date Collected:	11/24/25
Project:	Oradell Gas and Appliance Service (OR)	Date Received:	11/24/25
Client Sample ID:	OR-03-11-24-2025	SDG No.:	Q3714
Lab Sample ID:	Q3714-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	97.5
Sample Wt/Vol:	30.02 g	Test:	EPH_NF
Prep Method :	Final Vol: 2000 uL Prep Date : 11/26/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	71.1		5	6.05	10.2	mg/kg	FE057091.D	12/01/25 12:08	PB170736
Aliphatic C9-C28	Aliphatic C9-C28	9.02		1	0.93	4.09	mg/kg	FE057053.D	11/26/25 18:37	PB170736
Total AliphaticEPH	Total AliphaticEPH	80.1			6.98	14.3	mg/kg			
Total EPH	Total EPH	80.1			6.98	14.3	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	11/24/25
Project:	Oradell Gas and Appliance Service (OR)	Date Received:	11/24/25
Client Sample ID:	OR-03-11-24-2025	SDG No.:	Q3714
Lab Sample ID:	Q3714-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	97.5
Sample Wt/Vol:	30.02 g	Final Vol:	2000 uL
Prep Method :		Prep Date	11/26/25
		Test:	EPH_NF

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	9.02	1		0.93	4.09	mg/kg	11/26/25	PB170736
Aliphatic C28-C40	Aliphatic C28-C40	69.4	E 1		1.21	2.05	mg/kg	11/26/25	PB170736
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	25.7			40 - 140	51%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	28.2			40 - 140	56%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3714-02	Acq On:	26 Nov 2025 18:37
Client Sample ID:	OR-03-11-24-2025	Operator:	YP\AJ
Data file:	FE057053.D	Misc:	
Instrument:	FID_E	ALS Vial:	23
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.202	6.826	727004	4.247	300	ug/ml
Aliphatic C12-C16	6.827	10.271	3062608	17.133	200	ug/ml
Aliphatic C16-C21	10.272	13.644	8196107	43.946	300	ug/ml
Aliphatic C21-C28	13.645	17.314	12857478	66.7	400	ug/ml
Aliphatic C28-C40	17.315	22.241	161884540	1020	600	ug/ml
Aliphatic EPH	3.202	22.241	186727737	1150		ug/ml
ortho-Terphenyl (SURR)	11.945	11.945	5894554	28.22		ug/ml
1-chlorooctadecane (SURR)	13.382	13.382	4140560	25.7		ug/ml
Aliphatic C9-C28	3.202	17.314	24843197	132.026	1200	ug/ml