

## **DATA PACKAGE**

GC SEMI-VOLATILES

**PROJECT NAME : JHS**

**ATC GROUP SERVICES LLC**

**104 East 25th Street**

**New York, NY - 10010**

**Phone No: 212-353-8280**

**ORDER ID : Q3717**

**ATTENTION : Olga Seldinas**



**Laboratory Certification ID # 20012**



1) Signature Page	3
2) Case Narrative	4
2.1) PCB Group1- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) PCB Group1 Data	8
6) Shipping Document	19
6.1) CHAIN OF CUSTODY	20
6.2) Lab Certificate	24

1
2
3
4
5
6

## Cover Page

**Order ID :** Q3717

**Project ID :** JHS

**Client :** ATC Group Services LLC

### Lab Sample Number

Q3717-01  
Q3717-02  
Q3717-03  
Q3717-04  
Q3717-05  
Q3717-06  
Q3717-07  
Q3717-08

### Client Sample Number

1A1B1C  
2A2B2C  
3A3B3C  
4A4B4C  
5A5B5C  
6A6B6C  
7A7B7C  
8A8B8C

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 2:08 pm, Dec 02, 2025*

Date: 11/27/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

### **ATC Group Services LLC**

**Project Name: JHS**

**Project # N/A**

**Order ID # Q3717**

**Test Name: PCB Group1**

#### **A. Number of Samples and Date of Receipt:**

8 Solid samples were received on 11/24/2025.

#### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: PCB Group1. This data package contains results for PCB Group1.

#### **C. Analytical Techniques:**

The analyses were performed on instrument GCECD\_Q. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCB Group1s was based on method 8082A and extraction was done based on method 3541.

#### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Retention Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

Samples 1A1B1C, 2A2B2C, 3A3B3C, 4A4B4C, 5A5B5C, 6A6B6C, 7A7B7C and 8A8B8C are directly analyzed with dilution due to samples are Caulk matrix.

#### **E. Additional Comments:**

Less volume was taken for samples at the extraction due to CAULK matrix.

No MS-MSD performed as sample having CAULK matrix.

The temperature of the samples at the time of receipt was 15.2°C.

#### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 2:08 pm, Dec 02, 2025*

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
<b>U</b>	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>J</b>	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ul>
<b>B</b>	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
<b>E</b>	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>D</b>	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
<b>P</b>	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
<b>N</b>	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
<b>A</b>	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q3717

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/27/2025



## Project ID: JHS

**Total Concentration: 0.000**





# SAMPLE DATA

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	1A1B1C		SDG No.:	Q3717
Lab Sample ID:	Q3717-01		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	1.9 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B	Prep Date: 11/25/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
12674-11-2	Aroclor-1016	624	U	10	624	2700	ug/kg	11/25/25 14:48	PB170728
11104-28-2	Aroclor-1221	636	U	10	636	2700	ug/kg	11/25/25 14:48	PB170728
11141-16-5	Aroclor-1232	587	U	10	587	2700	ug/kg	11/25/25 14:48	PB170728
53469-21-9	Aroclor-1242	633	U	10	633	2700	ug/kg	11/25/25 14:48	PB170728
12672-29-6	Aroclor-1248	935	U	10	935	2700	ug/kg	11/25/25 14:48	PB170728
11097-69-1	Aroclor-1254	507	U	10	507	2700	ug/kg	11/25/25 14:48	PB170728
37324-23-5	Aroclor-1262	793	U	10	793	2700	ug/kg	11/25/25 14:48	PB170728
11100-14-4	Aroclor-1268	568	U	10	568	2700	ug/kg	11/25/25 14:48	PB170728
11096-82-5	Aroclor-1260	510	U	10	510	2700	ug/kg	11/25/25 14:48	PB170728
Total PCBs	Total PCBs	935	U	10	935	2700	ug/kg	11/25/25 14:48	PB170728
<b>SURROGATES</b>									
877-09-8	Tetrachloro-m-xylene	21.9			21 - 165	110%	SPK: 20		
2051-24-3	Decachlorobiphenyl	20.1			10 - 170	101%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	2A2B2C		SDG No.:	Q3717
Lab Sample ID:	Q3717-02		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	1.39 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B	Prep Date: 11/25/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
12674-11-2	Aroclor-1016	853	U	10	853	3700	ug/kg	11/25/25 15:03	PB170728
11104-28-2	Aroclor-1221	870	U	10	870	3700	ug/kg	11/25/25 15:03	PB170728
11141-16-5	Aroclor-1232	803	U	10	803	3700	ug/kg	11/25/25 15:03	PB170728
53469-21-9	Aroclor-1242	865	U	10	865	3700	ug/kg	11/25/25 15:03	PB170728
12672-29-6	Aroclor-1248	1300	U	10	1300	3700	ug/kg	11/25/25 15:03	PB170728
11097-69-1	Aroclor-1254	693	U	10	693	3700	ug/kg	11/25/25 15:03	PB170728
37324-23-5	Aroclor-1262	1100	U	10	1100	3700	ug/kg	11/25/25 15:03	PB170728
11100-14-4	Aroclor-1268	777	U	10	777	3700	ug/kg	11/25/25 15:03	PB170728
11096-82-5	Aroclor-1260	697	U	10	697	3700	ug/kg	11/25/25 15:03	PB170728
Total PCBs	Total PCBs	1300	U	10	1300	3700	ug/kg	11/25/25 15:03	PB170728
<b>SURROGATES</b>									
877-09-8	Tetrachloro-m-xylene	18.3			21 - 165	92%	SPK: 20		
2051-24-3	Decachlorobiphenyl	16.1			10 - 170	81%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	3A3B3C		SDG No.:	Q3717
Lab Sample ID:	Q3717-03		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	1.08 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B	Prep Date: 11/25/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
12674-11-2	Aroclor-1016	1100	U	10	1100	4700	ug/kg	11/25/25 15:18	PB170728
11104-28-2	Aroclor-1221	1100	U	10	1100	4700	ug/kg	11/25/25 15:18	PB170728
11141-16-5	Aroclor-1232	1000	U	10	1000	4700	ug/kg	11/25/25 15:18	PB170728
53469-21-9	Aroclor-1242	1100	U	10	1100	4700	ug/kg	11/25/25 15:18	PB170728
12672-29-6	Aroclor-1248	1600	U	10	1600	4700	ug/kg	11/25/25 15:18	PB170728
11097-69-1	Aroclor-1254	892	U	10	892	4700	ug/kg	11/25/25 15:18	PB170728
37324-23-5	Aroclor-1262	1400	U	10	1400	4700	ug/kg	11/25/25 15:18	PB170728
11100-14-4	Aroclor-1268	1000	U	10	1000	4700	ug/kg	11/25/25 15:18	PB170728
11096-82-5	Aroclor-1260	897	U	10	897	4700	ug/kg	11/25/25 15:18	PB170728
Total PCBs	Total PCBs	1600	U	10	1600	4700	ug/kg	11/25/25 15:18	PB170728
<b>SURROGATES</b>									
877-09-8	Tetrachloro-m-xylene	22.3			21 - 165	112%	SPK: 20		
2051-24-3	Decachlorobiphenyl	21.0			10 - 170	105%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	4A4B4C		SDG No.:	Q3717
Lab Sample ID:	Q3717-04		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	2.2 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B	Prep Date: 11/25/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
12674-11-2	Aroclor-1016	539	U	10	539	2300	ug/kg	11/25/25 15:32	PB170728
11104-28-2	Aroclor-1221	550	U	10	550	2300	ug/kg	11/25/25 15:32	PB170728
11141-16-5	Aroclor-1232	507	U	10	507	2300	ug/kg	11/25/25 15:32	PB170728
53469-21-9	Aroclor-1242	547	U	10	547	2300	ug/kg	11/25/25 15:32	PB170728
12672-29-6	Aroclor-1248	807	U	10	807	2300	ug/kg	11/25/25 15:32	PB170728
11097-69-1	Aroclor-1254	438	U	10	438	2300	ug/kg	11/25/25 15:32	PB170728
37324-23-5	Aroclor-1262	685	U	10	685	2300	ug/kg	11/25/25 15:32	PB170728
11100-14-4	Aroclor-1268	491	U	10	491	2300	ug/kg	11/25/25 15:32	PB170728
11096-82-5	Aroclor-1260	440	U	10	440	2300	ug/kg	11/25/25 15:32	PB170728
Total PCBs	Total PCBs	807	U	10	807	2300	ug/kg	11/25/25 15:32	PB170728
<b>SURROGATES</b>									
877-09-8	Tetrachloro-m-xylene	22.4			21 - 165	112%	SPK: 20		
2051-24-3	Decachlorobiphenyl	20.4			10 - 170	102%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	5A5B5C		SDG No.:	Q3717
Lab Sample ID:	Q3717-05		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	4.2 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B		Prep Date:	11/25/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
12674-11-2	Aroclor-1016	282	U	10	282	1200	ug/kg	11/25/25 15:47	PB170728
11104-28-2	Aroclor-1221	288	U	10	288	1200	ug/kg	11/25/25 15:47	PB170728
11141-16-5	Aroclor-1232	266	U	10	266	1200	ug/kg	11/25/25 15:47	PB170728
53469-21-9	Aroclor-1242	286	U	10	286	1200	ug/kg	11/25/25 15:47	PB170728
12672-29-6	Aroclor-1248	423	U	10	423	1200	ug/kg	11/25/25 15:47	PB170728
11097-69-1	Aroclor-1254	229	U	10	229	1200	ug/kg	11/25/25 15:47	PB170728
37324-23-5	Aroclor-1262	359	U	10	359	1200	ug/kg	11/25/25 15:47	PB170728
11100-14-4	Aroclor-1268	257	U	10	257	1200	ug/kg	11/25/25 15:47	PB170728
11096-82-5	Aroclor-1260	231	U	10	231	1200	ug/kg	11/25/25 15:47	PB170728
Total PCBs	Total PCBs	423	U	10	423	1200	ug/kg	11/25/25 15:47	PB170728
<b>SURROGATES</b>									
877-09-8	Tetrachloro-m-xylene	22.1			21 - 165	111%	SPK: 20		
2051-24-3	Decachlorobiphenyl	28.4			10 - 170	142%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	6A6B6C		SDG No.:	Q3717
Lab Sample ID:	Q3717-06		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	1.73 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B		Prep Date:	11/25/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
12674-11-2	Aroclor-1016	685	U	10	685	2900	ug/kg	11/25/25 16:01	PB170728
11104-28-2	Aroclor-1221	699	U	10	699	2900	ug/kg	11/25/25 16:01	PB170728
11141-16-5	Aroclor-1232	645	U	10	645	2900	ug/kg	11/25/25 16:01	PB170728
53469-21-9	Aroclor-1242	695	U	10	695	2900	ug/kg	11/25/25 16:01	PB170728
12672-29-6	Aroclor-1248	1000	U	10	1000	2900	ug/kg	11/25/25 16:01	PB170728
11097-69-1	Aroclor-1254	557	U	10	557	2900	ug/kg	11/25/25 16:01	PB170728
37324-23-5	Aroclor-1262	871	U	10	871	2900	ug/kg	11/25/25 16:01	PB170728
11100-14-4	Aroclor-1268	624	U	10	624	2900	ug/kg	11/25/25 16:01	PB170728
11096-82-5	Aroclor-1260	560	U	10	560	2900	ug/kg	11/25/25 16:01	PB170728
Total PCBs	Total PCBs	1000	U	10	1000	2900	ug/kg	11/25/25 16:01	PB170728
<b>SURROGATES</b>									
877-09-8	Tetrachloro-m-xylene	23.4			21 - 165	117%	SPK: 20		
2051-24-3	Decachlorobiphenyl	21.4			10 - 170	107%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	7A7B7C		SDG No.:	Q3717
Lab Sample ID:	Q3717-07		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	4.12 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B	Prep Date: 11/25/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
12674-11-2	Aroclor-1016	288	U	10	288	1200	ug/kg	11/25/25 16:16	PB170728
11104-28-2	Aroclor-1221	293	U	10	293	1200	ug/kg	11/25/25 16:16	PB170728
11141-16-5	Aroclor-1232	271	U	10	271	1200	ug/kg	11/25/25 16:16	PB170728
53469-21-9	Aroclor-1242	292	U	10	292	1200	ug/kg	11/25/25 16:16	PB170728
12672-29-6	Aroclor-1248	431	U	10	431	1200	ug/kg	11/25/25 16:16	PB170728
11097-69-1	Aroclor-1254	234	U	10	234	1200	ug/kg	11/25/25 16:16	PB170728
37324-23-5	Aroclor-1262	366	U	10	366	1200	ug/kg	11/25/25 16:16	PB170728
11100-14-4	Aroclor-1268	262	U	10	262	1200	ug/kg	11/25/25 16:16	PB170728
11096-82-5	Aroclor-1260	235	U	10	235	1200	ug/kg	11/25/25 16:16	PB170728
Total PCBs	Total PCBs	431	U	10	431	1200	ug/kg	11/25/25 16:16	PB170728
<b>SURROGATES</b>									
877-09-8	Tetrachloro-m-xylene	22.3			21 - 165	112%	SPK: 20		
2051-24-3	Decachlorobiphenyl	28.7			10 - 170	144%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit



## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	8A8B8C		SDG No.:	Q3717
Lab Sample ID:	Q3717-08		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	2.11 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B	Prep Date: 11/25/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
12674-11-2	Aroclor-1016	562	U	10	562	2400	ug/kg	11/25/25 16:30	PB170728
11104-28-2	Aroclor-1221	573	U	10	573	2400	ug/kg	11/25/25 16:30	PB170728
11141-16-5	Aroclor-1232	529	U	10	529	2400	ug/kg	11/25/25 16:30	PB170728
53469-21-9	Aroclor-1242	570	U	10	570	2400	ug/kg	11/25/25 16:30	PB170728
12672-29-6	Aroclor-1248	842	U	10	842	2400	ug/kg	11/25/25 16:30	PB170728
11097-69-1	Aroclor-1254	456	U	10	456	2400	ug/kg	11/25/25 16:30	PB170728
37324-23-5	Aroclor-1262	714	U	10	714	2400	ug/kg	11/25/25 16:30	PB170728
11100-14-4	Aroclor-1268	512	U	10	512	2400	ug/kg	11/25/25 16:30	PB170728
11096-82-5	Aroclor-1260	459	U	10	459	2400	ug/kg	11/25/25 16:30	PB170728
Total PCBs	Total PCBs	842	U	10	842	2400	ug/kg	11/25/25 16:30	PB170728
<b>SURROGATES</b>									
877-09-8	Tetrachloro-m-xylene	25.9			21 - 165	130%	SPK: 20		
2051-24-3	Decachlorobiphenyl	27.4			10 - 170	137%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

<b>OrderID:</b>	Q3717	<b>OrderDate:</b>	11/24/2025 3:44:23 PM
<b>Client:</b>	ATC Group Services LLC	<b>Project:</b>	JHS
<b>Contact:</b>	Olga Seldinas	<b>Location:</b>	A11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q3717-01</b>	<b>1A1B1C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>11/24/25</b>	11/25/25	11/25/25	<b>11/24/25</b>
<b>Q3717-02</b>	<b>2A2B2C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>11/24/25</b>	11/25/25	11/25/25	<b>11/24/25</b>
<b>Q3717-03</b>	<b>3A3B3C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>11/24/25</b>	11/25/25	11/25/25	<b>11/24/25</b>
<b>Q3717-04</b>	<b>4A4B4C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>11/24/25</b>	11/25/25	11/25/25	<b>11/24/25</b>
<b>Q3717-05</b>	<b>5A5B5C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>11/24/25</b>	11/25/25	11/25/25	<b>11/24/25</b>
<b>Q3717-06</b>	<b>6A6B6C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>11/24/25</b>	11/25/25	11/25/25	<b>11/24/25</b>
<b>Q3717-07</b>	<b>7A7B7C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>11/24/25</b>	11/25/25	11/25/25	<b>11/24/25</b>
<b>Q3717-08</b>	<b>8A8B8C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>11/24/25</b>	11/25/25	11/25/25	<b>11/24/25</b>



# SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 Fax: (908) 788-9222  
www.chemtech.net

### CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q 3717

COC Number:

CLIENT INFORMATION		PROJECT INFORMATION				BILLING INFORMATION											
COMPANY: <u>ATC Group Services, LLC</u>		PROJECT NAME: <u>JHS 57</u>				BILL TO:					PO#						
ADDRESS: <u>104 E 25 Street</u>		PROJECT #: <u>2025 JCA 100</u> LOCATION: <u>Brooklyn</u>				ADDRESS:											
CITY: <u>NY</u> STATE: <u>NY</u> ZIP: <u>10010</u>		PROJECT MANAGER: <u>Olga Selolina</u>				CITY:					STATE: ZIP:						
ATTENTION: <u>Olga Selolina</u>		E-MAIL: <u>olga.selolina@oneathr.com</u>				ATTENTION:					PHONE:						
PHONE: FAX:		PHONE: <u>212-284-0619</u> FAX:															
DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION				ANALYSIS											
FAX: <u>3 days</u> DAYS*		<input type="checkbox"/> RESULTS ONLY <input type="checkbox"/> USEPA CLP															
HARD COPY: DAYS*		<input type="checkbox"/> RESULTS + QC <input type="checkbox"/> New York State ASP "B"															
EDD: DAYS*		<input type="checkbox"/> New Jersey REDUCED <input type="checkbox"/> New York State ASP "A"															
* TO BE APPROVED BY ALLIANCE		<input type="checkbox"/> New Jersey CLP <input type="checkbox"/> Other _____															
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS		<input type="checkbox"/> EDD Format _____															
Alliance SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1. <u>1A1B1C</u>	<u>Red firestopper cabin -</u>	<u>✓</u>	<u>✓</u>		<u>11/20/25</u>	<u>2 PM</u>		<u>TOTAL PCB</u>									<u>&lt;-- Specify Preservatives</u> A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other
2. <u>2A2B2C</u>	<u>Green Index tower cabin</u>	<u>✓</u>	<u>✓</u>		<u>11/20/25</u>	<u>2:30 PM</u>											
3. <u>3A3B3C</u>	<u>Main roof Bulkhead door</u>	<u>✓</u>	<u>✓</u>		<u>11/20/25</u>	<u>2:50 PM</u>											
4. <u>4A4B4C</u>	<u>Roof over 1st floor - 6m</u>	<u>✓</u>	<u>✓</u>		<u>11/20/25</u>	<u>3:00 PM</u>											
5. <u>5A5B5C</u>	<u>Roof over 1st floor - white</u>	<u>✓</u>	<u>✓</u>		<u>11/20/25</u>	<u>3:40 PM</u>											
6. <u>6A6B6C</u>	<u>Roof over 1st floor - white</u>	<u>✓</u>	<u>✓</u>		<u>11/20/25</u>	<u>3:50 PM</u>											
7. <u>7A7B7C</u>	<u>Roof over 2nd floor - white</u>	<u>✓</u>	<u>✓</u>		<u>11/20/25</u>	<u>4:00 PM</u>											
8. <u>8A8B8C</u>	<u>Roof over 2nd floor - white</u>																
9.																	
10.																	
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																	
RELINQUISHED BY SAMPLER		DATE/TIME		RECEIVED BY		Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp <u>15.2°</u>											
1. <u>Olga Selolina</u>		<u>11/21/25</u>		1. <u>[Signature]</u>		<input type="checkbox"/> MeOH extraction requires an additional 4oz. Jar for percent solid <input type="checkbox"/> Ice in Cooler? <u>No</u>											
RELINQUISHED BY		DATE/TIME		RECEIVED BY		<u>[Signature]</u>											
2. <u>[Signature]</u>		<u>11/21/25</u>		2. <u>[Signature]</u>													
RELINQUISHED BY		DATE/TIME		RECEIVED FOR LAB BY		SHIPPED VIA: CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Overnight											
3. <u>[Signature]</u>		<u>11/21/25</u>		3. <u>[Signature]</u>		ALLIANCE: <input type="checkbox"/> Picked Up <input type="checkbox"/> Overnight											
Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO																	

Page \_\_\_\_\_ of \_\_\_\_\_

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY

## Laboratory Composite Sample log

6

6.1

Lab Project number: Q3717Date: 11-24-25Client Name: ATC GROUP ServicesClient Project Name: JHSInstructions: COMP Samples 3:1Sample Custodian: 

Client Sample ID	Weigh /Volume used	New ID	Sample Description	Sample Composite time	Comments
1A	0.66g	1A, 1B, 1C	"CAULK"	1510	Total weight = 1.98g
1B	0.65g				
1C	0.67g				
2A	0.47g	2A, 2B, 2C	"CAULK"	1512	Total weight = 1.39g
2B	0.48g				
2C	0.46g				
3A	0.37g	3A, 3B, 3C	"CAULK"	1514	Total weight = 1.12g
3B	0.38g				
3C	0.37g				
4A	0.73g	4A, 4B, 4C	"CAULK"	1516	Total weight = 2.19g
4B	0.72g				

## Laboratory Composite Sample log

Lab Project number: Q3717Date: 11-24-25Client Name: ATC Group ServicesClient Project Name: JHSInstructions: Comp Samples 3:1Sample Custodian: 

Client Sample ID	Weight /Volume used	New ID	Sample Description	Sample Composite time	Comments
4C	<u>L</u>	<u>L</u>	<u>L</u>	<u>L</u>	<u>L</u>
5A	1.40g	5A, 5B, 5C	"CAULK"	1518	Total weight = 4.21g
5B	1.42g	<u>L</u>	<u>L</u>	<u>L</u>	<u>L</u>
5C	1.39g	<u>L</u>	<u>L</u>	<u>L</u>	<u>L</u>
6A	0.59g	6A, 6B, 6C	"CAULK"	1520	Total weight = 1.72g
6B	0.58g	<u>L</u>	<u>L</u>	<u>L</u>	<u>L</u>
6C	0.60g	<u>L</u>	<u>L</u>	<u>L</u>	<u>L</u>
7A	1.36g	7A, 7B, 7C	"CAULK"	1522	Total weight = 4.11g
7B	1.38g	<u>L</u>	<u>L</u>	<u>L</u>	<u>L</u>
7C	1.37g	<u>L</u>	<u>L</u>	<u>L</u>	<u>L</u>
8A	0.70g	8A, 8B, 8C	"CAULK"	1524	Total weight = 2.13g



## 6

### 6.1

Date: 11-24-25

Client Project Name: JHS

Sample Custodian: 

[illegible]

### Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312