

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	11/24/25
Project:	JHS		Date Received:	11/24/25
Client Sample ID:	3A3B3C		SDG No.:	Q3717
Lab Sample ID:	Q3717-03		Matrix:	CAULK
Analytical Method:	8082A		% Solid:	100
Sample Wt/Vol:	1.08 g	Final Vol: 10000 uL	Test:	PCB Group1
Prep Method:	SW3541B		Prep Date:	11/25/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	1100	U	10	1100	4700	ug/kg	11/25/25 15:18	PB170728
11104-28-2	Aroclor-1221	1100	U	10	1100	4700	ug/kg	11/25/25 15:18	PB170728
11141-16-5	Aroclor-1232	1000	U	10	1000	4700	ug/kg	11/25/25 15:18	PB170728
53469-21-9	Aroclor-1242	1100	U	10	1100	4700	ug/kg	11/25/25 15:18	PB170728
12672-29-6	Aroclor-1248	1600	U	10	1600	4700	ug/kg	11/25/25 15:18	PB170728
11097-69-1	Aroclor-1254	892	U	10	892	4700	ug/kg	11/25/25 15:18	PB170728
37324-23-5	Aroclor-1262	1400	U	10	1400	4700	ug/kg	11/25/25 15:18	PB170728
11100-14-4	Aroclor-1268	1000	U	10	1000	4700	ug/kg	11/25/25 15:18	PB170728
11096-82-5	Aroclor-1260	897	U	10	897	4700	ug/kg	11/25/25 15:18	PB170728
Total PCBs	Total PCBs	1600	U	10	1600	4700	ug/kg	11/25/25 15:18	PB170728
SURROGATES									
877-09-8	Tetrachloro-m-xylene	22.3			21 - 165	112%	SPK: 20		
2051-24-3	Decachlorobiphenyl	21.0			10 - 170	105%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit