

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q3718 **Order ID:** Q3718  
**Client:** Total Quality Environmental Inc. **Project ID:** Total Quality Environmental Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID :</b>	<b>Basement Kitchen (1st draw)</b>							
Q3718-01	Basement Kitchen (1st draw)	Water	Lead	43.3		1.15	6.00	ug/L
<b>Client ID :</b>	<b>2nd draw</b>							
Q3718-02	2nd draw	Water	Lead	70.0		1.15	6.00	ug/L
<b>Client ID :</b>	<b>Adult Bathroom (1st draw)</b>							
Q3718-03	Adult Bathroom (1st draw)	Water	Lead	39.7		1.15	6.00	ug/L
<b>Client ID :</b>	<b>2nd draw</b>							
Q3718-04	2nd draw	Water	Lead	65.1		1.15	6.00	ug/L
<b>Client ID :</b>	<b>Drinking Fountain (1st draw)</b>							
Q3718-05	Drinking Fountain (1st draw)	Water	Lead	4.85	J	1.15	6.00	ug/L
<b>Client ID :</b>	<b>2nd draw</b>							
Q3718-06	2nd draw	Water	Lead	9.63		1.15	6.00	ug/L
<b>Client ID :</b>	<b>Kids Bathroom L (1st draw)</b>							
Q3718-07	Kids Bathroom L (1st draw)	Water	Lead	157		1.15	6.00	ug/L
<b>Client ID :</b>	<b>L 2nd draw</b>							
Q3718-08	L 2nd draw	Water	Lead	35.8		1.15	6.00	ug/L
<b>Client ID :</b>	<b>R (1st draw)</b>							
Q3718-09	R (1st draw)	Water	Lead	117		1.15	6.00	ug/L
<b>Client ID :</b>	<b>R (2nd draw)</b>							
Q3718-10	R (2nd draw)	Water	Lead	2.99	J	1.15	6.00	ug/L
<b>Client ID :</b>	<b>Main Hall L (1st draw)</b>							
Q3718-11	Main Hall L (1st draw)	Water	Lead	18.9		1.15	6.00	ug/L
<b>Client ID :</b>	<b>L (2nd draw)</b>							
Q3718-12	L (2nd draw)	Water	Lead	131		1.15	6.00	ug/L
<b>Client ID :</b>	<b>R (1st draw)</b>							
Q3718-13	R (1st draw)	Water	Lead	110		1.15	6.00	ug/L
<b>Client ID :</b>	<b>R (2nd draw)</b>							
Q3718-14	R (2nd draw)	Water	Lead	10.2		1.15	6.00	ug/L



# SAMPLE DATA

A

B

C

D

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	Basement Kitchen (1st draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	43.3		1	1.15	6.00	ug/L	11/25/25 10:50	11/26/25 17:12	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	2nd draw	SDG No.:	Q3718
Lab Sample ID:	Q3718-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	70.0	1	1.15		6.00	ug/L	11/25/25 10:50	11/26/25 17:16	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	Adult Bathroom (1st draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	39.7	1	1.15		6.00	ug/L	11/25/25 10:50	11/26/25 17:20	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	2nd draw	SDG No.:	Q3718
Lab Sample ID:	Q3718-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	65.1		1	1.15	6.00	ug/L	11/25/25 10:50	11/26/25 17:33	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	Drinking Fountain (1st draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	4.85	J	1	1.15	6.00	ug/L	11/25/25 10:50	11/26/25 17:37	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	2nd draw	SDG No.:	Q3718
Lab Sample ID:	Q3718-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	9.63	1	1.15		6.00	ug/L	11/25/25 10:50	11/26/25 17:42	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	Kids Bathroom L (1st draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-07	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	157	1	1.15		6.00	ug/L	11/25/25 10:50	11/26/25 17:46	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	L 2nd draw	SDG No.:	Q3718
Lab Sample ID:	Q3718-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	35.8		1	1.15	6.00	ug/L	11/25/25 10:50	11/26/25 17:50	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client: Total Quality Environmental Inc.  
Project: Total Quality Environmental Inc  
Client Sample ID: R (1st draw)  
Lab Sample ID: Q3718-09  
Level (low/med): low

Date Collected: 11/24/25  
Date Received: 11/25/25  
SDG No.: Q3718  
Matrix: Water  
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	117		1	1.15	6.00	ug/L	11/25/25 10:50	11/26/25 17:54	6010D	M3010A

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	R (2nd draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	2.99	J	1	1.15	6.00	ug/L	11/25/25 10:50	11/26/25 17:59	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	Main Hall L (1st draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-11	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	18.9	1	1.15		6.00	ug/L	11/25/25 10:50	11/26/25 18:03	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	L (2nd draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	131		1	1.15	6.00	ug/L	11/25/25 10:50	11/26/25 18:07	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	R (1st draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-13	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	110		1	1.15	6.00	ug/L	11/25/25 10:50	11/26/25 18:12	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Total Quality Environmental Inc.	Date Collected:	11/24/25
Project:	Total Quality Environmental Inc	Date Received:	11/25/25
Client Sample ID:	R (2nd draw)	SDG No.:	Q3718
Lab Sample ID:	Q3718-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	10.2	1	1.15		6.00	ug/L	11/25/25 10:50	11/26/25 18:24	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



## LAB CHRONICLE

<b>OrderID:</b>	Q3718	<b>OrderDate:</b>	11/25/2025 8:59:00 AM
<b>Client:</b>	Total Quality Environmental Inc.	<b>Project:</b>	Total Quality Environmental Inc
<b>Contact:</b>	Alex Rukasov	<b>Location:</b>	E61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q3718-01</b>	<b>Basement Kitchen (1st draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-02</b>	<b>2nd draw</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-03</b>	<b>Adult Bathroom (1st draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-04</b>	<b>2nd draw</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-05</b>	<b>Drinking Fountain (1st draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-06</b>	<b>2nd draw</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-07</b>	<b>Kids Bathroom L (1st draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-08</b>	<b>L 2nd draw</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-09</b>	<b>R (1st draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-10</b>	<b>R (2nd draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	

## LAB CHRONICLE

<b>Q3718-11</b>	<b>Main Hall L (1st draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-12</b>	<b>L (2nd draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-13</b>	<b>R (1st draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	
<b>Q3718-14</b>	<b>R (2nd draw)</b>	<b>Water</b>			<b>11/24/25</b>			<b>11/25/25</b>
			Metals Group3	6010D		11/25/25	11/26/25	