

Analytical Sequence

Client: Remington & Vernick

SDG No.: Q3719

Project: Saddler Property

Instrument ID: ECD_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/04/2025

11/04/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/04/2025	09:21	PO114870.D	9.93	4.35
AR1660ICC1000	AR1660ICC1000	11/04/2025	09:39	PO114871.D	9.93	4.35
AR1660ICC750	AR1660ICC750	11/04/2025	09:58	PO114872.D	9.93	4.35
AR1660ICC500	AR1660ICC500	11/04/2025	10:16	PO114873.D	9.93	4.35
AR1660ICC250	AR1660ICC250	11/04/2025	10:34	PO114874.D	9.93	4.35
AR1660ICC050	AR1660ICC050	11/04/2025	10:53	PO114875.D	9.93	4.35
AR1221ICC500	AR1221ICC500	11/04/2025	11:11	PO114876.D	9.93	4.35
AR1232ICC500	AR1232ICC500	11/04/2025	11:30	PO114877.D	9.93	4.35
AR1242ICC1000	AR1242ICC1000	11/04/2025	11:48	PO114878.D	9.93	4.35
AR1242ICC750	AR1242ICC750	11/04/2025	12:06	PO114879.D	9.93	4.35
AR1242ICC500	AR1242ICC500	11/04/2025	12:25	PO114880.D	9.93	4.35
AR1242ICC250	AR1242ICC250	11/04/2025	12:42	PO114881.D	9.93	4.35
AR1242ICC050	AR1242ICC050	11/04/2025	13:00	PO114882.D	9.93	4.35
AR1248ICC1000	AR1248ICC1000	11/04/2025	13:19	PO114883.D	9.93	4.35
AR1248ICC750	AR1248ICC750	11/04/2025	13:37	PO114884.D	9.93	4.35
AR1248ICC500	AR1248ICC500	11/04/2025	13:56	PO114885.D	9.93	4.35
AR1248ICC250	AR1248ICC250	11/04/2025	14:14	PO114886.D	9.93	4.35
AR1248ICC050	AR1248ICC050	11/04/2025	14:33	PO114887.D	9.93	4.35
AR1254ICC1000	AR1254ICC1000	11/04/2025	14:51	PO114888.D	9.93	4.35
AR1254ICC750	AR1254ICC750	11/04/2025	15:09	PO114889.D	9.93	4.35
AR1254ICC500	AR1254ICC500	11/04/2025	15:28	PO114890.D	9.93	4.35
AR1254ICC250	AR1254ICC250	11/04/2025	16:04	PO114891.D	9.93	4.35
AR1254ICC050	AR1254ICC050	11/04/2025	16:23	PO114892.D	9.93	4.35
AR1262ICC500	AR1262ICC500	11/04/2025	17:00	PO114893.D	9.95	4.37
AR1268ICC1000	AR1268ICC1000	11/04/2025	17:18	PO114894.D	9.93	4.35
AR1268ICC750	AR1268ICC750	11/04/2025	17:36	PO114895.D	9.93	4.35
AR1268ICC500	AR1268ICC500	11/04/2025	17:55	PO114896.D	9.93	4.35
AR1268ICC250	AR1268ICC250	11/04/2025	18:13	PO114897.D	9.93	4.35
AR1268ICC050	AR1268ICC050	11/04/2025	18:31	PO114898.D	9.93	4.35
AR1660CCC500	AR1660CCC500	11/26/2025	16:03	PO115437.D	9.93	4.34
IBLK	IBLK	11/26/2025	17:15	PO115441.D	9.92	4.34
PB170739BL	PB170739BL	11/26/2025	17:33	PO115442.D	9.92	4.34
PB170739BS	PB170739BS	11/26/2025	17:51	PO115443.D	9.92	4.34
OR-03-11-24-2025MS	Q3714-01MS	11/26/2025	18:27	PO115445.D	9.92	4.34
OR-03-11-24-2025MSD	Q3714-01MSD	11/26/2025	18:44	PO115446.D	9.92	4.34
AR1660CCC500	AR1660CCC500	11/26/2025	21:10	PO115451.D	9.92	4.34
IBLK	IBLK	11/26/2025	23:00	PO115455.D	9.92	4.34
IBLK	IBLK	11/18/2025	11:59	PQ071272.D	8.54	3.41
AR1660ICC1000	AR1660ICC1000	11/18/2025	12:13	PQ071273.D	8.54	3.41
AR1660ICC750	AR1660ICC750	11/18/2025	12:28	PQ071274.D	8.54	3.41
AR1660ICC500	AR1660ICC500	11/18/2025	12:43	PQ071275.D	8.54	3.41
AR1660ICC250	AR1660ICC250	11/18/2025	12:57	PQ071276.D	8.54	3.41

Analytical Sequence

AR1660ICC050	AR1660ICC050	11/18/2025	15:42	PQ071277.D	8.56	3.43
AR1221ICC500	AR1221ICC500	11/18/2025	16:25	PQ071278.D	8.56	3.43
AR1232ICC500	AR1232ICC500	11/18/2025	16:39	PQ071279.D	8.54	3.41
AR1242ICC500	AR1242ICC500	11/18/2025	16:54	PQ071280.D	8.54	3.41
AR1248ICC500	AR1248ICC500	11/18/2025	17:08	PQ071281.D	8.54	3.41
AR1254ICC500	AR1254ICC500	11/18/2025	17:23	PQ071282.D	8.54	3.41
AR1262ICC500	AR1262ICC500	11/18/2025	17:37	PQ071283.D	8.54	3.41
AR1268ICC500	AR1268ICC500	11/18/2025	17:52	PQ071284.D	8.54	3.41
AR1660CCC500	AR1660CCC500	11/26/2025	09:05	PQ071532.D	8.54	3.41
I.BLK	I.BLK	11/26/2025	09:20	PQ071533.D	8.54	3.41
SB-1125-10A	Q3719-01	11/26/2025	13:42	PQ071534.D	8.54	3.41
SB-1125-10B	Q3719-02	11/26/2025	13:57	PQ071535.D	8.54	3.41
SB-1125-11A	Q3719-03	11/26/2025	14:11	PQ071536.D	8.54	3.41
SB-1125-11B	Q3719-04	11/26/2025	14:26	PQ071537.D	8.54	3.41
SB-1125-12A	Q3719-05	11/26/2025	14:41	PQ071538.D	8.54	3.41
SB-1125-12B	Q3719-06	11/26/2025	14:55	PQ071539.D	8.54	3.41
SB-1125-14A	Q3719-07	11/26/2025	15:10	PQ071540.D	8.54	3.41
SB-1125-14B	Q3719-08	11/26/2025	15:25	PQ071541.D	8.54	3.41
SB-1125-15A	Q3719-09	11/26/2025	15:39	PQ071542.D	8.54	3.41
SB-1125-15B	Q3719-10	11/26/2025	15:54	PQ071543.D	8.54	3.41
AR1660CCC500	AR1660CCC500	11/26/2025	16:39	PQ071544.D	8.55	3.42
I.BLK	I.BLK	11/26/2025	16:54	PQ071545.D	8.54	3.41
SB-1125-16A	Q3719-11	11/26/2025	17:09	PQ071546.D	8.54	3.41
SB-1125-16B	Q3719-12	11/26/2025	17:23	PQ071547.D	8.54	3.41
SB-1125-17A	Q3719-13	11/26/2025	17:38	PQ071548.D	8.54	3.41
SB-1125-17B	Q3719-14	11/26/2025	17:52	PQ071549.D	8.54	3.41
AR1660CCC500	AR1660CCC500	11/26/2025	18:51	PQ071550.D	8.54	3.41
I.BLK	I.BLK	11/26/2025	19:35	PQ071551.D	8.54	3.41

Analytical Sequence

Client: Remington & Vernick

SDG No.: Q3719

Project: Saddler Property

Instrument ID: ECD_O

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/04/2025

11/04/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/04/2025	09:21	PO114870.D	8.64	3.65
AR1660ICC1000	AR1660ICC1000	11/04/2025	09:39	PO114871.D	8.64	3.65
AR1660ICC750	AR1660ICC750	11/04/2025	09:58	PO114872.D	8.64	3.65
AR1660ICC500	AR1660ICC500	11/04/2025	10:16	PO114873.D	8.64	3.65
AR1660ICC250	AR1660ICC250	11/04/2025	10:34	PO114874.D	8.64	3.65
AR1660ICC050	AR1660ICC050	11/04/2025	10:53	PO114875.D	8.64	3.65
AR1221ICC500	AR1221ICC500	11/04/2025	11:11	PO114876.D	8.64	3.65
AR1232ICC500	AR1232ICC500	11/04/2025	11:30	PO114877.D	8.64	3.65
AR1242ICC1000	AR1242ICC1000	11/04/2025	11:48	PO114878.D	8.64	3.65
AR1242ICC750	AR1242ICC750	11/04/2025	12:06	PO114879.D	8.64	3.65
AR1242ICC500	AR1242ICC500	11/04/2025	12:25	PO114880.D	8.64	3.65
AR1242ICC250	AR1242ICC250	11/04/2025	12:42	PO114881.D	8.64	3.65
AR1242ICC050	AR1242ICC050	11/04/2025	13:00	PO114882.D	8.64	3.65
AR1248ICC1000	AR1248ICC1000	11/04/2025	13:19	PO114883.D	8.64	3.65
AR1248ICC750	AR1248ICC750	11/04/2025	13:37	PO114884.D	8.64	3.65
AR1248ICC500	AR1248ICC500	11/04/2025	13:56	PO114885.D	8.64	3.65
AR1248ICC250	AR1248ICC250	11/04/2025	14:14	PO114886.D	8.64	3.65
AR1248ICC050	AR1248ICC050	11/04/2025	14:33	PO114887.D	8.64	3.65
AR1254ICC1000	AR1254ICC1000	11/04/2025	14:51	PO114888.D	8.64	3.65
AR1254ICC750	AR1254ICC750	11/04/2025	15:09	PO114889.D	8.64	3.65
AR1254ICC500	AR1254ICC500	11/04/2025	15:28	PO114890.D	8.64	3.65
AR1254ICC250	AR1254ICC250	11/04/2025	16:04	PO114891.D	8.64	3.65
AR1254ICC050	AR1254ICC050	11/04/2025	16:23	PO114892.D	8.64	3.65
AR1262ICC500	AR1262ICC500	11/04/2025	17:00	PO114893.D	8.64	3.65
AR1268ICC1000	AR1268ICC1000	11/04/2025	17:18	PO114894.D	8.64	3.65
AR1268ICC750	AR1268ICC750	11/04/2025	17:36	PO114895.D	8.64	3.65
AR1268ICC500	AR1268ICC500	11/04/2025	17:55	PO114896.D	8.64	3.65
AR1268ICC250	AR1268ICC250	11/04/2025	18:13	PO114897.D	8.64	3.65
AR1268ICC050	AR1268ICC050	11/04/2025	18:31	PO114898.D	8.64	3.65
AR1660CCC500	AR1660CCC500	11/26/2025	16:03	PO115437.D	8.63	3.64
IBLK	IBLK	11/26/2025	17:15	PO115441.D	8.63	3.64
PB170739BL	PB170739BL	11/26/2025	17:33	PO115442.D	8.63	3.64
PB170739BS	PB170739BS	11/26/2025	17:51	PO115443.D	8.63	3.64
OR-03-11-24-2025MS	Q3714-01MS	11/26/2025	18:27	PO115445.D	8.63	3.64
OR-03-11-24-2025MSD	Q3714-01MSD	11/26/2025	18:44	PO115446.D	8.63	3.64
AR1660CCC500	AR1660CCC500	11/26/2025	21:10	PO115451.D	8.63	3.64
IBLK	IBLK	11/26/2025	23:00	PO115455.D	8.63	3.64
IBLK	IBLK	11/18/2025	11:59	PQ071272.D	7.66	2.86
AR1660ICC1000	AR1660ICC1000	11/18/2025	12:13	PQ071273.D	7.66	2.86
AR1660ICC750	AR1660ICC750	11/18/2025	12:28	PQ071274.D	7.66	2.86
AR1660ICC500	AR1660ICC500	11/18/2025	12:43	PQ071275.D	7.66	2.86
AR1660ICC250	AR1660ICC250	11/18/2025	12:57	PQ071276.D	7.66	2.86

Analytical Sequence

AR1660ICC050	AR1660ICC050	11/18/2025	15:42	PQ071277.D	7.67	2.86
AR1221ICC500	AR1221ICC500	11/18/2025	16:25	PQ071278.D	7.67	2.86
AR1232ICC500	AR1232ICC500	11/18/2025	16:39	PQ071279.D	7.66	2.86
AR1242ICC500	AR1242ICC500	11/18/2025	16:54	PQ071280.D	7.66	2.86
AR1248ICC500	AR1248ICC500	11/18/2025	17:08	PQ071281.D	7.66	2.86
AR1254ICC500	AR1254ICC500	11/18/2025	17:23	PQ071282.D	7.66	2.86
AR1262ICC500	AR1262ICC500	11/18/2025	17:37	PQ071283.D	7.66	2.86
AR1268ICC500	AR1268ICC500	11/18/2025	17:52	PQ071284.D	7.66	2.86
AR1660CCC500	AR1660CCC500	11/26/2025	09:05	PQ071532.D	7.65	2.85
I.BLK	I.BLK	11/26/2025	09:20	PQ071533.D	7.65	2.85
SB-1125-10A	Q3719-01	11/26/2025	13:42	PQ071534.D	7.65	2.85
SB-1125-10B	Q3719-02	11/26/2025	13:57	PQ071535.D	7.65	2.85
SB-1125-11A	Q3719-03	11/26/2025	14:11	PQ071536.D	7.65	2.85
SB-1125-11B	Q3719-04	11/26/2025	14:26	PQ071537.D	7.65	2.85
SB-1125-12A	Q3719-05	11/26/2025	14:41	PQ071538.D	7.65	2.85
SB-1125-12B	Q3719-06	11/26/2025	14:55	PQ071539.D	7.65	2.85
SB-1125-14A	Q3719-07	11/26/2025	15:10	PQ071540.D	7.65	2.85
SB-1125-14B	Q3719-08	11/26/2025	15:25	PQ071541.D	7.65	2.85
SB-1125-15A	Q3719-09	11/26/2025	15:39	PQ071542.D	7.65	2.85
SB-1125-15B	Q3719-10	11/26/2025	15:54	PQ071543.D	7.65	2.85
AR1660CCC500	AR1660CCC500	11/26/2025	16:39	PQ071544.D	7.65	2.85
I.BLK	I.BLK	11/26/2025	16:54	PQ071545.D	7.65	2.85
SB-1125-16A	Q3719-11	11/26/2025	17:09	PQ071546.D	7.65	2.85
SB-1125-16B	Q3719-12	11/26/2025	17:23	PQ071547.D	7.65	2.85
SB-1125-17A	Q3719-13	11/26/2025	17:38	PQ071548.D	7.65	2.85
SB-1125-17B	Q3719-14	11/26/2025	17:52	PQ071549.D	7.65	2.85
AR1660CCC500	AR1660CCC500	11/26/2025	18:51	PQ071550.D	7.65	2.85
I.BLK	I.BLK	11/26/2025	19:35	PQ071551.D	7.65	2.85