

Analytical Sequence

Client: Remington & Vernick

SDG No.: Q3719

Project: Saddler Property

Instrument ID: ECD_D

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/14/2025

11/14/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	11/14/2025	20:01	PD091193.D	9.06	3.54
PEM	PEM	11/14/2025	20:15	PD091194.D	9.06	3.54
RESCHK	RESCHK	11/14/2025	20:43	PD091195.D	9.06	3.54
PSTDICCC100	PSTDICCC100	11/14/2025	20:56	PD091196.D	9.06	3.54
PSTDICCC075	PSTDICCC075	11/14/2025	21:10	PD091197.D	9.06	3.54
PSTDICCC050	PSTDICCC050	11/14/2025	21:24	PD091198.D	9.06	3.54
PSTDICCC025	PSTDICCC025	11/14/2025	21:37	PD091199.D	9.07	3.54
PSTDICCC005	PSTDICCC005	11/14/2025	21:51	PD091200.D	9.06	3.54
PCHLORICC500	PCHLORICC500	11/14/2025	22:32	PD091203.D	9.06	3.54
PTOXICC500	PTOXICC500	11/14/2025	23:40	PD091208.D	9.06	3.54
LBLK	LBLK	11/26/2025	09:24	PD091367.D	9.06	3.54
PEM	PEM	11/26/2025	09:38	PD091368.D	9.06	3.54
PSTDCCC050	PSTDCCC050	11/26/2025	09:52	PD091369.D	9.06	3.54
PB170740BL	PB170740BL	11/26/2025	13:44	PD091372.D	9.08	3.55
PB170740BS	PB170740BS	11/26/2025	14:15	PD091373.D	9.07	3.55
LBLK	LBLK	11/26/2025	15:10	PD091377.D	9.06	3.54
PSTDCCC050	PSTDCCC050	11/26/2025	15:56	PD091378.D	9.06	3.54
SB-1125-10A	Q3719-01	11/26/2025	16:11	PD091379.D	9.07	3.55
SB-1125-10B	Q3719-02	11/26/2025	16:25	PD091380.D	9.06	3.54
SB-1125-11A	Q3719-03	11/26/2025	16:38	PD091381.D	9.06	3.54
SB-1125-11B	Q3719-04	11/26/2025	16:52	PD091382.D	9.06	3.54
SB-1125-12A	Q3719-05	11/26/2025	17:06	PD091383.D	9.06	3.54
SB-1125-12B	Q3719-06	11/26/2025	17:19	PD091384.D	9.06	3.54
SB-1125-14A	Q3719-07	11/26/2025	17:33	PD091385.D	9.06	3.54
SB-1125-14B	Q3719-08	11/26/2025	17:47	PD091386.D	9.06	3.54
SB-1125-15A	Q3719-09	11/26/2025	18:00	PD091387.D	9.06	3.54
LBLK	LBLK	11/26/2025	18:14	PD091388.D	9.06	3.54
PEM	PEM	11/26/2025	18:27	PD091389.D	9.06	3.54
PSTDCCC050	PSTDCCC050	11/26/2025	18:41	PD091390.D	9.06	3.54
SB-1125-15B	Q3719-10	11/26/2025	19:08	PD091391.D	9.06	3.54
SB-1125-15BMS	Q3719-10MS	11/26/2025	19:22	PD091392.D	9.06	3.54
SB-1125-15BMSD	Q3719-10MSD	11/26/2025	19:36	PD091393.D	9.06	3.54
SB-1125-16A	Q3719-11	11/26/2025	19:49	PD091394.D	9.06	3.54
SB-1125-16B	Q3719-12	11/26/2025	20:03	PD091395.D	9.06	3.54
SB-1125-17A	Q3719-13	11/26/2025	20:16	PD091396.D	9.06	3.54
SB-1125-17B	Q3719-14	11/26/2025	20:30	PD091397.D	9.06	3.54
LBLK	LBLK	11/26/2025	20:44	PD091398.D	9.06	3.54
PSTDCCC050	PSTDCCC050	11/26/2025	20:57	PD091399.D	9.06	3.54

Analytical Sequence

Client: Remington & Vernick

SDG No.: Q3719

Project: Saddler Property

Instrument ID: ECD_D

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/14/2025

11/14/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	11/14/2025	20:01	PD091193.D	8.06	2.88
PEM	PEM	11/14/2025	20:15	PD091194.D	8.06	2.87
RESCHK	RESCHK	11/14/2025	20:43	PD091195.D	8.06	2.87
PSTDICCC100	PSTDICCC100	11/14/2025	20:56	PD091196.D	8.06	2.87
PSTDICCC075	PSTDICCC075	11/14/2025	21:10	PD091197.D	8.06	2.87
PSTDICCC050	PSTDICCC050	11/14/2025	21:24	PD091198.D	8.06	2.87
PSTDICCC025	PSTDICCC025	11/14/2025	21:37	PD091199.D	8.06	2.87
PSTDICCC005	PSTDICCC005	11/14/2025	21:51	PD091200.D	8.06	2.87
PCHLORICC500	PCHLORICC500	11/14/2025	22:32	PD091203.D	8.06	2.87
PTOXICC500	PTOXICC500	11/14/2025	23:40	PD091208.D	8.06	2.87
LBLK	LBLK	11/26/2025	09:24	PD091367.D	8.06	2.87
PEM	PEM	11/26/2025	09:38	PD091368.D	8.06	2.87
PSTDCCC050	PSTDCCC050	11/26/2025	09:52	PD091369.D	8.06	2.87
PB170740BL	PB170740BL	11/26/2025	13:44	PD091372.D	8.06	2.87
PB170740BS	PB170740BS	11/26/2025	14:15	PD091373.D	8.06	2.87
LBLK	LBLK	11/26/2025	15:10	PD091377.D	8.06	2.87
PSTDCCC050	PSTDCCC050	11/26/2025	15:56	PD091378.D	8.06	2.87
SB-1125-10A	Q3719-01	11/26/2025	16:11	PD091379.D	8.06	2.87
SB-1125-10B	Q3719-02	11/26/2025	16:25	PD091380.D	8.06	2.87
SB-1125-11A	Q3719-03	11/26/2025	16:38	PD091381.D	8.06	2.87
SB-1125-11B	Q3719-04	11/26/2025	16:52	PD091382.D	8.06	2.87
SB-1125-12A	Q3719-05	11/26/2025	17:06	PD091383.D	8.06	2.87
SB-1125-12B	Q3719-06	11/26/2025	17:19	PD091384.D	8.08	2.89
SB-1125-14A	Q3719-07	11/26/2025	17:33	PD091385.D	8.06	2.87
SB-1125-14B	Q3719-08	11/26/2025	17:47	PD091386.D	8.06	2.87
SB-1125-15A	Q3719-09	11/26/2025	18:00	PD091387.D	8.06	2.87
LBLK	LBLK	11/26/2025	18:14	PD091388.D	8.06	2.87
PEM	PEM	11/26/2025	18:27	PD091389.D	8.06	2.87
PSTDCCC050	PSTDCCC050	11/26/2025	18:41	PD091390.D	8.06	2.87
SB-1125-15B	Q3719-10	11/26/2025	19:08	PD091391.D	8.06	2.87
SB-1125-15BMS	Q3719-10MS	11/26/2025	19:22	PD091392.D	8.06	2.87
SB-1125-15BMSD	Q3719-10MSD	11/26/2025	19:36	PD091393.D	8.06	2.87
SB-1125-16A	Q3719-11	11/26/2025	19:49	PD091394.D	8.06	2.87
SB-1125-16B	Q3719-12	11/26/2025	20:03	PD091395.D	8.06	2.87
SB-1125-17A	Q3719-13	11/26/2025	20:16	PD091396.D	8.06	2.87
SB-1125-17B	Q3719-14	11/26/2025	20:30	PD091397.D	8.06	2.87
LBLK	LBLK	11/26/2025	20:44	PD091398.D	8.06	2.87
PSTDCCC050	PSTDCCC050	11/26/2025	20:57	PD091399.D	8.06	2.87