

Report of Analysis

Client: Remington & Vernick
Project: Saddler Property
Client Sample ID: SB-1125-15B
Lab Sample ID: Q3719-10
Analytical Method: 8260D
Sample Wt/Vol: 5.17 g

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/24/25
Date Received: 11/25/25
SDG No.: Q3719
Matrix: SOIL
% Solid: 89.4
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	1.20	U	1	1.20	5.40	ug/Kg	11/26/25 17:11	VW112625
74-87-3	Chloromethane	1.20	U	1	1.20	5.40	ug/Kg	11/26/25 17:11	VW112625
75-01-4	Vinyl Chloride	0.85	U	1	0.85	5.40	ug/Kg	11/26/25 17:11	VW112625
74-83-9	Bromomethane	1.20	U	1	1.20	5.40	ug/Kg	11/26/25 17:11	VW112625
75-00-3	Chloroethane	1.40	U	1	1.40	5.40	ug/Kg	11/26/25 17:11	VW112625
75-69-4	Trichlorofluoromethane	1.30	U	1	1.30	5.40	ug/Kg	11/26/25 17:11	VW112625
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	UQ	1	1.10	5.40	ug/Kg	11/26/25 17:11	VW112625
75-35-4	1,1-Dichloroethene	1.10	U	1	1.10	5.40	ug/Kg	11/26/25 17:11	VW112625
67-64-1	Acetone	5.10	U	1	5.10	27.0	ug/Kg	11/26/25 17:11	VW112625
75-15-0	Carbon Disulfide	1.10	U	1	1.10	5.40	ug/Kg	11/26/25 17:11	VW112625
1634-04-4	Methyl tert-butyl Ether	0.79	U	1	0.79	5.40	ug/Kg	11/26/25 17:11	VW112625
79-20-9	Methyl Acetate	1.70	U	1	1.70	5.40	ug/Kg	11/26/25 17:11	VW112625
75-09-2	Methylene Chloride	3.80	U	1	3.80	10.8	ug/Kg	11/26/25 17:11	VW112625
156-60-5	trans-1,2-Dichloroethene	0.93	U	1	0.93	5.40	ug/Kg	11/26/25 17:11	VW112625
75-34-3	1,1-Dichloroethane	0.87	U	1	0.87	5.40	ug/Kg	11/26/25 17:11	VW112625
110-82-7	Cyclohexane	0.85	U	1	0.85	5.40	ug/Kg	11/26/25 17:11	VW112625
78-93-3	2-Butanone	7.10	U	1	7.10	27.0	ug/Kg	11/26/25 17:11	VW112625
56-23-5	Carbon Tetrachloride	1.00	U	1	1.00	5.40	ug/Kg	11/26/25 17:11	VW112625
156-59-2	cis-1,2-Dichloroethene	0.81	U	1	0.81	5.40	ug/Kg	11/26/25 17:11	VW112625
74-97-5	Bromochloromethane	1.20	U	1	1.20	5.40	ug/Kg	11/26/25 17:11	VW112625
67-66-3	Chloroform	0.91	U	1	0.91	5.40	ug/Kg	11/26/25 17:11	VW112625
71-55-6	1,1,1-Trichloroethane	1.00	U	1	1.00	5.40	ug/Kg	11/26/25 17:11	VW112625
108-87-2	Methylcyclohexane	0.98	U	1	0.98	5.40	ug/Kg	11/26/25 17:11	VW112625
71-43-2	Benzene	0.85	U	1	0.85	5.40	ug/Kg	11/26/25 17:11	VW112625
107-06-2	1,2-Dichloroethane	0.85	U	1	0.85	5.40	ug/Kg	11/26/25 17:11	VW112625
79-01-6	Trichloroethene	0.88	U	1	0.88	5.40	ug/Kg	11/26/25 17:11	VW112625
78-87-5	1,2-Dichloropropane	0.98	U	1	0.98	5.40	ug/Kg	11/26/25 17:11	VW112625
75-27-4	Bromodichloromethane	0.84	U	1	0.84	5.40	ug/Kg	11/26/25 17:11	VW112625
108-10-1	4-Methyl-2-Pentanone	3.90	U	1	3.90	27.0	ug/Kg	11/26/25 17:11	VW112625
108-88-3	Toluene	0.84	U	1	0.84	5.40	ug/Kg	11/26/25 17:11	VW112625
10061-02-6	t-1,3-Dichloropropene	0.70	U	1	0.70	5.40	ug/Kg	11/26/25 17:11	VW112625
10061-01-5	cis-1,3-Dichloropropene	0.67	U	1	0.67	5.40	ug/Kg	11/26/25 17:11	VW112625
79-00-5	1,1,2-Trichloroethane	1.00	U	1	1.00	5.40	ug/Kg	11/26/25 17:11	VW112625
591-78-6	2-Hexanone	4.00	U	1	4.00	27.0	ug/Kg	11/26/25 17:11	VW112625
124-48-1	Dibromochloromethane	0.94	U	1	0.94	5.40	ug/Kg	11/26/25 17:11	VW112625
106-93-4	1,2-Dibromoethane	0.95	U	1	0.95	5.40	ug/Kg	11/26/25 17:11	VW112625
127-18-4	Tetrachloroethene	1.10	U	1	1.10	5.40	ug/Kg	11/26/25 17:11	VW112625
108-90-7	Chlorobenzene	0.98	U	1	0.98	5.40	ug/Kg	11/26/25 17:11	VW112625
100-41-4	Ethyl Benzene	0.72	U	1	0.72	5.40	ug/Kg	11/26/25 17:11	VW112625
179601-23-1	m/p-Xylenes	1.30	U	1	1.30	10.8	ug/Kg	11/26/25 17:11	VW112625
95-47-6	o-Xylene	0.89	U	1	0.89	5.40	ug/Kg	11/26/25 17:11	VW112625
100-42-5	Styrene	0.77	U	1	0.77	5.40	ug/Kg	11/26/25 17:11	VW112625
75-25-2	Bromoform	0.93	U	1	0.93	5.40	ug/Kg	11/26/25 17:11	VW112625

Report of Analysis

Client:	Remington & Vernick	Date Collected:	11/24/25
Project:	Saddler Property	Date Received:	11/25/25
Client Sample ID:	SB-1125-15B	SDG No.:	Q3719
Lab Sample ID:	Q3719-10	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	89.4
Sample Wt/Vol:	5.17 g	Test:	VOC-TCLVOA-10
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	0.84	U	1	0.84	5.40	ug/Kg	11/26/25 17:11	VW112625
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1	1.30	5.40	ug/Kg	11/26/25 17:11	VW112625
541-73-1	1,3-Dichlorobenzene	1.80	U	1	1.80	5.40	ug/Kg	11/26/25 17:11	VW112625
106-46-7	1,4-Dichlorobenzene	1.70	U	1	1.70	5.40	ug/Kg	11/26/25 17:11	VW112625
95-50-1	1,2-Dichlorobenzene	1.60	U	1	1.60	5.40	ug/Kg	11/26/25 17:11	VW112625
96-12-8	1,2-Dibromo-3-Chloropropane	2.00	U	1	2.00	5.40	ug/Kg	11/26/25 17:11	VW112625
120-82-1	1,2,4-Trichlorobenzene	3.20	U	1	3.20	5.40	ug/Kg	11/26/25 17:11	VW112625
87-61-6	1,2,3-Trichlorobenzene	3.40	U	1	3.40	5.40	ug/Kg	11/26/25 17:11	VW112625

SURROGATES

17060-07-0	1,2-Dichloroethane-d4	70.4			63 - 155	141%	SPK: 50
1868-53-7	Dibromofluoromethane	55.5			70 - 134	111%	SPK: 50
2037-26-5	Toluene-d8	46.2			74 - 123	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	55.1			52 - 138	110%	SPK: 50

INTERNAL STANDARDS

363-72-4	Pentafluorobenzene	181000
540-36-3	1,4-Difluorobenzene	452000
3114-55-4	Chlorobenzene-d5	514000
3855-82-1	1,4-Dichlorobenzene-d4	252000

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products