

Report of Analysis

Client: Remington & Vernick
Project: Saddler Property
Client Sample ID: SB-1125-16A
Lab Sample ID: Q3719-11
Analytical Method: 8260D
Sample Wt/Vol: 4.66 g

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/24/25
Date Received: 11/25/25
SDG No.: Q3719
Matrix: SOIL
% Solid: 88
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	1.40	U	1	1.40	6.10	ug/Kg	11/26/25 17:33	VW112625
74-87-3	Chloromethane	1.40	U	1	1.40	6.10	ug/Kg	11/26/25 17:33	VW112625
75-01-4	Vinyl Chloride	0.96	U	1	0.96	6.10	ug/Kg	11/26/25 17:33	VW112625
74-83-9	Bromomethane	1.30	U	1	1.30	6.10	ug/Kg	11/26/25 17:33	VW112625
75-00-3	Chloroethane	1.50	U	1	1.50	6.10	ug/Kg	11/26/25 17:33	VW112625
75-69-4	Trichlorofluoromethane	1.50	U	1	1.50	6.10	ug/Kg	11/26/25 17:33	VW112625
76-13-1	1,1,2-Trichlorotrifluoroethane	1.30	UQ	1	1.30	6.10	ug/Kg	11/26/25 17:33	VW112625
75-35-4	1,1-Dichloroethene	1.20	U	1	1.20	6.10	ug/Kg	11/26/25 17:33	VW112625
67-64-1	Acetone	5.80	U	1	5.80	30.5	ug/Kg	11/26/25 17:33	VW112625
75-15-0	Carbon Disulfide	1.30	U	1	1.30	6.10	ug/Kg	11/26/25 17:33	VW112625
1634-04-4	Methyl tert-butyl Ether	0.89	U	1	0.89	6.10	ug/Kg	11/26/25 17:33	VW112625
79-20-9	Methyl Acetate	1.90	U	1	1.90	6.10	ug/Kg	11/26/25 17:33	VW112625
75-09-2	Methylene Chloride	4.30	U	1	4.30	12.2	ug/Kg	11/26/25 17:33	VW112625
156-60-5	trans-1,2-Dichloroethene	1.00	U	1	1.00	6.10	ug/Kg	11/26/25 17:33	VW112625
75-34-3	1,1-Dichloroethane	0.98	U	1	0.98	6.10	ug/Kg	11/26/25 17:33	VW112625
110-82-7	Cyclohexane	0.96	U	1	0.96	6.10	ug/Kg	11/26/25 17:33	VW112625
78-93-3	2-Butanone	8.00	U	1	8.00	30.5	ug/Kg	11/26/25 17:33	VW112625
56-23-5	Carbon Tetrachloride	1.20	U	1	1.20	6.10	ug/Kg	11/26/25 17:33	VW112625
156-59-2	cis-1,2-Dichloroethene	0.91	U	1	0.91	6.10	ug/Kg	11/26/25 17:33	VW112625
74-97-5	Bromochloromethane	1.40	U	1	1.40	6.10	ug/Kg	11/26/25 17:33	VW112625
67-66-3	Chloroform	1.00	U	1	1.00	6.10	ug/Kg	11/26/25 17:33	VW112625
71-55-6	1,1,1-Trichloroethane	1.10	U	1	1.10	6.10	ug/Kg	11/26/25 17:33	VW112625
108-87-2	Methylcyclohexane	1.10	U	1	1.10	6.10	ug/Kg	11/26/25 17:33	VW112625
71-43-2	Benzene	0.96	U	1	0.96	6.10	ug/Kg	11/26/25 17:33	VW112625
107-06-2	1,2-Dichloroethane	0.96	U	1	0.96	6.10	ug/Kg	11/26/25 17:33	VW112625
79-01-6	Trichloroethene	0.99	U	1	0.99	6.10	ug/Kg	11/26/25 17:33	VW112625
78-87-5	1,2-Dichloropropane	1.10	U	1	1.10	6.10	ug/Kg	11/26/25 17:33	VW112625
75-27-4	Bromodichloromethane	0.95	U	1	0.95	6.10	ug/Kg	11/26/25 17:33	VW112625
108-10-1	4-Methyl-2-Pentanone	4.40	U	1	4.40	30.5	ug/Kg	11/26/25 17:33	VW112625
108-88-3	Toluene	0.95	U	1	0.95	6.10	ug/Kg	11/26/25 17:33	VW112625
10061-02-6	t-1,3-Dichloropropene	0.79	U	1	0.79	6.10	ug/Kg	11/26/25 17:33	VW112625
10061-01-5	cis-1,3-Dichloropropene	0.76	U	1	0.76	6.10	ug/Kg	11/26/25 17:33	VW112625
79-00-5	1,1,2-Trichloroethane	1.10	U	1	1.10	6.10	ug/Kg	11/26/25 17:33	VW112625
591-78-6	2-Hexanone	4.50	U	1	4.50	30.5	ug/Kg	11/26/25 17:33	VW112625
124-48-1	Dibromochloromethane	1.10	U	1	1.10	6.10	ug/Kg	11/26/25 17:33	VW112625
106-93-4	1,2-Dibromoethane	1.10	U	1	1.10	6.10	ug/Kg	11/26/25 17:33	VW112625
127-18-4	Tetrachloroethene	1.30	U	1	1.30	6.10	ug/Kg	11/26/25 17:33	VW112625
108-90-7	Chlorobenzene	1.10	U	1	1.10	6.10	ug/Kg	11/26/25 17:33	VW112625
100-41-4	Ethyl Benzene	0.82	U	1	0.82	6.10	ug/Kg	11/26/25 17:33	VW112625
179601-23-1	m/p-Xylenes	1.50	U	1	1.50	12.2	ug/Kg	11/26/25 17:33	VW112625
95-47-6	o-Xylene	1.00	U	1	1.00	6.10	ug/Kg	11/26/25 17:33	VW112625
100-42-5	Styrene	0.87	U	1	0.87	6.10	ug/Kg	11/26/25 17:33	VW112625
75-25-2	Bromoform	1.00	U	1	1.00	6.10	ug/Kg	11/26/25 17:33	VW112625

Report of Analysis

Client:	Remington & Vernick	Date Collected:	11/24/25
Project:	Saddler Property	Date Received:	11/25/25
Client Sample ID:	SB-1125-16A	SDG No.:	Q3719
Lab Sample ID:	Q3719-11	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	88
Sample Wt/Vol:	4.66 g	Test:	VOC-TCLVOA-10
	Level: LOW		
	Final Vol: 5000 uL		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	0.95	U	1	0.95	6.10	ug/Kg	11/26/25 17:33	VW112625
79-34-5	1,1,2,2-Tetrachloroethane	1.50	U	1	1.50	6.10	ug/Kg	11/26/25 17:33	VW112625
541-73-1	1,3-Dichlorobenzene	2.10	U	1	2.10	6.10	ug/Kg	11/26/25 17:33	VW112625
106-46-7	1,4-Dichlorobenzene	1.90	U	1	1.90	6.10	ug/Kg	11/26/25 17:33	VW112625
95-50-1	1,2-Dichlorobenzene	1.80	U	1	1.80	6.10	ug/Kg	11/26/25 17:33	VW112625
96-12-8	1,2-Dibromo-3-Chloropropane	2.20	U	1	2.20	6.10	ug/Kg	11/26/25 17:33	VW112625
120-82-1	1,2,4-Trichlorobenzene	3.60	U	1	3.60	6.10	ug/Kg	11/26/25 17:33	VW112625
87-61-6	1,2,3-Trichlorobenzene	3.90	U	1	3.90	6.10	ug/Kg	11/26/25 17:33	VW112625
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	71.4			63 - 155	143%	SPK: 50		
1868-53-7	Dibromofluoromethane	55.5			70 - 134	111%	SPK: 50		
2037-26-5	Toluene-d8	47.0			74 - 123	94%	SPK: 50		
460-00-4	4-Bromofluorobenzene	55.7			52 - 138	111%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	180000							
540-36-3	1,4-Difluorobenzene	445000							
3114-55-4	Chlorobenzene-d5	516000							
3855-82-1	1,4-Dichlorobenzene-d4	254000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products