

Analytical Sequence

Client: Roman E&G Corp	SDG No.: Q3725
Project: AQUA Woolwich Pump Station 22-531	Instrument ID: ECD_D
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 11/14/2025 11/14/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/14/2025	20:01	PD091193.D	9.06	3.54
PEM	PEM	11/14/2025	20:15	PD091194.D	9.06	3.54
RESCHK	RESCHK	11/14/2025	20:43	PD091195.D	9.06	3.54
PSTDICCC100	PSTDICCC100	11/14/2025	20:56	PD091196.D	9.06	3.54
PSTDICCC075	PSTDICCC075	11/14/2025	21:10	PD091197.D	9.06	3.54
PSTDICCC050	PSTDICCC050	11/14/2025	21:24	PD091198.D	9.06	3.54
PSTDICCC025	PSTDICCC025	11/14/2025	21:37	PD091199.D	9.07	3.54
PSTDICCC005	PSTDICCC005	11/14/2025	21:51	PD091200.D	9.06	3.54
PCHLORICC500	PCHLORICC500	11/14/2025	22:32	PD091203.D	9.06	3.54
PTOXICC500	PTOXICC500	11/14/2025	23:40	PD091208.D	9.06	3.54
IBLK	IBLK	12/01/2025	09:59	PD091401.D	9.06	3.54
PEM	PEM	12/01/2025	10:12	PD091402.D	9.06	3.54
PSTDCCC050	PSTDCCC050	12/01/2025	10:26	PD091403.D	9.06	3.54
PB170762BL	PB170762BL	12/01/2025	12:32	PD091405.D	9.07	3.55
PB170762BS	PB170762BS	12/01/2025	12:45	PD091406.D	9.06	3.54
STOCKPILE-SAMPLES	Q3725-04	12/01/2025	12:59	PD091407.D	9.06	3.54
BU-3-112625MS	Q3735-01MS	12/01/2025	13:53	PD091411.D	9.06	3.54
BU-3-112625MSD	Q3735-01MSD	12/01/2025	14:07	PD091412.D	9.06	3.54
IBLK	IBLK	12/01/2025	14:21	PD091413.D	9.06	3.54
PSTDCCC050	PSTDCCC050	12/01/2025	15:11	PD091414.D	9.07	3.55

Analytical Sequence

Client: Roman E&G Corp	SDG No.: Q3725
Project: AQUA Woolwich Pump Station 22-531	Instrument ID: ECD_D
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 11/14/2025 11/14/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/14/2025	20:01	PD091193.D	8.06	2.88
PEM	PEM	11/14/2025	20:15	PD091194.D	8.06	2.87
RESCHK	RESCHK	11/14/2025	20:43	PD091195.D	8.06	2.87
PSTDICCC100	PSTDICCC100	11/14/2025	20:56	PD091196.D	8.06	2.87
PSTDICCC075	PSTDICCC075	11/14/2025	21:10	PD091197.D	8.06	2.87
PSTDICCC050	PSTDICCC050	11/14/2025	21:24	PD091198.D	8.06	2.87
PSTDICCC025	PSTDICCC025	11/14/2025	21:37	PD091199.D	8.06	2.87
PSTDICCC005	PSTDICCC005	11/14/2025	21:51	PD091200.D	8.06	2.87
PCHLORICC500	PCHLORICC500	11/14/2025	22:32	PD091203.D	8.06	2.87
PTOXICC500	PTOXICC500	11/14/2025	23:40	PD091208.D	8.06	2.87
IBLK	IBLK	12/01/2025	09:59	PD091401.D	8.05	2.87
PEM	PEM	12/01/2025	10:12	PD091402.D	8.05	2.87
PSTDCCC050	PSTDCCC050	12/01/2025	10:26	PD091403.D	8.05	2.87
PB170762BL	PB170762BL	12/01/2025	12:32	PD091405.D	8.06	2.87
PB170762BS	PB170762BS	12/01/2025	12:45	PD091406.D	8.05	2.87
STOCKPILE-SAMPLES	Q3725-04	12/01/2025	12:59	PD091407.D	8.05	2.87
BU-3-112625MS	Q3735-01MS	12/01/2025	13:53	PD091411.D	8.05	2.87
BU-3-112625MSD	Q3735-01MSD	12/01/2025	14:07	PD091412.D	8.05	2.87
IBLK	IBLK	12/01/2025	14:21	PD091413.D	8.05	2.87
PSTDCCC050	PSTDCCC050	12/01/2025	15:11	PD091414.D	8.06	2.87