

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : AEC-2025-0013

ATG-GREENVILLE AEC

426 Fairforest way

Greenville, SC - 29607

Phone No: 864-704-7984

ORDER ID : Q3728

ATTENTION : Greg Etter



Laboratory Certification ID # 20012



Table Of Contents for Q3728

1) Signature Page	3
2) Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	10
6.1) CHAIN OF CUSTODY	11
6.2) Lab Certificate	12

1

2

3

4

5

6

Cover Page

Order ID : Q3728

Project ID : AEC-2025-0013

Client : ATG-GREENVILLE AEC

Lab Sample Number

Q3728-01

Client Sample Number

SW-1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/8/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

ATG-GREENVILLE AEC

Project Name: AEC-2025-0013

Project # N/A

Order ID # Q3728

Test Name: Anions Group1,Phosphorus-Total,TKN,Total Nitrogen,TSS

A. Number of Samples and Date of Receipt:

1 Water sample was received on 11/26/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1,Phosphorus-Total,TKN,Total Nitrogen,TSS. This data package contains results for Anions Group1,Phosphorus-Total,TKN,Total Nitrogen,TSS.

C. Analytical Techniques:

The analysis of Anions Group1 was based on method 300.0, The analysis of Phosphorus-Total was based on method 365.3, The analysis of Total Nitrogen was based on method Cal, The analysis of TSS was based on method SM2540 D and The analysis of TKN was based on method SM4500 N Org B or C.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3728

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/08/2025



SAMPLE DATA

Report of Analysis

Client: ATG-GREENVILLE AEC
Project: AEC-2025-0013
Client Sample ID: SW-1
Lab Sample ID: Q3728-01

Date Collected: 11/25/25 14:06
Date Received: 11/26/25
SDG No.: Q3728
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Nitrite	0.074	U	1	0.074	0.60	mg/L		11/26/25 13:10	300.0
Nitrate	0.10	J	1	0.095	0.50	mg/L		11/26/25 13:10	300.0
Nitrate+Nitrite	0.10	U	1	0.17	1.10	mg/L		11/26/25 13:10	300.0
Phosphorus, Total	0.10		1	0.0050	0.050	mg/L	12/05/25 10:45	12/05/25 13:46	365.3
TKN	0.62		1	0.11	0.50	mg/L	12/05/25 08:50	12/05/25 14:11	SM4500-N Org C-21 plus NH3 B plus G-21
Nitrogen	0.72	J	1	0.31	1.30	mg/L		12/05/25 14:11	SM 4500-N Org C-11 plus NH3 B plus G-11
TSS	36.3		1	1.00	4.00	mg/L		11/26/25 19:00	SM 2540 D-20

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3728	OrderDate:	11/26/2025 11:07:00 AM
Client:	ATG-GREENVILLE AEC	Project:	AEC-2025-0013
Contact:	Greg Etter	Location:	A11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3728-01	SW-1	WATER			11/25/25 14:06			11/26/25
			Anions Group1	300.0			11/26/25 13:10	
			Phosphorus-Total	365.3		12/05/25	12/05/25 13:46	
			TKN	SM4500-N Org C-11 plus NH3 B plus G-11		12/05/25	12/05/25 14:11	
			Total Nitrogen	Cal			12/05/25 14:11	
			TSS	SM2540 D			11/26/25 19:00	



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

ALLIANCE PROJECT NO. AEC-2025-0013
QUOTE NO. Q 3728
COC Number 2047000

6
6.1

CLIENT INFORMATION			CLIENT PROJECT INFORMATION			CLIENT BILLING INFORMATION																																																																																																						
REPORT TO BE SENT TO: COMPANY: <u>Durham School Services</u>			PROJECT NAME: <u>CSC # 6702</u>			BILL TO: _____ PO#: _____																																																																																																						
ADDRESS: <u>10795 Mill Road</u>			PROJECT NO: <u>AEC-2025-0013</u> LOCATION: <u>PA</u>			ADDRESS: _____																																																																																																						
CITY: <u>Wattsburgh</u> STATE: <u>PA</u> ZIP: <u>16447</u>			PROJECT MANAGER: _____			CITY: _____ STATE: _____ ZIP: _____																																																																																																						
ATTENTION: <u>Staci. bruce@Alliancetg.com</u>			e-mail: _____			ATTENTION: _____ PHONE: _____																																																																																																						
PHONE: _____ FAX: _____			PHONE: _____ FAX: _____			ANALYSIS																																																																																																						
DATA TURNAROUND INFORMATION			DATA DELIVERABLE INFORMATION																																																																																																									
FAX (RUSH) _____ DAYS*			☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)			TSS Phosphorus Nitrogen <table border="1"><thead><tr><th></th><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th></tr></thead><tbody><tr><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>				1	2	3	4	5	6	7	8	9	1										2										3										4										5										6										7										8										9									
	1	2	3	4	5				6	7	8	9																																																																																																
1																																																																																																												
2																																																																																																												
3																																																																																																												
4																																																																																																												
5																																																																																																												
6																																																																																																												
7																																																																																																												
8																																																																																																												
9																																																																																																												
HARDCOPY (DATA PACKAGE): _____ DAYS*			☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP																																																																																																									
EDD: _____ DAYS*			☐ Level 3 (Results + QC + Raw Data) ☐ NYS ASP A ☐ NYS ASP B																																																																																																									
*TO BE APPROVED BY CHEMTECH			☐ + Raw Data ☐ Other _____																																																																																																									
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS			☐ EDD FORMAT _____																																																																																																									
ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS																																																																																											
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER																																																																																											
1.	SW-1	SW		A	11/25/25	2:00		1	1	1																																																																																																		
2.																																																																																																												
3.																																																																																																												
4.																																																																																																												
5.																																																																																																												
6.																																																																																																												
7.																																																																																																												
8.																																																																																																												
9.																																																																																																												
10.																																																																																																												
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																																																																																																												
RELINQUISHED BY SAMPLER:		DATE/TIME:	RECEIVED BY:		Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP <u>2-3</u> °C																																																																																																							
1. <u>Fed Ex</u>		<u>11/26/25</u>	1. <u>[Signature]</u>		Comments: _____																																																																																																							
RELINQUISHED BY SAMPLER:		DATE/TIME:	RECEIVED BY:																																																																																																									
2.			2.																																																																																																									
RELINQUISHED BY SAMPLER:		DATE/TIME:	RECEIVED BY:																																																																																																									
3.			3.																																																																																																									
Page _____ of _____					CLIENT: ☐ Hand Delivered ☐ Other _____					Shipment Complete ☐ YES ☐ NO																																																																																																		

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312